

THERMA TRU®
DOORS

FIBERGLASS & STEEL CATALOG



MANIFEST YOUR OUTER HOME



927



Manifest your outer home.

America's #1 fiberglass entry door.¹

Thanks to decades of material science expertise, Therma-Tru® doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel and assembled in America.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.

TABLE OF CONTENTS

2	Introduction
30	Patio, Storm & Vent
36	Classic Craft
100	Fiber-Classic & Smooth-Star
115	Flush-Glazed Designs
208	Steel
232	Fire Doors
236	Pulse
250	Finish Options
257	Door System Components
272	Special Quote Program
273	3'6" Width Options Chart
274	7'0" & 6'6" Height Options Charts
276	Product Details
278	Index
291	Trade Resources

¹Based on 2024 market data.



America's #1 fiberglass entry door.¹


Proudly assembled in America.

Therma-Tru offers the #1 fiberglass entry door¹ on the market, assembled right here in America. As your trusted domestic partner, we're committed to providing the right door for every project, supported by best-in-class lead times.

PROUDLY LOCAL

A DOMESTIC PARTNER YOU CAN COUNT ON

Our domestic supply chain allows us to deliver consistent products and offer best-in-class lead times. When combined with our nationwide network of fabricators, distributors and local support specialists, Therma-Tru helps keep your projects on track.



COMPLETE SOLUTIONS

THE RIGHT DOOR FOR ANY PROJECT, BACKED BY DECADES OF EXPERTISE

We have the doors your customers want — versatile, on-trend styles rooted in American craftsmanship — and the tools you need to find the perfect fit for your project.

PROVEN PERFORMANCE

CONFIDENCE IN EVERY DOOR, IN EVERY REGION

Built on reliability and backed by comprehensive warranties, our product portfolio is tested beyond the strictest national standards for total compliance.

¹Based on 2024 market data.

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

The only door you'll ever need.™

PROVEN TO PERFORM, PROTECT AND PRESERVE

A Therma-Tru® complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. Our complete door systems are proudly Assembled in America and backed with comprehensive, industry-leading warranties.



Since we manufacture or specify every part of our complete door system, we can test every part — ensuring that each component meets our highest standards, and yours. A Therma-Tru door system **provides unmatched performance** when it matters most — for exceptional protection against water infiltration, improved energy efficiency and unparalleled durability.

1 FLUSH-GLAZED GLASS

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency¹ and superior sound dampening.

2 BALL-BEARING HINGES

Our ball-bearing hinges have been slam-tested to sustain daily use by a family of four for **more than 150 years**.

3 WEATHERSTRIPPING

Provides two points of contact and a form-fitting barrier for extra protection against leaks.

4 PRESSURE-INJECTED FOAM CORE

Our fiberglass doors feature a pressure-injected foam core that offers **4X more insulation** than a wood door.²

5 SILL, SWEEP & CORNER PADS

When the door is closed, an enhanced seal provides elevated protection against water infiltration.

6 SILL PAN



¹Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

²Comparison of R-values of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Homeowners want to be confident that their home is safe and secure — offer a door system that delivers continuous protection against forced entry, **providing invaluable peace of mind.**

1 COMPOSITE DOOR FRAME

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.¹

2 MULTI-POINT LOCKING SYSTEM

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

3 FIBERGLASS DOORS

Fiberglass entry doors are tough, providing **30% more protection** against forced entry than steel.²



Learn more about a Therma-Tru complete door system.

¹Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

²Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details. Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

A Therma-Tru® entryway offers **exceptional beauty that withstands the test of time**. From our industry-first fiberglass — made from a proprietary blend of advanced materials — to our innovative PrismaGuard finish, our door systems are built to last.

1 FLUSH-GLAZED GLASS

Choose beautiful glass built directly into the door, protected by a comprehensive warranty that covers accidental glass breakage during construction or installation.

2 PRE-FINISHED PRISMAGUARD® DOORS

Today's homeowners expect perfection — PrismaGuard offers an **impeccable, factory-applied finish** that meets the toughest expectations.


3 FIBERGLASS DOORS

A durable fiberglass skin resists dents and dings, providing unsurpassed beauty for a lifetime.



Tru-Defense: The Ultimate Protection

A Therma-Tru® door system with Tru-Defense system components provides enhanced protection against water infiltration backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider. With a Tru-Defense system, you are eligible for a reimbursement of up to \$2,500 should an issue arise.¹




DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility.² Look for the (🏠) icon.

How to choose a Tru-Defense® system:

1 SELECT ANY THERMA-TRU FIBERGLASS DOOR SLAB



2 CHOOSE YOUR COMPONENTS

Door Frame

**Composite
Adjustable Sill**

Bottom Sweep
(Inswing Only)

Hinges (Any)

Corner Seal Pads
(Inswing Only)

Weatherstrip (Any)

Astragal
(Double Doors)

Rain Guard
(Outswing Only)

3 ADD ANY RECOMMENDED COMPONENTS FOR ENHANCED PROTECTION

Multi-Point Locking System
(MPLS)

Sill Pan

Tru-Defense Warranty Rider

LEVELS OF REIMBURSEMENT

System Includes	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan) ³	\$250	\$500
Latch & Deadbolt with Sill Pan ³	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

¹If water infiltrates solely as a result of non-conformities in the Tru-Defense door system.

²The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

³Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.

DID YOU KNOW?



On average, a home is burglarized in the U.S. **every 4 minutes**.¹



More than half of home burglaries occur **during the daytime**.¹

THERMA-TRU® COMPOSITE DOOR FRAME

Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.²

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

¹Source: FBI Crime Data Explorer.

²Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

³Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.



MATERIAL MYTHS

Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.²
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.²
- Wood doors and steel doors may weaken over time with exposure to the elements.

THERMA-TRU FIBERGLASS DOOR SLAB


Up to 30% more resistant to kick-ins than standard steel doors.³

Features durable construction that can withstand impact by absorbing and deflecting the force.³


- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Fiberglass will not dent or rust, nor will it warp, split, crack or rot.

THERMA-TRU GLASS

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.



Energy-Efficient Options for Every Home



Therma-Tru has options to meet ENERGY STAR® requirements in all 50 states.


ENERGY STAR provides simple, credible and unbiased information that homeowners rely on to make well-informed decisions.

Products that earn the ENERGY STAR label are independently certified to meet strict standards for energy efficiency set by the U.S. Environmental Protection Agency (EPA).


Year-round comfort, no matter the weather.

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements indicated in **gold** starting on page 117.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.



Scan to view qualifying products.

Advanta® Lite Frame

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



ADVANTA
LITE FRAME



Four-piece design includes two interchangeable frame covers and a two-piece base frame.

Advanta lite frame clear and privacy glass includes options that meet ENERGY STAR® requirements in all 50 states, featuring triple-pane construction with a Low-E coating.

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 130; Profiles and Traditions, starting on page 213; and Pulse, starting on page 240.

AVAILABLE ENERGY STAR®-CERTIFIED GLASS OPTIONS



Reeded (XK)



Satin Etch (XE)



Chord (XC)



Chinchilla (XJ)



Rainglass (XR)



Granite (XN)



Low-E

LIFETIME
LIMITED WARRANTY

Fiber-Classic,
Smooth-Star, Pulse
Fiberglass


10 YEAR
LIMITED WARRANTY

Profiles, Traditions,
Pulse Steel

NEW

3/4-Lite Flush-Glazed Shaker-Style Doors and Sidelites

FOR FIBER-CLASSIC® AND SMOOTH-STAR® DOORS



Discover the full portfolio of Fiber-Classic and Smooth-Star Shaker-style doors and sidelites—crafted to complement nearly every home style.

Capture the beautiful simplicity of Shaker style with 3/4-lite 1-panel doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance.

AVAILABLE DOORS AND SIDELITES



S7500*	FCM7500*
26" x 6'8"	26" x 6'8"
28" x 6'8"	28" x 6'8"
210" x 6'8"	210" x 6'8"
30" x 6'8"	30" x 6'8"

S7500SL	FCM7500SL
12" x 6'8"	12" x 6'8"
14" x 6'8"	14" x 6'8"

S87500*	FCM87500*
26" x 8'0"	26" x 8'0"
28" x 8'0"	28" x 8'0"
210" x 8'0"	210" x 8'0"
30" x 8'0"	30" x 8'0"


FLAT-PROFILE SDL BARS

Smooth
(28.6 mm / 1.125 in.)



Grained
(28.6 mm / 1.125 in.)



 Elevated 10" Bottom Rail
*Can be used with full lite sidelites.

TRU-ADVANTAGES

- 1. On-Trend Styles:** These doors are thoughtfully designed to coordinate with a variety of architectural and decorative elements, including Craftsman, Coastal and other popular design influences.
- 2. Advanced Protection:** Composite edge stiles with Tru-Guard® composite technology work together with composite top and bottom rails and durable fiberglass door skins for extra protection from water absorption, rot, mold and wood-ingesting insects on all six sides of the door.
- 3. Low Maintenance:** Durable, long-lasting fiberglass skins won't warp, rot, dent or rust, and require very little maintenance.

AVAILABLE GLASS OPTIONS



Satin Etch (XE)



Chord (XC)




Rainglass (XR)



Chinchilla (XJ)




Granite (XN)



Low-E

AVAILABLE GLASS SHAPES AND SDL PATTERNS



Open to possibilities.

Veris embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

VERIS™



Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors





NEW MODERN GRAIN

Designed to harmonize with your home and enhance your way of living, new Veris™ Modern Grain entryway systems blend the best of both worlds — sleek glass and aluminum with warm, true-to-wood Walnut-grained fiberglass panels.



Experience Veris.



Scan the QR code to view the complete Veris catalog.

Explore options and see it in your home with our visualizer at [veriscollection.com](https://www.veriscollection.com).



GREEN BUILDER
SUSTAINABLE
BRAND LEADER **2025**

Together, let's make a world of difference.

We're doing our part to build a better world, every chance we get. Therma-Tru® Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

HELPING TAKE CARE OF OUR PLANET

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard® paints and stains.

Therma-Tru is proud to be **recognized as the 2025 Brand Leader²** by *Green Builder* magazine for offering durable, well-insulated products.

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of **Yellowstone National Park**.

BEING A GOOD NEIGHBOR

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.

Awards

Veris entryway systems have been recognized by *Green Builder* as a cutting-edge solution that enhances energy efficiency, resilience and sustainability in homes; and by *Architizer* for quality, performance and design impact.

Veris Modern Grain entryway systems received recognition as a winner of the 2025 Product Innovation Awards, published by *Architectural Products*, for outstanding innovation.



We are proud to be an official corporate partner of Yellowstone Forever's sustainability initiative to help ensure that Yellowstone National Park remains for generations. We're proud to provide fiberglass entryways for Yellowstone Park employee housing.

Where style meets serenity.

Today's design trends invite you to create a relaxing retreat that reflects your home's unique style. Whether you're drawn to nostalgic charm, timeless elegance or laid-back luxury, we offer the products that will help turn your home into a haven.



MODERN HARMONY

NOSTALGIC | INDUSTRIAL | ORGANIC

Retro styles meet nature-inspired influences as Modern homes lean into lighter hues, warm wood grains and mixed textures.

FEATURED PRODUCTS:

Classic Craft Walnut Grain Door - CCW8905; Low-E Glass Direct Set Sidelite, Finish - Rustic Clay





BALANCED BLEND

CRAFTED | TEXTURAL | WELCOMING

The new Casual aesthetic features trend-forward colors and finishes in perfect harmony with elevated-but-comfortable details like vertical textures and eased edges.

FEATURED PRODUCTS:

Smooth-Star Flush-Glazed Door - S82103; Clear Glass with SDLs, Finish - Onyx



WELL TAILORED

DECORATIVE | TRANSITIONAL | REFINED

Traditional homes blend European-inspired elements with tailored details, including mixed wood grains and a moody color palette, for a fresh take on Old World style.

FEATURED PRODUCTS:

Classic Craft Mahogany Grain Door - CCM8306CAL, CCM8306CAR; Low-E Glass with SDLs, Finish - Driftwood


Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series Pages 36–95

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

LIFETIME
LIMITED WARRANTY
Transferable




Fir Grain



Walnut Grain



Mahogany Grain



Canvas





Fiber-Classic® & Smooth-Star® Collections Pages

100–201


The industry's first fiberglass door delivers the look and feel of real wood grains — or a smooth, paintable surface — with excellent performance and value.



Mahogany Collection™



Oak Collection™



Smooth-Star®

Steel Pages 208–231

Bring style and affordability together to create very attractive results with our steel doors.



Door & Glass



Door



Glass



Fiberglass



Steel



Profiles™




Traditions



Ari



Línea



Echo

Pulse® Pages 236–249

A contemporary series of door styles and glass designs that can be combined to make a bold statement.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Left Page: Classic Craft Walnut Grain Door – CCW8902L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx

Glass Options

DECORATIVE & SPECIALTY GLASS


A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.



Contributes to an energy-efficient home.



TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



INTERNAL BLINDS

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, flush-glazed designs and Impact-rated options.

Available in **Fiber-Classic**., **Smooth-Star**., **Profiles**™ and **Traditions** doors and sidelites.

Right Page: Smooth-Star, Clear Glass with SDLs,
Door – S6042, Finish – Alpine

PRIVACY & TEXTURED GLASS


Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles**, **Traditions** and **Pulse** doors and sidelites.

Glass Privacy Rating Scale

Glass privacy ratings are measured on a scale of 1 to 10, with 1 being clear and 10 being the most opaque, private option.



LOW-E GLASS

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles**, **Traditions** and **Pulse**. Look for the (☀️) icon.

DIVIDED LITES



Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles** and **Traditions**.

Flush-Glazed Glass

for Classic Craft[®], Fiber-Classic[®] & Smooth-Star[®] Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, flush-glazed glass is perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the ( ) icons.



STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



¹Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

²Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing. Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven

Left Page Bottom: Smooth-Star, Internal Blinds, Doors – S2600



DURABLE BY DESIGN

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency¹ and superior sound dampening.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.¹




Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50),² (ASTM-E330)

Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 115 for details.

Tough when you need it. Beautiful always.



High-Power Testing
Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.


Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.¹

2 Use the icons to find available Therma-Tru® product options in this catalog.



WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.¹

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

¹Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.



IMPACT OPTIONS

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.¹



Doors

Feature a built-in 24-gauge steel plate.



Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.




Flush-Glazed Glass

Offers clean style and an increased daylight opening.



Glass

Features special laminated glass construction.



Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile.

OTHER CONSIDERATIONS



Fire Doors

See pages 232–235.



Noise Reduction Doors

See page 197.



Elevated 10" Bottom Rail

Look for the (E) symbol.

Hinged Patio Door Systems

Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns and let fresh air into the home.



A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components

VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.

- 8 Multi-Point Locking System (Included)
- 9 Removable Screens
 - Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
 - Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T




19050T

Classic Craft, starting on page 96.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 202.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, they have been quality tested for compatibility with Therma-Tru® entry door systems.



¹Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

²Based on average DIY skills and standard door application, widths 32"-36".


³Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.




AVAILABLE SIZES

(Available for most inswing units.)



Single Door System
Widths: 32"-36"
Heights: 6'6", 6'8", 8'0"



French Door System
Widths: 68"-73"
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.²

AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.³



White






Brown



Black

AVAILABLE CONFIGURATIONS



See your Therma-Tru seller for details on product availability and ordering.

WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.

LIFETIME
LIMITED WARRANTY

Classic Craft
Transferable

LIFETIME
LIMITED WARRANTY

Fiber-Classic,
Smooth-Star, Pulse
Fiberglass

10 YEAR
LIMITED WARRANTY

Profiles, Traditions,
Pulse Steel

LIFETIME
LIMITED WARRANTY

Classic Craft[®]

An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door - CCM81519

Right Page: Classic Craft Mahogany Grain, Clear Glass with SDLs, Doors - CCM8306CAL, CCM8306CAR







Comprehensive warranties for peace of mind.

LIFETIME

LIMITED WARRANTY

Classic Craft
Transferable

Uniquely designed by Therma-Tru, Classic Craft® complete entryway systems are backed by an industry-leading lifetime limited warranty that can be transferred one time to a new owner, should you ever sell your home.

10 YEAR

LIMITED WARRANTY

Classic Craft Finish
Transferable


In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty — Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at thermatru.com/warranty.



Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.



Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider¹ to welcome more natural light into the home.



TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



THERMA-TRU. DOOR FRAME

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



¹Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details.

²Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo



DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker¹ for added durability and better long-term performance.



TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain[®] technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.¹




CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.²

True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain.
TECHNOLOGY



FIR GRAIN

Designed to echo the grain of the largest species of American Hemlocks — the Western Hemlock tree — found in lush coastal rainforests of the Pacific Northwest.



WALNUT GRAIN

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.





Decorative & Specialty Glass Designs


Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray antique glass. An ideal complement for a Transitional home design.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reeded glass, ② M seedy glass, ③ waterglass and coming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber antique glass and ⑥ clear bevels.

GLASS SHAPES



GLASS PRIVACY RATING



Note: The use of pale amber and amber antique glass varies based on glass size. Refer to the image on page 52 to see an example on a home.



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Augustine.

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

GLASS SHAPES




Corresponding sidelites feature Granite glass without wrought iron.

GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 69 to see an example on a home.



Wrought Iron

Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

GLASS SHAPES




Corresponding sidelites feature Hammered glass without wrought iron.

GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 36 to see an example on a home.



Wrought Iron

Decorative & Specialty Glass Designs *Continued*

Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 1 curved, 2 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured 5 diamond border glass.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.



GLASS PRIVACY RATING



Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.



GLASS PRIVACY RATING



Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.



GLASS PRIVACY RATING



Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.



GLASS PRIVACY RATING



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.



GLASS PRIVACY RATING



Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.



GLASS PRIVACY RATING



Also Available:

Low-E Glass



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.








Divided Lites


Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)



Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the () icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the () icon.





(40.64 mm / 1.6 in.)
Look for the () icon.





(107.95 mm / 4.25 in.)
Look for the () and () icons.




(139.70 mm / 5.5 in.)
Look for the () and () icons.




Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the () and () icons.



(40.64 mm / 1.6 in.)
Look for the () icon.

Mahogany Grain



(40.64 mm / 1.6 in.)
Look for the () icon.

Fir Grain


Canvas

Note: See your Thermo-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Top: Classic Craft Canvas, Low-E Glass with SDLs, Door – CCV960, Sidelites – CCV9020SL, Transom – 19220T, Finish – Cypress
Right Page: Classic Craft Fir Grain, Reeded Glass with SDLs, Door – CCA2320XK, Sidelites – CCA2320XKSL, Finish – Rustic Clay

Flush-Glazed Sticking Profiles

Flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🔥) and (💧) icons.



Detailed Sticking
Look for the (🔥) icon.



Square Sticking (Fir Grain)
Look for the (💧) icon.



Square Sticking (Mahogany Grain)
Look for the (💧) icon.



Flush-Glazed Warranty Riders
for Construction & Installation, and Homeowners.
See page 115 for details.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf¹



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.


¹Pairs with 3'6" wide doors.

Top: Classic Craft Fir Grain, Arborwatch Glass, Door - CCA9100, Sidelites - CCA1423SL, Finish - Autumn Harvest; Dentil Shelf
Right Page: Classic Craft Mahogany Grain Door - CCR205, Finish - Raven; Clavos & Strap Hinges



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-1/2"

1-1/4"

1"




1-3/4"

1-1/4"


1"



18"



Full Lites




Mahogany Grain

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

HOMeward™



Mahogany

CCR9925
3'0" x 6'8"



Mahogany

CCR9925SL
 12" x 6'8"
14" x 6'8"



Canvas

CCV9925
3'0" x 6'8"



Canvas

CCV911SL
 12" x 6'8"
14" x 6'8"

ARBORWATCH™



Mahogany

CCR1423
3'0" x 6'8"



Mahogany

CCR1423SL
 12" x 6'8"
14" x 6'8"



Canvas

CCV1423
3'0" x 6'8"



Canvas

CCV1423SL
 12" x 6'8"
14" x 6'8"

AUGUSTINE™



Mahogany

CCR30027
3'0" x 6'8"



Mahogany

CCR3400XNSL
 12" x 6'8"
14" x 6'8"



Canvas

CCV10027
3'0" x 6'8"



Canvas

CCV100XNSL
 12" x 6'8"
14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

BORRASSA. X



Mahogany

CCR1528
3'0" x 6'8"



Mahogany

CCR3400XHSL
12" x 6'8"
14" x 6'8"



Canvas

CCV1528
3'0" x 6'8"



Canvas

CCV100XHSL
12" x 6'8"
14" x 6'8"

PROVINCIAL.™ ◆



Mahogany

CCR30028
3'0" x 6'8"



Mahogany

CCR3408SL
12" x 6'8"
14" x 6'8"

LONGFORD.™ ◆



Canvas

CCV10028
3'0" x 6'8"



Canvas

CCV108SL
12" x 6'8"
14" x 6'8"



Mahogany

CCR30023
3'0" x 6'8"



Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10023
3'0" x 6'8"



Canvas

CCV103SL
12" x 6'8"
14" x 6'8"

LUCERNA. ◆



Mahogany

CCR10022
3'0" x 6'8"



Mahogany

CCR3412SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10022
3'0" x 6'8"



Canvas


CCV3412SL
12" x 6'8"
14" x 6'8"

Full Lites


Continued



Fir Grain



Mahogany Grain



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

ZAHA.



Mahogany

CCR1851
3'0" x 6'8"



Mahogany

CCR1851SL
12" x 6'8"
14" x 6'8"



Canvas

CCV1851
3'0" x 6'8"



Canvas

CCV1851SL
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED



Fir

CCA2300
3'0" x 6'8"

CCA82300
3'0" x 8'0"



Fir

CCA2310
3'0" x 6'8"


CCA82310
3'0" x 8'0"



Fir

CCA2320
3'0" x 6'8"


CCA82320
3'0" x 8'0"



Fir

CCA2330
3'0" x 6'8"

CCA82330
3'0" x 8'0"



Fir

CCA2340
3'0" x 6'8"

CCA82340
3'0" x 8'0"



Fir

CCA2380
3'0" x 6'8"

CCA82380
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA2350_*

 3'0" x 6'8"

CCA82350_*

 3'0" x 8'0"



Fir

CCA2360_*

 3'0" x 6'8"

CCA82360_*

 3'0" x 8'0"



Fir

CCA2370_*

 3'0" x 6'8"

CCA82370_*

 3'0" x 8'0"



Fir

CCA4900_*

 3'0" x 6'8"

CCA84900_*

 3'0" x 8'0"




Fir

CCA4910L_*

 3'0" x 6'8"

CCA4910R_*

 3'0" x 6'8"



Fir

CCA84910L_*

 3'0" x 8'0"

CCA84910R_*

 3'0" x 8'0"



Fir

CCA4920L_*

 3'0" x 6'8"

CCA4920R_*

 3'0" x 6'8"



Fir

CCA84920L_*

 3'0" x 8'0"

CCA84920R_*

 3'0" x 8'0"



Fir

CCA4930_*

 3'0" x 6'8"

CCA84930_*

 3'0" x 8'0"



Fir

CCA4940_*

 3'0" x 6'8"

CCA84940_*

 3'0" x 8'0"



Fir

CCA2400_*

 3'0" x 6'8"

CCA82400_*

 3'0" x 8'0"

Full Lites

Continued



Fir Grain

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

PRIVACY & TEXTURED



Fir

CCA2300_SL	CCA82300_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"




Fir

CCA2310_SL	CCA82310_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2320_SL	CCA82320_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2330_SL	CCA82330_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2340_SL	CCA82340_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2400_SL	CCA82400_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

LOW-E



Fir

CCA2300	CCA82300
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2310	CCA82310
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2320	CCA82320
3'0" x 6'8"	3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.


Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA2330
 ▲ ★ 3
 3'0" x 6'8"


CCA82330
 ▲ ★ 3 E
 3'0" x 8'0"



Fir

CCA2340
 ▲ ★ 3
 3'0" x 6'8"

CCA82340
 ▲ ★ 3 E
 3'0" x 8'0"



Fir

CCA2380
 ▲ ★ 6
 3'0" x 6'8"

CCA82380
 ▲ ★ 6 E
 3'0" x 8'0"



Fir

CCA2350
 ▲ ★ 6
 3'0" x 6'8"

CCA82350
 ▲ ★ 6 E
 3'0" x 8'0"



Fir

CCA2360
 ▲ ★ 6
 3'0" x 6'8"

CCA82360
 ▲ ★ 6 E
 3'0" x 8'0"



Fir

CCA2370
 ▲ ★ 4
 3'0" x 6'8"

CCA82370
 ▲ ★ 4 E
 3'0" x 8'0"



Fir

CCA4900
 ▲ ★ 8
 3'0" x 6'8"

CCA84900
 ▲ ★ 8 E
 3'0" x 8'0"



Fir

CCA4910L
 ▲ ★ 3
 3'0" x 6'8"

CCA4910R
 ▲ ★ 3
 3'0" x 6'8"



Fir

CCA84910L
 ▲ ★ 3 E
 3'0" x 8'0"

CCA84910R
 ▲ ★ 3 E
 3'0" x 8'0"



Fir

CCA4920L
 ▲ ★ 6
 3'0" x 6'8"

CCA4920R
 ▲ ★ 6
 3'0" x 6'8"

Full Lites

Continued

Fir Grain


Mahogany Grain

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Simulated Divided Lites (SDLF6)
-  Elevated 10" Bottom Rail Options


LOW-E



Fir		Fir	
CCA84920L  3'0" x 8'0"	CCA84920R  3'0" x 8'0"	CCA4930  3'0" x 6'8"	CCA84930  3'0" x 8'0"



Fir		Fir		Fir	
CCA4940  3'0" x 6'8"	CCA84940  3'0" x 8'0"	CCA2400  3'0" x 6'8"	CCA82400  3'0" x 8'0"	CCA2300SL  12" x 6'8" 14" x 6'8"	CCA82300SL  12" x 8'0" 14" x 8'0"




Fir		Fir		Fir	
CCA2310SL  12" x 6'8" 14" x 6'8"	CCA82310SL  12" x 8'0" 14" x 8'0"	CCA2320SL  12" x 6'8" 14" x 6'8"	CCA82320SL  12" x 8'0" 14" x 8'0"	CCA2330SL  12" x 6'8" 14" x 6'8"	CCA82330SL  12" x 8'0" 14" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA2340, Sidelite - CCA2400SL, Finish - Rustic Clay



Fir

CCA2340SL
 12" x 6'8"
 14" x 6'8"

CCA82340SL
 12" x 8'0"
 14" x 8'0"



Fir

CCA2400SL
 12" x 6'8"
 14" x 6'8"

CCA82400SL
 12" x 8'0"
 14" x 8'0"



Mahogany

CCR30020
 3'0" x 6'8"



Mahogany

CCR2025SL
 12" x 6'8"
 14" x 6'8"



Mahogany

CCR3400SL
 12" x 6'8"
 14" x 6'8"



Canvas

CCV10020
 3'0" x 6'8"



Canvas

CCV950SL
 12" x 6'8"
 14" x 6'8"



Canvas

CCV100SL
 12" x 6'8"
 14" x 6'8"




HOMEWARD™ ◆ ◆



Mahogany

CCM2801 | CCM82801
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"



Mahogany

CCM9923
 3'0" x 6'8"



Mahogany

CCR9925SL | CCR89925SL
 ▲ 12" x 6'8" | ▲ 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Canvas

CCV9922 | CCV89922
 3'0" x 6'8" | 3'0" x 8'0"

3/4 Lites



Mahogany Grain

Canvas

Key

- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)



Canvas


CCV911SL | CCV8111SL
 ▲ 12" x 6'8" | ▲ 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

ARBORWATCH™ ◆ ◆



Mahogany

CCM81418
 3'0" x 8'0"




Mahogany

CCM1419
 3'0" x 6'8"



Mahogany

CCR1423SL | CCR81423SL
 ▲ 12" x 6'8" | ▲ 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Canvas

CCV1418 | CCV81418
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1423SL | CCV81423SL
 ▲ 12" x 6'8" | ▲ 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

AUGUSTINE™ ✕



Mahogany

CCM805027
 3'0" x 8'0"



Mahogany

CCM1485
 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany
CCM1495
3'0" x 6'8"

Mahogany
CCR3400XNSL | CCR8000XNSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
▲ 14" x 6'8" | ▲ 14" x 8'0"

Canvas
CCV05027 | CCV805027
3'0" x 6'8" | 3'0" x 8'0"

Canvas
CCV100XNSL | CCV8100XNSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
▲ 14" x 6'8" | ▲ 14" x 8'0"

BORRASSA. X



Mahogany
CCM81519
3'0" x 8'0"

Mahogany
CCM1475
3'0" x 6'8"

Mahogany
CCM1465
3'0" x 6'8"

Mahogany
CCR3400XHSL | CCR8000XHSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
▲ 14" x 6'8" | ▲ 14" x 8'0"

Canvas
CCV1519 | CCV81519
3'0" x 6'8" | 3'0" x 8'0"

LONGFORD™ ◆ ◆



Canvas
CCV100XHSL | CCV8100XHSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
▲ 14" x 6'8" | ▲ 14" x 8'0"

Mahogany
CCM892
3'0" x 8'0"

Mahogany
CCM203
3'0" x 6'8"

Mahogany
CCM303
3'0" x 6'8"

3/4 Lites

Continued



Mahogany Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XK = Reeded** **XJ = Chinchilla**
- XE = Satin Etch** **XR = Rainglass**
- XC = Chord** **XN = Granite**

LONGFORD™ ◆ ❑



Mahogany	Mahogany		Canvas		Canvas	
CCM3303SL ▲ 12" x 6'8" 14" x 6'8"	CCR3407SL ▲ 12" x 6'8" 14" x 6'8"	CCR8007SL ▲ 12" x 8'0" 14" x 8'0"	CCV05023 3'0" x 6'8"	CCV805023 3'0" x 8'0"	CCV103SL ▲ 12" x 6'8" 14" x 6'8"	CCV8103SL ▲ 12" x 8'0" 14" x 8'0"

LUCERNA◆ ◆ ❑



Mahogany		Mahogany		Mahogany
CCM2802 ▲ 3'0" x 6'8"	CCM82802 ▲ 3'0" x 8'0"	CCR3412SL ▲ 12" x 6'8" 14" x 6'8"	CCR8102SL ▲ 12" x 8'0" 14" x 8'0"	CCM204 3'0" x 6'8"



Mahogany	Mahogany	Canvas		Canvas	
CCM302 3'0" x 6'8"	CCM3302SL ▲ 12" x 6'8" 14" x 6'8"	CCV05022 3'0" x 6'8"	CCV805022 3'0" x 8'0"	CCV3412SL ▲ 12" x 6'8" 14" x 6'8"	CCV8102SL ▲ 12" x 8'0" 14" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

*Not available with Chinchilla (XJ) glass.

Note: See page 277 for important product details that may help with your purchase decision.

PROVINCIAL™ ◆◆



Mahogany

CCR3408SL	CCR8008SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"



Canvas

CCV05028	CCV805028
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV108SL	CCV8108SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"

ZAHA. ◆◆



Mahogany

CCM2803	CCM82803
▲ 3'0" x 6'8"	▲ 3'0" x 8'0"



Mahogany

CCR1851SL	CCR81851SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"



Mahogany

CCM1844
3'0" x 6'8"



Mahogany

CCM1842
3'0" x 6'8"



Mahogany

CCM1843SL
▲ 12" x 6'8"
▲ 14" x 6'8"



Canvas

CCV1843	CCV81843
3'0" x 6'8"	3'0" x 8'0"



Canvas


CCV1851SL	CCV81851SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"

PRIVACY & TEXTURED




Mahogany

CCM2804_*	CCM82804_*
▲ 6 3'0" x 6'8"	▲ 6 3'0" x 8'0"




Mahogany

CCM2806_*	CCM82806_*
▲ 6 3'0" x 6'8"	▲ 6 3'0" x 8'0"



Mahogany

CCM2812_*	CCM82815_*
▲ 6 3'0" x 6'8"	▲ 6 3'0" x 8'0"




Mahogany

CCM2800_*	CCM82800_*
▲ 3'0" x 6'8"	▲ 3'0" x 8'0"

3/4 Lites






Continued



Mahogany Grain

Canvas

Key


-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDL6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch** **XR = Rainglass**
- XC = Chord** **XN = Granite**
- XJ = Chinchilla**

PRIVACY & TEXTURED



Mahogany

CCM200XC
CCM200XN
3'0" x 6'8"







Mahogany

CCM300XC
CCM300XN
3'0" x 6'8"






Mahogany

CCR2025_SL CCR82035_SL
   
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"



Mahogany

CCR3400_SL CCR8000_SL
 
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"




Canvas

CCV05020XC
CCV05020XN
3'0" x 6'8"





Canvas

CCV950_SL CCV8950_SL*
   
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"



Canvas

CCV100_SL CCV8100_SL*
 
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"

LOW-E



Mahogany

CCM2804 CCM82804
     
3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCM2806 CCM82806
     
3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCM2812 CCM82815
     
3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCM2800 | CCM82800
 3'0" x 6'8" | 3'0" x 8'0"




Mahogany

CCR2025SL | CCR82035SL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"




Mahogany

CCR3400SL | CCR8000SL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Mahogany

CCM200
 3'0" x 6'8"



Mahogany

CCM300
 3'0" x 6'8"



Mahogany

CCM3300SL
 12" x 6'8"
 14" x 6'8"



Canvas

CCV05020 | CCV805020
 3'0" x 6'8" | 3'0" x 8'0"



Canvas


CCV950SL | CCV8950SL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Canvas

CCV100SL | CCV8100SL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"





Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

Optional Accessories



Clavos



Strap Hinge

HOMEWARD™ ◆ ▣



Mahogany

CCR9921 3'0" x 6'8"
 CCR89921 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR9919 3'0" x 6'8"
 CCR89919 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR9918 3'0" x 6'8"
 CCR89918 3'0" x 8'0"



Mahogany

CCR822218 3'0" x 8'0"
 3'6" x 8'0"



Canvas


CCV9919 3'0" x 6'8"
 CCV89919 3'0" x 8'0"



Canvas

CCV9918 3'0" x 6'8"
 CCV89918 3'0" x 8'0"

ARBORWATCH® ◆ ▣



Mahogany

CCR1417 3'0" x 6'8"
 CCR81417 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR1415 3'0" x 6'8"
 CCR81415 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR1414 3'0" x 6'8"
 CCR81414 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth

AUGUSTINE. X



Mahogany

CCR822214
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1415 | CCV81415
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1414 | CCV81414
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR04027 | CCR804027
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20527 | CCR820527
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20027 | CCR820027
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822227
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR04037 | CCR804037
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"

AUGUSTINE *Continues on next page.*



Continued



Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (W)

Optional Accessories



Clavos



Strap Hinge

AUGUSTINE. ✕



Mahogany

CCR20537	CCR820537
3'0" x 6'8"	3'0" x 8'0"
	3'6" x 8'0"



Mahogany

CCR20037	CCR820037
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCR20537A	CCR820537A
3'0" x 6'8"	3'0" x 8'0"
	3'6" x 8'0"



Mahogany

CCR20037A	CCR820037A
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV20527	CCV820527
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV20227	CCV822027
3'0" x 6'8"	3'0" x 8'0"

BORRASSA. ✕



Canvas

CCV20537	CCV820537
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCR1518	CCR81518
3'0" x 6'8"	3'0" x 8'0"
	3'6" x 8'0"



Mahogany

CCR1516	CCR81516
3'0" x 6'8"	3'0" x 8'0"
	3'6" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR1515 3'0" x 6'8" | CCR81515 3'0" x 8'0"



Mahogany

CCR822215 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1514 3'0" x 6'8" | CCR81514 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1512 3'0" x 6'8" | CCR81512 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1511 3'0" x 6'8" | CCR81511 3'0" x 8'0"



Mahogany

CCR1512A 3'0" x 6'8" | CCR81512A 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1511A 3'0" x 6'8" | CCR81511A 3'0" x 8'0"



Canvas

CCV1516 3'0" x 6'8" | CCV81516 3'0" x 8'0"



Canvas

CCV1515 3'0" x 6'8" | CCV81515 3'0" x 8'0"



Canvas

CCV1512 3'0" x 6'8" | CCV81512 3'0" x 8'0"

PROVINCIAL™ ◆ ❖



Mahogany

CCR804028 3'0" x 8'0"



Mahogany

CCR820528 3'0" x 8'0"

Continued




Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)

Optional Accessories



Clavos



Strap Hinge

PROVINCIAL™ ◆ ▣



Mahogany

CCR820028
3'0" x 8'0"



Mahogany

CCR822228
3'0" x 8'0"



Canvas

CCV820528
3'0" x 8'0"



Canvas

CCV822028
3'0" x 8'0"

LONGFORD™ ◆ ▣



Mahogany

CCR04023 | CCR804023
3'0" x 6'8" | 3'0" x 8'0"




Mahogany

CCR20523 | CCR820523
3'0" x 6'8" | 3'0" x 8'0"




Mahogany

CCR20023 | CCR820023
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822223
3'0" x 8'0"



Canvas

CCV20523 | CCV820523
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22023 | CCV822023
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR04022 | CCR804022
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20522 | CCR820522
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20022 | CCR820022
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822222
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR804032
3'0" x 8'0"



Mahogany

CCR820532
3'0" x 8'0"



Mahogany

CCR820032
3'0" x 8'0"



Mahogany

CCR820532A
3'0" x 8'0"



Mahogany

CCR820032A
3'0" x 8'0"

ZAHA. ◆ ::



Canvas

CCV20522 | CCV820522
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22022 | CCV822022
3'0" x 6'8" | 3'0" x 8'0"



Canvas


CCV820532
3'0" x 8'0"



Mahogany

CCR1841 | CCR81841
3'0" x 6'8" | 3'0" x 8'0"

Continued



Mahogany Grain



Mahogany		Mahogany		Mahogany
CCR1839	CCR81839	CCR1838	CCR81838	CCR822238
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch XR = Rainglass
- XG = Chord XN = Granite

Optional Accessories



Mahogany	Mahogany	Mahogany	Mahogany
CCR81847	CCR81846	CCR81845	CCR81846A
3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"



Mahogany	Canvas		Canvas		Canvas
CCR81845A	CCV1839	CCV81838	CCV1838	CCV81838	CCV81846
3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

*Not available with Satin Etch (XE) or Rainglass (XR) glass.

Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED



Mahogany

CCR04020_* | CCR804020_*
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20520_* | CCR820520_*
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20020_* | CCR820020_*
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822220_*
3'0" x 8'0"




Mahogany

CCR804030_*
3'0" x 8'0"



Mahogany

CCR820530_*
3'0" x 8'0"



Mahogany

CCR820030_*
3'0" x 8'0"



Mahogany

CCR820530A_*
3'0" x 8'0"



Canvas

CCV20520_* | CCV820520_*
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22020_* | CCV822020_*
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820530_*
3'0" x 8'0"



Mahogany

CCM302L_ | CCM302R_
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8302L_ | CCM8302R_
3'0" x 8'0" | 3'0" x 8'0"

PRIVACY & TEXTURED

2/3 Lites

Continued



Mahogany Grain

Key

Flush-Glazed Glass with Square Sticking (F6)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite



Mahogany

CCM304L__ CCM304R__
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8304L__ CCM8304R__
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L__ CCM303R__
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L__ CCM8303R__
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL__ CCM301CAR__
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL__ CCM8301CAR__
 3'0" x 8'0" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM305CAL_ CCM305CAR_
 3'0" x 6'8" 3'0" x 6'8"



Mahogany

CCM8305CAL_ CCM8305CAR_
 3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCM306CAL_ CCM306CAR_
 3'0" x 6'8" 3'0" x 6'8"

LOW-E



Mahogany

CCM8306CAL_ CCM8306CAR_
 3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCR04020 CCR804020
 3'0" x 6'8" 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR20520 CCR820520
 3'0" x 6'8" 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR20020 CCR820020
 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR822220
 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR804030
 3'0" x 8'0"



Mahogany


CCR820530
 3'0" x 8'0"



Mahogany

CCR820030
 3'0" x 8'0"

Continued



Mahogany Grain

Canvas

Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

LOW-E



Mahogany

CCR820530A
 *
 3'0" x 8'0"



Mahogany

CCR820030A
 *
 3'0" x 8'0"



Canvas

CCV20520 | CCV820520
 * | *
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22020 | CCV822020
 * | *
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820530
 *
 3'0" x 8'0"




Mahogany

CCM302L | CCM302R
 * | *
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8302L | CCM8302R
 * | *
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM304L | CCM304R
 * | *
 3'0" x 6'8" | 3'0" x 6'8"



For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM8304L | CCM8304R
 ▲ 🔥 6 | ▲ 🔥 6
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L | CCM303R
 ▲ 🔥 6 | ▲ 🔥 6
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L | CCM8303R
 ▲ 🔥 6 | ▲ 🔥 6
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL | CCM301CAR
 ▲ 🔥 | ▲ 🔥
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL | CCM8301CAR
 ▲ 🔥 | ▲ 🔥
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM305CAL | CCM305CAR
 ▲ 🔥 6 | ▲ 🔥 6
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8305CAL | CCM8305CAR
 ▲ 🔥 6 | ▲ 🔥 6
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM306CAL | CCM306CAR
 ▲ 🔥 6 | ▲ 🔥 6
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8306CAL | CCM8306CAR
 ▲ 🔥 6 | ▲ 🔥 6
 3'0" x 8'0" | 3'0" x 8'0"

1/2 Lites



Mahogany Grain

Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.


XE = Satin Etch

HOMEWARD™



Mahogany


CCM9926
3'0" x 6'8"



Canvas

CCV9926
3'0" x 6'8"

ARBORWATCH™



Mahogany

CCM1424
3'0" x 6'8"



Canvas

CCV1424
3'0" x 6'8"

PROVINCIAL™



Canvas


CCV06028
3'0" x 6'8"

LONGFORD™



Mahogany

CCM603
3'0" x 6'8"



Canvas

CCV06023
3'0" x 6'8"

LUCERNA™



Mahogany

CCM612
3'0" x 6'8"



Canvas

CCV06022
3'0" x 6'8"

PRIVACY & TEXTURED



Mahogany

CCM600XE
3'0" x 6'8"



Canvas

CCV06020XE
3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Finish – Chestnut

LOW-E



Mahogany

CCM600

★
3'0" x 6'8"




Canvas

CCV06020

★
3'0" x 6'8"



Craftsman



Fir Grain

HOMEWARD™ ◆ ■■



Fir


CCA231
▲
3'0" x 6'8"

CCA8231
▲ ■■
3'0" x 8'0"



Fir

CCA87132
▲ ■■
3'6" x 8'0"



Fir

CCA211
▲
3'0" x 6'8"

CCA8211
▲
3'0" x 8'0"

Canvas

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XC = Chord XR = Rainglass
- XJ = Chinchilla XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf



Fir

CCA87112
▲
3'6" x 8'0"



Fir

CCA3401SL
▲
12" x 6'8"
14" x 6'8"

CCA3501SL
▲
12" x 8'0"
14" x 8'0"



Fir

CCA211SL
▲
12" x 6'8"
14" x 6'8"



Canvas

CCV931
▲ ■■
3'0" x 6'8"



Canvas

CCV911
▲
3'0" x 6'8"



Canvas

CCV911SL
▲
12" x 6'8"
14" x 6'8"




Canvas

CCV9011SL
▲
12" x 6'8"
14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Fir


CCA9300
▲ 3'0" x 6'8"

CCA89300
▲ 3'0" x 8'0"



Fir

CCA87131
▲ 3'6" x 8'0"



Fir

CCA9100
▲ 3'0" x 6'8"

CCA89100
▲ 3'0" x 8'0"



Fir

CCA87111
▲ 3'6" x 8'0"



Fir

CCA1423SL
▲ 12" x 6'8"
▲ 14" x 6'8"

CCA81423SL
▲ 12" x 8'0"
▲ 14" x 8'0"



Fir

CCA9100SL
▲ 12" x 6'8"
▲ 14" x 6'8"



Canvas

CCV4300
▲ 3'0" x 6'8"



Canvas

CCV4100
▲ 3'0" x 6'8"



Canvas

CCV1423SL
▲ 12" x 6'8"
▲ 14" x 6'8"



Canvas

CCV4100SL
▲ 12" x 6'8"
▲ 14" x 6'8"

PRIVACY & TEXTURED



Fir

CCA220_▲
▲ 3'0" x 6'8"

CCA8220_▲
▲ 3'0" x 8'0"



Fir

CCA87200XR
▲ 3'6" x 8'0"



Fir

CCA230_▲
▲ 3'0" x 6'8"


CCA8230_▲
▲ 3'0" x 8'0"



Fir

CCA87300XR
▲ 3'6" x 8'0"

Continued



Fir Grain

PRIVACY & TEXTURED



Fir

CCA240__* | CCA8240__*
 ▲ Simulated Divided Lites (SDL) | ▲ Simulated Divided Lites (SDL)
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA87400XR
 ▲ Simulated Divided Lites (SDL)
 3'6" x 8'0"



Fir

CCA260__* | CCA8260__*
 ▲ Simulated Divided Lites (SDL) | ▲ Simulated Divided Lites (SDL)
 3'0" x 6'8" | 3'0" x 8'0"

Canvas

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ☀ Low-E Glass (LE)
- ▲ Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite
- XJ = Chinchilla

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
 Pairs with 3'6" wide doors.



4-Block Dentil Shelf



Fir

CCA87600XR
 ▲ Simulated Divided Lites (SDL)
 3'6" x 8'0"



Fir

CCA210__* | CCA8210__*
 ▲ Simulated Divided Lites (SDL) | ▲ Simulated Divided Lites (SDL)
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA87100XR
 ▲ Simulated Divided Lites (SDL)
 3'6" x 8'0"



Fir

CCA3450__SL* | CCA3560__SL*
 ▲ Simulated Divided Lites (SDL) | ▲ Simulated Divided Lites (SDL)
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Fir

CCA3400__SL* | CCA3500__SL*
 ▲ Simulated Divided Lites (SDL) | ▲ Simulated Divided Lites (SDL)
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Fir

CCA220__SL*
 ▲ Simulated Divided Lites (SDL)
 12" x 6'8"
 14" x 6'8"



Fir

CCA210__SL*
 ▲ Simulated Divided Lites (SDL)
 12" x 6'8"
 14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

*Not available with Satin Etch (XE) glass.

Note: See page 277 for important product details that may help with your purchase decision.



Canvas

CCV920_*
 ▲ ■ 3'0" x 6'8"



Canvas

CCV930_*
 ▲ ■ 3'0" x 6'8"



Canvas

CCV940_*
 ▲ ■ 3'0" x 6'8"



Canvas

CCV960_*
 ▲ ■ 3'0" x 6'8"



Canvas

CCV910_*
 ▲ 3'0" x 6'8"



Canvas

CCV950_SL
 ▲ ■ 12" x 6'8"
 14" x 6'8"



Canvas

CCV8950_SL*
 ▲ ■ 12" x 8'0"
 14" x 8'0"



Canvas

CCV100_SL
 ▲ 12" x 6'8"
 14" x 6'8"



Canvas

CCV8100_SL*
 ▲ 12" x 8'0"
 14" x 8'0"

CCV920_SL*
 ▲ ■ 12" x 6'8"
 14" x 6'8"

CCV910_SL*
 ▲ 12" x 6'8"
 14" x 6'8"

LOW-E



Fir


CCA220
 ▲ ■ 3'0" x 6'8"

CCA8220
 ▲ ■ 3'0" x 8'0"



Fir

CCA87200
 ▲ ■ 3'6" x 8'0"



Fir

CCA230
 ▲ ■ 3'0" x 6'8"

CCA8230
 ▲ ■ 3'0" x 8'0"



Fir

CCA87300
 ▲ ■ 3'6" x 8'0"



Fir

CCA240
 ▲ ■ 3'0" x 6'8"

CCA8240
 ▲ ■ 3'0" x 8'0"

Craftsman





Continued



Fir Grain

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)

Optional Dentil Shelves


Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf


Pairs with 3'6" wide doors.










4-Block Dentil Shelf

LOW-E



Fir	Fir	Fir
CCA87400  3'6" x 8'0"	CCA260  3'0" x 6'8"	CCA8260  3'0" x 8'0"
		CCA87600  3'6" x 8'0"



Fir	Fir	Fir	Fir
CCA210  3'0" x 6'8"	CCA8210  3'0" x 8'0"	CCA87100  3'6" x 8'0"	CCA3450SL  12" x 6'8" 14" x 6'8"
			CCA3560SL  12" x 8'0" 14" x 8'0"
			CCA3400SL  12" x 6'8" 14" x 6'8"
			CCA3500SL  12" x 8'0" 14" x 8'0"



Fir	Fir	Canvas	Canvas	Canvas
CCA220SL  12" x 6'8" 14" x 6'8"	CCA210SL  12" x 6'8" 14" x 6'8"	CCAV920  3'0" x 6'8"	CCAV930  3'0" x 6'8"	CCAV940  3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Finish - Raven



Canvas

CCV960
 ▲ ☀ 🏠
 3'0" x 6'8"



Canvas

CCV910
 ▲ ☀
 3'0" x 6'8"



Canvas

CCV950SL CCV8950SL
 ▲ ☀ 🏠 ▲ ☀ 🏠
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Canvas

CCV100SL CCV8100SL
 ▲ ☀ ▲ ☀
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Canvas

CCV9020SL
 ▲ ☀ 🏠
 12" x 6'8"
 14" x 6'8"




Canvas

CCV9010SL
 ▲ ☀
 12" x 6'8"
 14" x 6'8"











Solid Panels



Fir Grain

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Door Divider Bars (DDBF3)
-  Door Divider Bars (DDBF4)
-  Door Divider Bars (DDBF5)
-  WBDR Options
-  Elevated 10" Bottom Rail Options



Fir

CCA1125	CCA81125
 	  
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA1149	CCA81149
 	  
3'0" x 6'8"	3'0" x 8'0"




Fir

CCA1127	CCA81127
 	  
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA4905	CCA84905
 	  
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA4915L	CCA4915R
 	 
3'0" x 6'8"	3'0" x 6'8"



Fir

CCA84915L	CCA84915R
  	  
3'0" x 8'0"	3'0" x 8'0"




Fir

CCA4925L	CCA4925R
 	 
3'0" x 6'8"	3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA84925L CCA84925R
 3 9 E 3 9 E
 3'0" x 8'0" 3'0" x 8'0"



Fir

CCA4935 CCA84935
 3 9 3 9 E
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA4945 CCA84945
 3 9 3 9 E
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA1166 CCA81166
 3 9 3 9 E
 3'0" x 6'8" 3'0" x 8'0"



Fir


CCA1158 CCA81158
 3 9 3 9 E
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA1147 CCA81147
 3 9 3 9 E
 3'0" x 6'8" 3'0" x 8'0"

HOMeward™ ◆ ◆



Fir

CCA2420SL CCA82420SL
 ▲ ▲
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

ARBORWATCH™ ◆ ◆



Fir

CCA2410SL CCA82410SL
 ▲ ▲
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.



Fir

CCA1100 CCA81100
 9 9 E
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA1133 CCA81133
 4 9 4 9 E
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA1145 CCA81145
 4 9 4 9 E
 3'0" x 6'8" 3'0" x 8'0"




Fir

CCA1150 CCA81150
 3 9 3 9 E
 3'0" x 6'8" 3'0" x 8'0"




Solid Panels


Continued





Walnut Grain

Key

-  Low-E Glass (LE)
-  WBDR Options
-  Elevated 10" Bottom Rail Options





Walnut

CCW1000  E	CCW81000  E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

CCW900L 	CCW8900L 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

CCW900R 	CCW8900R 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

CCW901L 	CCW8901L 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

CCW901R 	CCW8901R 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW902L 	CCW8902L 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS2131SL, Transoms – 19200T, 19210T, Finish – Shale

Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Driftwood

For transoms, see page 94.

Note: Product images show exterior side of door.



Walnut

CCW902R

6

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

CCW8902R

6

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW903

6

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

CCW8903

6

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW904L

6

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

CCW8904L

6

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW904R

6

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

CCW8904R

6

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW905


9E

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

CCW8905

9E

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW906L


9

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

CCW8906L

9

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW906R


9

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

CCW8906R

9

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW907L


9

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

CCW8907L

9

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW907R

6

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

CCW8907R

6

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

LOW-E



Direct Set

DRS2131SL

6

12" x 6'8" (7'0")
14" x 6'8" (7'0")


DRS82131SL

6


12" x 8'0"
14" x 8'0"

Solid Panels

Continued



Mahogany Grain



Mahogany

CCR100 | CCR8100
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCM890
3'0" x 8'0"



Mahogany

CCR8222
3'0" x 8'0"
3'6" x 8'0"

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)
- WBDR Options
- WBDR / HVHZ Options

Optional Accessories



Clavos



Strap Hinge



Mahogany

CCR100R | CCR8100R
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCR8005A
3'0" x 8'0"



Mahogany

CCR205A | CCR8205A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR200A | CCR8200A
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR8225
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR8005
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR040
3'0" x 6'8"

CCR8040
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR205
3'0" x 6'8"

CCR8205
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR200
3'0" x 6'8"


CCR8200
3'0" x 8'0"



Mahogany

CCM60
3'0" x 6'8"

HAMMERED



Mahogany

CCR2025XHSL
12" x 6'8"
14" x 6'8"

CCR82035XHSL
12" x 8'0"
14" x 8'0"



Canvas

CCV200
3'0" x 6'8"



Canvas

CCV205
3'0" x 6'8"

CCV8205
3'0" x 8'0"



Canvas

CCV220
3'0" x 6'8"

CCV8220
3'0" x 8'0"

HAMMERED



Canvas

CCV831
3'0" x 8'0"



Canvas

CCV060
3'0" x 6'8"



Canvas

CCV050
3'0" x 6'8"



Canvas

CCV950XHSL
12" x 6'8"
14" x 6'8"

CCV8950XHSL
12" x 8'0"
14" x 8'0"

Transoms

Transoms can be stained or painted to match Classic Craft® door systems.

HOMeward™ ◆ ❏



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

ARBORWATCH™ ◆ ❏



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

LONGFORD™ ◆ ❏



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

PROVINCIAL™ ◆ ❏



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only

LUCERNA™ ◆ ❏



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

ZAHA™ ◆ ❏



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LOW-E



Grille Sticks Applied



19020T
☀
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
☀
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
☀
3'0" Door Only



19210T
☀
12" & 14"
Sidelite Only

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ❏ Brushed Nickel Caming (1C)

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT




Classic Craft[®] Hinged Patio Doors

A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.



GRAIN & TEXTURE OPTIONS



Fir Grain



Mahogany Grain



Canvas

GLASS OPTIONS



Low-E Glass



Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

Flush-Glazed Warranty Riders

See page 115 for details on the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners.

■ = Available	Classic Craft
Door Selections	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
Flush-Glazed Glass Selections	
Low-E Glass with and without Divided Lites 🔥	■
Privacy & Textured Glass with and without Divided Lites 🔥	■
Lip-Lite Glass Selections	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
Available Sizes	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
Additional Options	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
Impact-Rated Options	
Tru-Defense Eligible	■

AVAILABLE CONFIGURATIONS



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Flush-Glazed Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




Flush-Glazed Low-E Glass with Divided Lites




AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White


Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain
- Classic Craft® Canvas

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Fiber-Classic® & Smooth-Star®

Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Oak Collection, Salinas Glass, Door - FC115, Sidelite - FC115SL, Finish - Raven
Bottom: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Finish - New Earth
Right Page: Smooth-Star, Calix Glass, Door - S4521, Finish - Estuary





Grain Options




FIBER-CLASSIC® MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



FIBER-CLASSIC® OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 250–256.



Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 106.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame, starting on page 130. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with flush-glazed designs with 25–27" wide glass, starting on page 115.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



¹Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

²Comparison of fiberglass to wood doors (both without glass).

Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.¹ Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.




4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood², Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.



Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

Additional Options



-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.¹
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.¹
-  Fire-Rated Options: Available on solid-panel doors. See pages 232–235.

FLUSH-GLAZED OPTIONS

Look for these icons ( ) to find door styles with flush-glazed glass. See pages 116–129.

Warranties

LIFETIME LIMITED WARRANTY Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 277 for more information.

-  Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners. See page 115 for more information.
-  Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense. Warranty Rider when properly assembled and installed with all Therma-Tru[®] specified system components, in accordance with the Rider. See pages 8–9 for details.

	Fiber-Classic Mahogany Collection	Fiber-Classic Oak Collection	Smooth-Star
■ = Available ▪ = Not Applicable S = Stain P = Paint			
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	▪	▪	■
Door Heights			
6'6"	▪	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	▪	▪	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 28–29.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors



¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140
Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



Vented Sidelites

Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. **In fact, only Therma-Tru offers vented sidelites with decorative glass.** Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens — available in bronze and white — are designed for worry-free use.



AVAILABLE SIZES

Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■

Note: Impact-rated options not available for vented sidelites. Advanta lite frame only available with 14" vented sidelites.

AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)


Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets

1 clear curved bevels, 2 rainglass and coming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

PRIVACY RATING



Black Nickel




Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with

1 glue chip glass, 2 glue chip bevels, 3 clear bevels and coming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

PRIVACY RATING



Black Nickel



Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

1 slump glass, 2 clear bevels, 3 clear antique glass and coming.

PRIVACY RATING



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

PRIVACY RATING



Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and coming. The curved design adds unique appeal.

PRIVACY RATING



Black Nickel



Brushed Nickel


Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and coming. The geometric pattern bridges both modern and traditional designs.

PRIVACY RATING



Black Nickel




Brushed Nickel

Texas Star

Beautifully crafted with ① clear bevels, ② curved bevels, ③ clear waterglass, ④ granite glass, ⑤ glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

PRIVACY RATING



Black Nickel




Brushed Nickel

Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses ① clear baroque glass, ② clear curved bevels, ③ waterglass, ④ granite glass and coming to add beauty to any entry.

PRIVACY RATING



Black Nickel



Brushed Nickel




Brass

Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features ① oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

PRIVACY RATING



Wrought Iron

¹Brass coming not available for Impact-rated products.


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Concorde™

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.

PRIVACY RATING



Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its

1 clear bevels, 2 glue chip glass, 3 granite glass and caming.

PRIVACY RATING



Black Nickel




Brushed Nickel

Pembridge™

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.

PRIVACY RATING



Black Nickel



Brushed Nickel



Brass¹

Note: The use of gray baroque glass varies based on glass size.

Axis®


Simple and smart, Axis combines

1 narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of 2 clear glass bevels completes this linear design, ideal for Modern home styles.

PRIVACY RATING



Black Nickel



Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.

PRIVACY RATING



Black Nickel



Brushed Nickel



Brass

Latitude

Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.

PRIVACY RATING



Black Nickel



Brushed Nickel



Brass

¹See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Echelon

Echelon provides **1** clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.

PRIVACY RATING



Black Nickel



Brushed Nickel



Brass

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.



- 1** Single-Hand Operator
- 2** Privacy Bar

Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



REEDED

Privacy Rating: 7



SATIN ETCH

Privacy Rating: 10



CHORD

Privacy Rating: 10



CHINCHILLA

Privacy Rating: 10



RAINGLASS

Privacy Rating: 8



GRANITE

Privacy Rating: 10

Also Available: **Low-E & Clear Glass**

Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

SIMULATED DIVIDED LITES (SDLs) WITH GRILLES BETWEEN GLASS (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (   ) icons.

Shown with flat bronze GBGs (recommended).



SIMULATED DIVIDED LITES (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (   ) icons.



GRILLES BETWEEN GLASS (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (  ) icons.



FIXED GRILLES

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home's décor.

Look for the () icon.



Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, 3/4 Shaker, Clear Glass with SDLs, Door - S7512, Sidelites - S7512SL




SDL BAR OPTIONS

Grained

Smooth




(28.6 mm / 1.125 in.)
Look for the () icon.

Grained


Smooth




(28.6 mm / 1.125 in.)
Look for the () icon.

Grained

Smooth



(88.9 mm / 3.5 in.)
Look for the () icon.

Smooth SDL bars are color-matched to PrismaGuard® Alpine.


GBG BAR OPTIONS

Flat

Contour



(20 mm / 0.787 in.)



(18 mm / 0.708 in.)

GBG Color Options



White Almond¹ Bronze¹ Black Tan² Stone²

¹Almond and Bronze GBGs available in flat bars only.

²Available in Special Quote Program.

 Simulated Divided Lites (SDL)

 Simulated Divided Lites (SDLF1)

 Simulated Divided Lites (SDLF2)

 Flat or Contour White Grilles
Between Glass (GBGF / GBGC)

 Flat Almond Grilles
Between Glass (GBGF)


 Flat Bronze Grilles
Between Glass (GBGF)

 Flat or Contour Black Grilles
Between Glass (GBGF / GBGC)

 Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



1-1/2" 1-1/4" 1" 1-3/4" 1-1/4" 1"



18"



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf¹



Smooth-Star. 4-Block Dentil Shelf¹



¹Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.


²Flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.

Note: See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties, exclusions and Riders.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf

Flush-Glazed Glass Designs

Flush-glazed glass feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%² — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



See the difference.

Flush-glazed glass provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking
Look for the (🔥) symbol.



Flush-Glazed Glass with Square Sticking
Look for the (🔹) symbol.



Lip-Lite Frame

Warranty riders for peace of mind.

Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



Flush-Glazed Full Lites

Note: Product images show exterior side of door.

Fiber-Classic & Smooth-Star








TRANSOMS

For transoms, see page 201.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

									
Oak	Oak	Oak	Oak	Oak	Oak	Oak			
FC1205_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2010_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_SL ▲▲ 12" x 6'8" 14" x 6'8"	FC5700_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
									
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC5710_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85710_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5720_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC691_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8691_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685L_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685L_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685R_ ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685R_ ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door - FC5700, Sidelite - FC5700SL, Finish - Wildflower Honey

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star


						
Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth
FC5700_SL ▲ 12" x 6'8" 14" x 6'8"	FC5710_SL ▲ 12" x 6'8" 14" x 6'8"	FC5720_SL ▲ 12" x 6'8" 14" x 6'8"	S1205_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S1207_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S2010_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S2050_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲


				
Smooth	Smooth	Smooth	Smooth	Smooth
S5705_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85705_ ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5715_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85715_ ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5725_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲
S85725_ ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2010_SL ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	S85226_SL ▲ 12" x 8'0" 14" x 8'0"	S2000_SL-2C* ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	

				
Smooth	Smooth	Smooth	Smooth	Smooth
S2000_SL-4C* ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	S5700_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85700_ ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5710_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85710_ ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S5720_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85720_ ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S691_ ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8691_ ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continues on next page.*

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Vented Sidelite Options
-  WBDR Options
-  Elevated 10" Bottom Rail Options
-  6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR[®] requirements in all 50 states indicated in gold .



Smooth

S3400L_ 
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83400L_ 
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S3400R_ 
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83400R_ 
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S3300_ 
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83300_ 
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S3500L_ 
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83500L_ 
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"




Smooth

S3500R_ 
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"


S83500R_ 
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S685L_ 
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S8685L_ 
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth


S685R_ 
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S8685R_ 
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S3600L_ 
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"


S83600L_ 
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S3600R_ 
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83600R_ 
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S5700_SL 
 10" x 6'8"
 12" x 6'8" (70")
 14" x 6'8" (70")

S85227_SL 
 12" x 8'0"
 14" x 8'0"



Smooth

S5710_SL 
 10" x 6'8"
 12" x 6'8" (70")
 14" x 6'8" (70")

S85228_SL 
 12" x 8'0"
 14" x 8'0"



Smooth

S5720_SL 
 10" x 6'8"
 12" x 6'8" (70")
 14" x 6'8" (70")

S85229_SL 
 12" x 8'0"
 14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
 XE = Satin Etch

XC = Chord
 XJ = Chinchilla

XR = Rainglass
 XN = Granite

PRIVACY & TEXTURED GLASS



Oak

2000_
 26" x 6'8"
 28" x 6'8"
 30" x 6'8"

8000_
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Oak

2000_SL
 12" x 6'8"
 14" x 6'8"



Smooth

S2000_
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S8000_
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"




Smooth

S2000_SL
 10" x 6'8"
 12" x 6'8" (70")
 14" x 6'8" (70")

S85225_SL
 12" x 8'0"
 14" x 8'0"

INTERNAL BLINDS



Smooth

S2600
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S82600
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1205SL
 12" x 6'8" (70")
 14" x 6'8" (70")



Mahogany

FCM1206SL
 12" x 6'8" (70")
 14" x 6'8" (70")



Mahogany

FCM1204SL
 12" x 6'8" (70")
 14" x 6'8" (70")



Mahogany

FCM2009SL
 12" x 6'8" (70")
 14" x 6'8" (70")



Oak

FC1205
 26" x 6'8"
 28" x 6'8"
 30" x 6'8"



Oak

FC1206
 26" x 6'8"
 28" x 6'8"
 30" x 6'8"



Oak

FC1207
 26" x 6'8"
 28" x 6'8"
 30" x 6'8"



Oak

2010
 26" x 6'8"
 28" x 6'8"
 30" x 6'8"



Oak

FC1204
 26" x 6'8"
 28" x 6'8"
 30" x 6'8"



Oak

2050
 26" x 6'8"
 28" x 6'8"
 30" x 6'8"



Oak

8000-12
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Oak

8000-18
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Oak

FC1205SL
 12" x 6'8"
 14" x 6'8"



Oak

FC1206SL
 12" x 6'8"
 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*


- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)





















































- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- WBDR Options

- Elevated 10" Bottom Rail Options
- 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR[®] requirements in all 50 states indicated in gold .

											
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak			
FC1204SL 🔥🌞🌿🌿 12" x 6'8" 14" x 6'8"	2050SL 🔥🌞🌿 12" x 6'8" 14" x 6'8"	2009 🔥🌞🌿🌿 20" x 6'8" 26" x 6'8" 28" x 6'8" 30" x 6'8"	8000-9 🔥🌞🌿🌿 20" x 8'0" 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	2009SL 🔥🌞🌿🌿 12" x 6'8" 14" x 6'8"	FC5700 🔥🌞🌿🌿 26" x 6'8" 28" x 6'8" 30" x 6'8"	FC85700 🔥🌞🌿🌿 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	FC5710 🔥🌞🌿🌿 26" x 6'8" 28" x 6'8" 30" x 6'8"	FC85710 🔥🌞🌿🌿 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"			
											
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC5720 🔥🌞🌿 26" x 6'8" 28" x 6'8" 30" x 6'8"	FC85720 🔥🌞🌿 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	FC691 🔥🌞🌿 26" x 6'8" 28" x 6'8" 30" x 6'8"	FC8691 🔥🌞🌿 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	FC685L 🔥🌞🌿 26" x 6'8" 28" x 6'8" 30" x 6'8"	FC8685L 🔥🌞🌿 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	FC5700SL 🔥🌞🌿 12" x 6'8" 14" x 6'8"	FC5710SL 🔥🌞🌿 12" x 6'8" 14" x 6'8"	FC685R 🔥🌞🌿 26" x 6'8" 28" x 6'8" 30" x 6'8"	FC8685R 🔥🌞🌿 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	FC685R 🔥🌞🌿 26" x 6'8" 28" x 6'8" 30" x 6'8"	FC8685R 🔥🌞🌿 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"
											
Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth					
FC5720SL 🔥🌞🌿 12" x 6'8" 14" x 6'8"	S1205 🔥🌞🌿🌿🌿 26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	S1206 🔥🌞🌿🌿 26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	S1207 🔥🌞🌿🌿 26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	S2010 🔥🌞🌿🌿 26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	S1204 🔥🌞🌿🌿 26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	S2050 🔥🌞🌿🌿 26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 					

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S8000-12 ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8000-18 ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5705 ▲★◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85705 ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5715 ▲★◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85715 ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5725 ▲★◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85725 ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1205SL ▲★◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1206SL ▲★◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	S1204SL ▲★◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	S2010SL ▲★◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	S85226SL ▲★◆◆◆ 12" x 8'0" 14" x 8'0"	S2000SL-2C ▲★◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	S2000SL-4C ▲★◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")	S2009 ▲★◆◆◆E 2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8000-9 ▲★◆◆◆E 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2009SL ▲★◆◆◆ 10" x 6'8" ▲ 12" x 6'8" ▲ (70") 14" x 6'8" ▲ (70")


Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S5700 ▲★◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85700 ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5710 ▲★◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85710 ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5720 ▲★◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85720 ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S691 ▲★◆◆◆E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8691 ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S3400L ▲★◆◆◆E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83400L ▲★◆◆◆E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

▲ Flush-Glazed Glass with Detailed Sticking (FG)	🏠 Simulated Divided Lites (SDL)	◆ Flat Almond Grilles Between Glass (GBGF)	● Vented Sidelite Options
▲ Flush-Glazed Glass with Square Sticking (FG)	🏠 Simulated Divided Lites (SDLFI)	◆ Flat Bronze Grilles Between Glass (GBGF)	🌀 WBDR Options
★ Low-E Glass (LE)	🏠 Simulated Divided Lites (SDLF2)	◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)	E Elevated 10" Bottom Rail Options
	◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)	▲ 6'6" Height Available	




Smooth


S3400R
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83400R
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth


S3300
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83300
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth


S3500L
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83500L
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth


S3500R
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"


S83500R
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth


S685L
 26" x 6'8" Δ
 28" x 6'8" Δ
 210" x 6'8" Δ
 30" x 6'8" Δ

S8685L
 26" x 8'0" Δ
 28" x 8'0" Δ
 210" x 8'0" Δ
 30" x 8'0" Δ



Smooth


S685R
 26" x 6'8" Δ
 28" x 6'8" Δ
 210" x 6'8" Δ
 30" x 6'8" Δ

S8685R
 26" x 8'0" Δ
 28" x 8'0" Δ
 210" x 8'0" Δ
 30" x 8'0" Δ



Smooth

S3600L
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"


S83600L
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth


S3600R
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"


S83600R
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth


S5700SL
 10" x 6'8" Δ
 12" x 6'8" Δ (70")
 14" x 6'8" Δ (70")

S85227SL
 12" x 8'0" Δ
 14" x 8'0" Δ




Smooth


S5710SL
 10" x 6'8" Δ
 12" x 6'8" Δ (70")
 14" x 6'8" Δ (70")

S85228SL
 12" x 8'0" Δ
 14" x 8'0" Δ

CLEAR GLASS 



Smooth

S5720SL
 10" x 6'8" Δ
 12" x 6'8" Δ (70")
 14" x 6'8" Δ (70")

S85229SL
 12" x 8'0" Δ
 14" x 8'0" Δ



Oak

2000
 20" x 6'8"
 26" x 6'8"
 28" x 6'8"
 30" x 6'8"

8000
 20" x 8'0"
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"




Oak

2000SL
 12" x 6'8"
 14" x 6'8"




Smooth

S2000
 20" x 6'8" Δ
 26" x 6'8" Δ
 28" x 6'8" Δ
 210" x 6'8" Δ
 30" x 6'8" Δ

S8000
 20" x 8'0" Δ
 26" x 8'0" Δ
 28" x 8'0" Δ
 210" x 8'0" Δ
 30" x 8'0" Δ



Smooth

S2000SL
 10" x 6'8" Δ
 12" x 6'8" Δ (70")
 14" x 6'8" Δ (70")

S85225SL
 12" x 8'0" Δ
 14" x 8'0" Δ

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded*
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

*Not available with Reeded (XK) glass.

Flush-Glazed 3/4 Lites

Note: Product images show exterior side of door.

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



NEW

NEW

Mahogany

FCM7540_*
 FCM87540_*
 26" x 6'8" 26" x 8'0"
 28" x 6'8" 28" x 8'0"
 210" x 6'8" 210" x 8'0"
 30" x 6'8" 30" x 8'0"



NEW

NEW

Mahogany

FCM7560_*
 FCM87560_*
 26" x 6'8" 26" x 8'0"
 28" x 6'8" 28" x 8'0"
 210" x 6'8" 210" x 8'0"
 30" x 6'8" 30" x 8'0"



NEW

NEW

Mahogany

FCM7512_*
 FCM87512_*
 26" x 6'8" 26" x 8'0"
 28" x 6'8" 28" x 8'0"
 210" x 6'8" 210" x 8'0"
 30" x 6'8" 30" x 8'0"



NEW

Mahogany

FCM7540_SL*
 12" x 6'8"
 14" x 6'8"



NEW

Mahogany

FCM7560_SL*
 12" x 6'8"
 14" x 6'8"



NEW

Mahogany

FCM7512_SL*
 12" x 6'8"
 14" x 6'8"



NEW

NEW

Smooth

S7540_*
 S87540_*
 26" x 6'8" 26" x 8'0"
 28" x 6'8" 28" x 8'0"
 210" x 6'8" 210" x 8'0"
 30" x 6'8" 30" x 8'0"



NEW

NEW

Smooth

S7560_*
 S87560_*
 26" x 6'8" 26" x 8'0"
 28" x 6'8" 28" x 8'0"
 210" x 6'8" 210" x 8'0"
 30" x 6'8" 30" x 8'0"



NEW

NEW

Smooth

S7512_*
 S87512_*
 26" x 6'8" 26" x 8'0"
 28" x 6'8" 28" x 8'0"
 210" x 6'8" 210" x 8'0"
 30" x 6'8" 30" x 8'0"



NEW

Smooth

S7540_SL*
 12" x 6'8"
 14" x 6'8"



NEW

Smooth

S7560_SL*
 12" x 6'8"
 14" x 6'8"



NEW

Smooth

S7512_SL*
 12" x 6'8"
 14" x 6'8"




Smooth

S2103_
 S82103_
 26" x 6'8" 26" x 8'0"
 28" x 6'8" 28" x 8'0"
 210" x 6'8" 210" x 8'0"
 30" x 6'8" 30" x 8'0"




Smooth

S2104_
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



Smooth

S82105_
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S82106_
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S2250_
 26" x 6'8"
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



Smooth

S82107_
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S84886_SL
 12" x 8'0"
 14" x 8'0"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Vented Sidelite Options

- WBDP Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

PRIVACY & TEXTURED GLASS 



Smooth

S2103_SL
 
 12" x 6'8"
 14" x 6'8"



Smooth

S2104_SL
 
 12" x 6'8"
 14" x 6'8"



Smooth

S2250_SL
 
 12" x 6'8"
 14" x 6'8"



NEW

NEW

Mahogany

FCM7500_
 
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



NEW

Mahogany

FCM7500_SL
 
 12" x 6'8"
 14" x 6'8"



NEW

NEW

Smooth

S7500_
 
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



NEW

Smooth

S7500_SL
 
 12" x 6'8"
 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES 



Smooth

S2200_
 
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S82200_
 
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8000_SL

 12" x 8'0"
 14" x 8'0"



Smooth

S2200_SL
 
 12" x 6'8"
 14" x 6'8"



NEW

NEW

Mahogany

FCM7540
  
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



NEW

NEW

Mahogany

FCM7560
  
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



NEW

NEW

Mahogany

FCM7512
  
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM87512
  
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



NEW

Mahogany

FCM7540SL
  
 12" x 6'8"
 14" x 6'8"



NEW

Mahogany

FCM7560SL
  
 12" x 6'8"
 14" x 6'8"



NEW

Mahogany

FCM7512SL
  
 12" x 6'8"
 14" x 6'8"




NEW

NEW

Smooth

S7540
  
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




NEW

NEW

Smooth

S7560
  
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



NEW

NEW

Smooth

S7512
  
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



NEW

Smooth

S7540SL
  
 12" x 6'8"
 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch
XC = Chord


XJ = Chinchilla
XR = Rainglass

XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

 NEW	 NEW				
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S7560SL ▲☀️🔥E 12" x 6'8" 14" x 6'8"	S7512SL ▲☀️🔥E 12" x 6'8" 14" x 6'8"	S2103 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82103 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2104 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82104 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S2105 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82105 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2250 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82250 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

							
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S82106 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82107 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S84886SL ▲☀️🔥◆◆◆ ◆◆◆ 12" x 8'0" 14" x 8'0"	S2103SL ▲☀️🔥◆◆◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	S2104SL ▲☀️🔥◆◆◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	S92SL ▲☀️🔥◆◆◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	S1401 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81401 ▲☀️🔥◆◆◆ ◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS 🔹

	 NEW	 NEW	 NEW	 NEW
Smooth	Mahogany	Mahogany	Smooth	Smooth
S1401SL ▲☀️🔥◆◆◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	FCM7500 ▲☀️🔥E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM87500 ▲☀️🔥E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM7500SL ▲☀️🔥E◆ ◆◆◆ 12" x 6'8" 14" x 6'8"	S7500 ▲☀️🔥E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
	S87500 ▲☀️🔥E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S7500SL ▲☀️🔥E 12" x 6'8" 14" x 6'8"		

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲☀️ Flush-Glazed Glass with Square Sticking (FG)
- ☀️ Low-E Glass (LE)
- 🗲 Simulated Divided Lites (SDL)
- 🗲 Simulated Divided Lites (SDLF1)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- E Elevated 10" Bottom Rail Options

Flush-Glazed 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth	Smooth	Smooth
S2200 ☀️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82200 ☀️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8000SL ☀️ ⚡️ 12" x 8'0" 14" x 8'0"
		S90SL ☀️ ⚡️ 12" x 6'8" 14" x 6'8"



Smooth	Smooth	Smooth	Smooth
S4200 ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84200 ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6200 ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86200 ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S9200 ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S89200 ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4200_SL ☀️ ⚡️ ⚡️ E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S84200_SL ☀️ ⚡️ ⚡️ E 12" x 8'0" 14" x 8'0"	S6200_SL ☀️ ⚡️ ⚡️ E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S86200_SL ☀️ ⚡️ ⚡️ E 12" x 8'0" 14" x 8'0"

PRIVACY & TEXTURED GLASS



Smooth	Smooth
S3200 ☀️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S83200 ☀️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1350 ☀️ ⚡️ ⚡️ E 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S2150 ☀️ ⚡️ ⚡️ E 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S1409 ☀️ ⚡️ ⚡️ E 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S4200 ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84200 ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6200 ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86200 ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9200 ☀️ ⚡️ ⚡️ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
							S89200 ☀️ ⚡️ ⚡️ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Reeded (XK) glass.









**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 277 for important product details that may help with your purchase decision.

CLEAR GLASS 











Smooth

S4200SL
       
 12" x 6'8" (70")
 14" x 6'8" (70")



Smooth

S84200SL
       
 12" x 8'0"
 14" x 8'0"






Smooth

S2100
  
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"






Smooth

S3200
  
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



Smooth


S83200
  
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S3200SL
  
 12" x 6'8" (70")
 14" x 6'8" (70")




S83200SL
  
 12" x 8'0"
 14" x 8'0"


Flush-Glazed Craftsman Lites

SARATOGA™     






Mahogany

FCM6240
  
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")







Mahogany

FCM86240
  
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"






Mahogany

FCM6240SL
  
 12" x 6'8" (70")
 14" x 6'8" (70")






Smooth

S6240
  
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")






Smooth

S86240
  
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Smooth









S6240SL
  
 12" x 6'8" (70")
 14" x 6'8" (70")


S86240SL
  
 12" x 8'0"
 14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES 












Mahogany

FCM4812_*
       
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")











Mahogany

FCM84812_*
       
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"











Mahogany

FCM4814_*
       
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")






Mahogany

FCM84814_*
       
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2050_SL
       
 12" x 6'8" (70")
 14" x 6'8" (70")

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)

-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF)

-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)



-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Vented Sidelite Options
-  Elevated 10" Bottom Rail Options


PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continued* 

Fiber-Classic & Smooth-Star







Mahogany

FCM4812_SL* FCM84812_SL*
 
 12" x 6'8" (70") 12" x 8'0"
 14" x 6'8" (70") 14" x 8'0"









Smooth

S4812_* S84812_*
   
 2'8" x 6'8" (70") 2'8" x 8'0"
 2'10" x 6'8" (70") 2'10" x 8'0"
 3'0" x 6'8" (70") 3'0" x 8'0"









Smooth

S4813_* S84813_*
     
 2'8" x 6'8" (70") 2'8" x 8'0"
 2'10" x 6'8" (70") 2'10" x 8'0"
 3'0" x 6'8" (70") 3'0" x 8'0"









Smooth

S4814_* S84814_*
     
 2'8" x 6'8" (70") 2'8" x 8'0"
 2'10" x 6'8" (70") 2'10" x 8'0"
 3'0" x 6'8" (70") 3'0" x 8'0"







Smooth

S4816_* S84816_*
     
 2'8" x 6'8" (70") 2'8" x 8'0"
 2'10" x 6'8" (70") 2'10" x 8'0"
 3'0" x 6'8" (70") 3'0" x 8'0"

PRIVACY & TEXTURED GLASS 








Smooth

S2010_SL S84886_SL
   
 10" x 6'8" Δ 12" x 8'0"
 12" x 6'8" Δ (70") 14" x 8'0"
 14" x 6'8" Δ (70")







Smooth

S4812_SL* S84812_SL*
   
 12" x 6'8" (70") 12" x 8'0"
 14" x 6'8" (70") 14" x 8'0"




Mahogany

FCM4810_* FCM84810_*
   
 2'8" x 6'8" (70") 2'8" x 8'0"
 2'10" x 6'8" (70") 2'10" x 8'0"
 3'0" x 6'8" (70") 3'0" x 8'0"







Mahogany

FCM2000_SL FCM8000_SL
   
 12" x 6'8" (70") 12" x 8'0"
 14" x 6'8" (70") 14" x 8'0"





Mahogany

FCM4810_SL* FCM84810_SL*
   
 12" x 6'8" (70") 12" x 8'0"
 14" x 6'8" (70") 14" x 8'0"







Smooth

S4810_* S84810_*
 
 2'8" x 6'8" (70") 2'8" x 8'0"
 2'10" x 6'8" (70") 2'10" x 8'0"
 3'0" x 6'8" (70") 3'0" x 8'0"






Smooth

S2000_SL S8000_SL
   
 10" x 6'8" Δ 12" x 8'0"
 12" x 6'8" Δ (70") 14" x 8'0"
 14" x 6'8" Δ (70")










Smooth

S4810_SL* S84810_SL*
 
 12" x 6'8" (70") 12" x 8'0"
 14" x 6'8" (70") 14" x 8'0"









Mahogany

FCM4812 FCM84812
     
 2'8" x 6'8" (70") 2'8" x 8'0"
 2'10" x 6'8" (70") 2'10" x 8'0"
 3'0" x 6'8" (70") 3'0" x 8'0"



Mahogany

FCM4813 FCM84813
     
 2'8" x 6'8" (70") 2'8" x 8'0"
 2'10" x 6'8" (70") 2'10" x 8'0"
 3'0" x 6'8" (70") 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES 

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.


XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

FCM4814
 ▲ ★ R E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

FCM84814
 ▲ ★ R
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM4816
 ▲ ★ R E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

FCM84816
 ▲ ★ R
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2050SL
 ▲ ★ R E
 12" x 6'8" (70")
 14" x 6'8" (70")

FCM84886SL
 ▲ ★ R E
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4812SL
 ▲ ★ R
 12" x 6'8" (70")
 14" x 6'8" (70")

FCM84812SL
 ▲ ★ R
 12" x 8'0"
 14" x 8'0"



Smooth

S4812
 ▲ ★ R E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")


S84812
 ▲ ★ R
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4813
 ▲ ★ R E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

S84813
 ▲ ★ R
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4814
 ▲ ★ R E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

S84814
 ▲ ★ R
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4816
 ▲ ★ R E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

S84816
 ▲ ★ R
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2010SL
 ▲ ★ R E
 10" x 6'8" ▲ (70")
 12" x 6'8" ▲ (70")
 14" x 6'8" ▲ (70")

S84886SL
 ▲ ★ R
 12" x 8'0"
 14" x 8'0"



Smooth

S4812SL
 ▲ ★ R
 12" x 6'8" (70")
 14" x 6'8" (70")

S84812SL
 ▲ ★ R
 12" x 8'0"
 14" x 8'0"

CLEAR GLASS



Mahogany

FCM4810
 ▲ ★ E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

FCM84810
 ▲ ★
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2000SL
 ▲ ★
 12" x 6'8" (70")
 14" x 6'8" (70")

FCM8000SL
 ▲ ★
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4810SL
 ▲ ★
 12" x 6'8" (70")
 14" x 6'8" (70")

FCM84810SL
 ▲ ★
 12" x 8'0"
 14" x 8'0"



Smooth

S4810
 ▲ ★ E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

S84810
 ▲ ★
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2000SL
 ▲ ★
 10" x 6'8" ▲
 12" x 6'8" ▲ (70")
 14" x 6'8" ▲ (70")

S8000SL
 ▲ ★
 12" x 8'0"
 14" x 8'0"



Smooth

S4810SL
 ▲ ★
 12" x 6'8" (70")
 14" x 6'8" (70")

S84810SL
 ▲ ★
 12" x 8'0"
 14" x 8'0"


- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)
- 1 Simulated Divided Lites (SDLFI)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)

- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.

 For Impact-rated lite frame, see page 27.

Fiber-Classic & Smooth-Star







Advanta® Lite Frame¹

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the ( ) symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■
Decorative & Privacy Glass¹	■	
Clear & Specialty Glass¹	■	■

¹See your Therma-Tru seller for details on product availability.


*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



TRANSOMS

For transoms, see page 201.



BLACKSTONE. ◆ ❑

											
Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak		
FCM108  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM871  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM310  2'6" x 6'8" (70")* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	FCM816  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM871SL  12" x 8'0" 14" x 8'0"	FCM808SL  10" x 6'8"* 12" x 6'8" (70") 14" x 6'8" (70")	FCM81918SL  12" x 8'0" 14" x 8'0"	FC108  2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	81918P  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC310  2'6" x 6'8" Δ (70")* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")	FC816  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	
											
Oak		Oak		Smooth		Smooth		Smooth		Smooth	
FC108SL  10" x 6'8"* 12" x 6'8" 14" x 6'8"	81918PSL  12" x 8'0" 14" x 8'0"	FC808SL  12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	81918SL  12" x 8'0" 14" x 8'0"	S6002  2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S85892  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S310  2'6" x 6'8" Δ* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	S816  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6002SL  12" x 6'8" 14" x 6'8"	S85892SL  12" x 8'0" 14" x 8'0"	S4570SL  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	S85927SL  12" x 8'0" 14" x 8'0"

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ❑ Brushed Nickel Caming (1C)

- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Vented Sidelite Options
- 6 WBDL Options
- 6 WBDL / HVHZ Options

- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

CRYSTALLINE ◆ ◆

Fiber-Classic & Smooth-Star



Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak	
FCM16 28" x 6'8" 210" x 6'8" 30" x 6'8"	FCM8114 28" x 8'0" 210" x 8'0" 30" x 8'0"	FCM668 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	FCM814 28" x 8'0" 210" x 8'0" 30" x 8'0"	FCM8114SL 12" x 8'0" 14" x 8'0"	FCM18101SL 10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	FCM81800SL 12" x 8'0" 14" x 8'0"	FC16 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	81800P 28" x 8'0" 210" x 8'0" 30" x 8'0"	FC668 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	FC814 28" x 8'0" 210" x 8'0" 30" x 8'0"



Oak		Oak		Smooth		Smooth		Smooth		Smooth	
FC46SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81800PSL 12" x 8'0" 14" x 8'0"	18101SL 12" x 6'8" (70") 14" x 6'8" (70")	81800SL 12" x 8'0" 14" x 8'0"	S916 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	S814 28" x 8'0" 210" x 8'0" 30" x 8'0"	S668 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70") 36" x 6'8"	S815 28" x 8'0" 210" x 8'0" 30" x 8'0" 36" x 8'0"	S916SL 12" x 6'8" 14" x 6'8"	S814SL 12" x 8'0" 14" x 8'0"	S6130SL 10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	S84586SL 12" x 8'0" 14" x 8'0"

SEDONA ◆ ◆



Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak	
FCM100 28" x 6'8" 210" x 6'8" 30" x 6'8"	FCM872 28" x 8'0" 210" x 8'0" 30" x 8'0"	FCM241 26" x 6'8" (70")* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	FCM822 28" x 8'0" 210" x 8'0" 30" x 8'0"	FCM872SL 12" x 8'0" 14" x 8'0"	FCM816SL 10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	FCM81968SL 12" x 8'0" 14" x 8'0"	FC100 26" x 6'8" 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	81968P 28" x 8'0" 210" x 8'0" 30" x 8'0"	FC241 26" x 6'8" (70")* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	FC822 28" x 8'0" 210" x 8'0" 30" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth
FC100SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81968PSL 12" x 8'0" 14" x 8'0"	FC816SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81968SL 12" x 8'0" 14" x 8'0"	S139 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S241 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S139SL 12" x 6'8" 14" x 6'8"	S604SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

SALINAS. X

Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak
FCM113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM873 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM369 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM814SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81919SL 12" x 8'0" 14" x 8'0"	FCM873SL 12" x 8'0" 14" x 8'0"	FC113 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81919P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC369 2'6" x 6'8" Δ (7'0")* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
FC113SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81919PSL 12" x 8'0" 14" x 8'0"	FC814SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81919SL 12" x 8'0" 14" x 8'0"	S6008 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85893 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S369 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6008SL 12" x 6'8" 14" x 6'8"	S85893SL 12" x 8'0" 14" x 8'0"	S6134SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85931SL 12" x 8'0" 14" x 8'0"

- No Stile Lines
- ✕ Wrought Iron (1W)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- ◆ Black Nickel Caming (1D)
- ◡ Scrolled & Flat Advanta Lite Frame
- 6 WBDR Options
- ↑ 6'6" Height Available
- Brushed Nickel Caming (1C)
- Not available for 24" and 26" doors or 10" sidelites.
- 6 WBDR / HVHZ Options

MAPLE PARK. ◆ ■ ■



Mahogany

FCM900
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1006
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



Mahogany

FCM812SL
 10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



Oak

FC900
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



Oak

FC1006
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



Oak

FC900SL
 10" x 6'8"*
 12" x 6'8"
 14" x 6'8"



Oak

FC812SL
 12" x 6'8" (70")
 14" x 6'8" (70")



Smooth

S6100
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

SARATOGA.™ ◆ ■ ■



Smooth

S1006
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8"



Smooth

S6100SL
 12" x 6'8"
 14" x 6'8"




Smooth

S6131SL
 10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



Mahogany

FCM905
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6093
 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



Mahogany

FCM815SL
 10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



Mahogany

FCM81986SL
 12" x 8'0"
 14" x 8'0"

FCM893SL
 12" x 8'0"
 14" x 8'0"



Oak

FC905
 2'6" x 6'8"*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



Oak

FC6093
 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



Oak

FC905SL
 10" x 6'8"*
 12" x 6'8"
 14" x 6'8"



Oak

FC815SL
 12" x 6'8" (70")
 14" x 6'8" (70")



Smooth

S154
 2'6" x 6'8"*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



Smooth

S6093
 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8"



Smooth

S154SL
 12" x 6'8"
 14" x 6'8"

S8602SL
 12" x 8'0"
 14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

TEXAS STAR ◆ ■ ■



Smooth

S602SL

10" x 6'8"*

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")

S85932SL

12" x 8'0"

14" x 8'0"



Mahogany

FCM142

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Mahogany

FCM1029

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Mahogany

FCM817SL

10" x 6'8"*

12" x 6'8" (70")

14" x 6'8" (70")



Oak

FC142

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Oak

FC1029

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")



Oak

FC142SL

10" x 6'8"*

12" x 6'8"

14" x 6'8"



Oak

FC817SL

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")



Smooth

S6070

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Smooth

S1029

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")

3'6" x 6'8"



Smooth

S6070SL

12" x 6'8"

14" x 6'8"



Smooth

S6135SL

10" x 6'8"*

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")



Mahogany

FCM104

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

FCM874

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Mahogany

FCM6094

2'6" x 6'8" (70")*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")

FCM821

2'6" x 8'0"*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Mahogany

FCM818SL

10" x 6'8"*

12" x 6'8" (70")

14" x 6'8" (70")

FCM81921SL

12" x 8'0"

14" x 8'0"



Mahogany

FCM874SL

12" x 8'0"

14" x 8'0"



Oak

FC104

2'6" x 6'8"*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")

81921P

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Oak

FC6094

2'6" x 6'8" Δ (70")*

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")

FC821

2'6" x 8'0"*

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

WELLESLEY™ ◆ ■ ■ ■





WELLESLEY Continues on next page.

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- ◆ ■ Brass Caming (1A)

- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
















- WBDP Options
- WBDP / HVHZ Options
- E Elevated 10" Bottom Rail Options

▲ 6'6" Height Available

									
Oak	Oak	Smooth	Smooth	Smooth					
FC104SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	81921PSL  12" x 8'0" 14" x 8'0"	FC818SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81921SL  12" x 8'0" 14" x 8'0"	S155  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85896  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6094  2'6" x 6'8" Δ * 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S821  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S155SL  12" x 6'8" 14" x 6'8"	S85896SL  12" x 8'0" 14" x 8'0"

RISERVA 

								
Smooth	Mahogany	Mahogany	Mahogany	Mahogany				
S5870SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85934SL  12" x 8'0" 14" x 8'0"	FCM574  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8574  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM571  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM8571  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM572SL  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM8572SL  12" x 8'0" 14" x 8'0"	FCM8573SL  12" x 8'0" 14" x 8'0"

									
Oak	Oak	Oak	Oak	Smooth					
FC574  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8574  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC571  2'6" x 6'8" Δ (7'0")* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC8571  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC573SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC8573SL  12" x 8'0" 14" x 8'0"	FC572SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC8572SL  12" x 8'0" 14" x 8'0"	S574  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8574  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

*Not available with Advanta lite frame.
Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S571

- 2'6" x 6'8" Δ *
- 2'8" x 6'8" Δ (70")
- 2'10" x 6'8" Δ (70")
- 3'0" x 6'8" Δ (70")
- 3'6" x 6'8"

S8571

- 2'6" x 8'0"*
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"
- 3'6" x 8'0"



Smooth

S573SL

- 12" x 6'8"
- 14" x 6'8"

S8573SL

- 12" x 8'0"
- 14" x 8'0"



Smooth

S572SL

- 10" x 6'8"*
- 12" x 6'8" Δ (70")
- 14" x 6'8" Δ (70")

S8572SL

- 12" x 8'0"
- 14" x 8'0"



Mahogany

FCM910

- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

FCM890

- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Mahogany

FCM6095

- 2'6" x 6'8" (70")*
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

FCM820

- 2'6" x 8'0"*
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Mahogany

FCM809SL

- 10" x 6'8"*
- 12" x 6'8" Δ (70")
- 14" x 6'8" Δ (70")

FCM81928SL

- 12" x 8'0"
- 14" x 8'0"



Mahogany

FCM890SL

- 12" x 8'0"
- 14" x 8'0"



Oak

FC910

- 2'6" x 6'8"*
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

81928P

- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Oak

FC6095

- 2'6" x 6'8" Δ (70")*
- 2'8" x 6'8" Δ (70")
- 2'10" x 6'8" Δ (70")
- 3'0" x 6'8" Δ (70")

FC820

- 2'6" x 8'0"*
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Oak

FC910SL

- 10" x 6'8"*
- 12" x 6'8"
- 14" x 6'8"

81928PSL

- 12" x 8'0"
- 14" x 8'0"



Oak

FC809SL

- 12" x 6'8" Δ (70")
- 14" x 6'8" Δ (70")

81928SL

- 12" x 8'0"
- 14" x 8'0"



Smooth

S6090

- 2'6" x 6'8"*
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

S85895

- 2'6" x 8'0"*
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S6095

- 2'6" x 6'8" Δ *
- 2'8" x 6'8" Δ (70")
- 2'10" x 6'8" Δ (70")
- 3'0" x 6'8" Δ (70")
- 3'6" x 6'8"

S820

- 2'6" x 8'0"*
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"
- 3'6" x 8'0"



Smooth

S416SL

- 12" x 6'8"
- 14" x 6'8"

S85895SL

- 12" x 8'0"
- 14" x 8'0"



Smooth

S4070SL

- 10" x 6'8"*
- 12" x 6'8" Δ (70")
- 14" x 6'8" Δ (70")

S85930SL

- 12" x 8'0"
- 14" x 8'0"

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ✕ Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.

- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

KENSINGTON™ ◆ ◆



Mahogany

FCM148



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM626



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM813SL



10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC148



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC626



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC148SL



10" x 6'8"*
12" x 6'8"
14" x 6'8"



Oak

FC813SL



12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S160



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

PEMBRIDGE™ ◆ ◆ ◆



Smooth

S626



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"



Smooth

S160SL



12" x 6'8"
14" x 6'8"



Smooth

S6132SL



10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM6550



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM86550



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8650SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM6500SL



10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC6550



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86550



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6500



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86500



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6550SL



10" x 6'8"*
12" x 6'8"
14" x 6'8"

FC86550SL



12" x 8'0"
14" x 8'0"



Oak

FC6500SL



12" x 6'8" (7'0")
14" x 6'8" (7'0")

FC86500SL



12" x 8'0"
14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S6550
 28" x 6'8" (7'0")
 210" x 6'8" (7'0")
 30" x 6'8" (7'0")



Smooth

S86500
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S6550SL
 12" x 6'8"
 14" x 6'8"



Smooth

S86550SL
 12" x 8'0"
 14" x 8'0"



Mahogany

S6500SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S86500SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM1651
 24" x 6'8"
 26" x 6'8" (7'0")*
 28" x 6'8" (7'0")
 210" x 6'8" (7'0")
 30" x 6'8" (7'0")




Mahogany

FCM81651
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Mahogany

FCM1651SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Oak

FCM1652SL
 12" x 8'0"
 14" x 8'0"



Oak

FC1652
 26" x 6'8"
 28" x 6'8" (7'0")
 210" x 6'8" (7'0")
 30" x 6'8" (7'0")



Oak

FC81652
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Oak

FCM1651SL
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Smooth

FC81651SL
 12" x 8'0"
 14" x 8'0"



Smooth

S1652
 26" x 6'8"
 28" x 6'8" (7'0")
 210" x 6'8" (7'0")
 30" x 6'8" (7'0")



Smooth

S81652
 26" x 8'0"
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"



Smooth

S1651
 24" x 6'8" Δ*
 26" x 6'8" Δ*
 28" x 6'8" Δ (7'0")
 210" x 6'8" Δ (7'0")
 30" x 6'8" Δ (7'0")

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
 Not available for 24" and 26" doors or 10" sidelites.

- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options

- Elevated 10" Bottom Rail Options
- 6'6" Height Available



Mahogany

FCM2223

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM82223

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2389SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Mahogany

FCM82389SL

 12" x 8'0"
 14" x 8'0"



Oak

FC2223

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC82223

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC2389

 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")



Oak

FC82389

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Oak

FC2223SL

 10" x 6'8"*
 12" x 6'8"
 14" x 6'8"

FC82223SL

 12" x 8'0"
 14" x 8'0"




Smooth

S2223

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S82223

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Smooth

S2389

 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"

S82389

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"




Smooth

S2223SL

 12" x 6'8"
 14" x 6'8"

S82223SL

 12" x 8'0"
 14" x 8'0"



Smooth

S2389SL

 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S82389SL

 12" x 8'0"
 14" x 8'0"

LATITUDE ◆ ◆ ◆ ◆



Mahogany

FCM2213

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM82213

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2382

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM82382

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2382SL




 10" x 6'8"*
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")





FCM82382SL

 12" x 8'0"
 14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

				
Mahogany	Oak	Oak	Oak	Oak
FCM82213SL 6 12" x 8'0" 14" x 8'0"	FC2213 6E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 30" x 6'8" (7'0")	FC82213 6 28" x 8'0" 210" x 8'0" 30" x 8'0"	FC2382 6E 28" x 6'8" Δ (7'0") 210" x 6'8" Δ (7'0") 30" x 6'8" Δ (7'0")	FC82382 6E 28" x 8'0" 210" x 8'0" 30" x 8'0"
FC2213SL 6 10" x 6'8"* 12" x 6'8" 14" x 6'8"	FC82213SL 6 12" x 8'0" 14" x 8'0"	FC2382SL 6E 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC82382SL 6E 12" x 8'0" 14" x 8'0"	

			
Smooth	Smooth	Smooth	Smooth
S2213 6E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 30" x 6'8" (7'0")	S82213 6 28" x 8'0" 210" x 8'0" 30" x 8'0"	S2382 6E 28" x 6'8" Δ (7'0") 210" x 6'8" Δ (7'0") 30" x 6'8" Δ (7'0") 3'6" x 6'8"	S82382 6E 28" x 8'0" 210" x 8'0" 30" x 8'0" 3'6" x 8'0"
S2213SL 6 12" x 6'8" 14" x 6'8"	S82213SL 6 12" x 8'0" 14" x 8'0"	S2382SL 6E 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S82382SL 6E 12" x 8'0" 14" x 8'0"

ECHOLON ◆ ◆ ◆ ◆

















Mahogany
FCM2233 6 28" x 6'8" 210" x 6'8" 30" x 6'8"
FCM82233 6 28" x 8'0" 210" x 8'0" 30" x 8'0"

				
Mahogany	Mahogany	Mahogany	Oak	Oak
FCM2385 6E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 30" x 6'8" (7'0")	FCM82385 6 28" x 8'0" 210" x 8'0" 30" x 8'0"	FCM2385SL 6E 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM82385SL 6E 12" x 8'0" 14" x 8'0"	FCM82233SL 6 12" x 8'0" 14" x 8'0"
FC2233 6E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 30" x 6'8" (7'0")	FC82233 6 28" x 8'0" 210" x 8'0" 30" x 8'0"	FC2385 6E 28" x 6'8" Δ (7'0") 210" x 6'8" Δ (7'0") 30" x 6'8" Δ (7'0")	FC82385 6E 28" x 8'0" 210" x 8'0" 30" x 8'0"	













ECHOLON Continues on next page.













- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6 WBDR Options
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold .

				
Oak	Oak	Smooth	Smooth	Smooth
FC2233SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC82233SL  12" x 8'0" 14" x 8'0"	FC2385SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC82385SL  12" x 8'0" 14" x 8'0"	S2233  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
		S82233  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2385  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S82385  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
		S2233SL  12" x 6'8" 14" x 6'8"	S82233SL  12" x 8'0" 14" x 8'0"	

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

					
Smooth	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
S2385SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S82385SL  12" x 8'0" 14" x 8'0"	FCM138  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1285  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM18  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1284  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
		FCM12102_SL  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")			

						
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak
FCM6124_SL**  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM6125_SL**  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM6126_SL**  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FC138  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1285  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC18  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1284  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")









Privacy & Textured Glass Options








Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.






XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Advanta lite frame.
**Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

							
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC18_SL ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" 14" x 6'8"	12102_SL ☀️ 🗑️ 🗑️ 🗑️ 🗑️ 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	FC06188_SL** ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" 14" x 6'8"	FC06184_SL** ☀️ 🗑️ 🗑️ 🗑️ 🗑️ 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	FC06189_SL** ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" 14" x 6'8"	FC06185_SL** ☀️ 🗑️ 🗑️ 🗑️ 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	FC06190_SL** ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" 14" x 6'8"	FC06186_SL** ☀️ 🗑️ 🗑️ 🗑️ 🗑️ 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S128 ☀️ 🗑️ 🗑️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S141 ☀️ 🗑️ 🗑️ E 2'8" x 6'8" ⚡ (70") 2'10" x 6'8" ⚡ (70") 3'0" x 6'8" ⚡ (70") 3'6" x 6'8"	S108 ☀️ 🗑️ 🗑️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S6063 ☀️ 🗑️ 🗑️ E 2'8" x 6'8" ⚡ (70") 2'10" x 6'8" ⚡ (70") 3'0" x 6'8" ⚡ (70") 3'6" x 6'8"	S308_SL ☀️ 🗑️ 🗑️ 12" x 6'8" 14" x 6'8"	S1170_SL ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	S605_SL** ☀️ 🗑️ 🗑️ 12" x 6'8" 14" x 6'8"

				
Smooth	Smooth	Smooth	Smooth	Smooth
S6124_SL** ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	S606_SL** ☀️ 🗑️ 🗑️ 12" x 6'8" 14" x 6'8"	S6125_SL** ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")	S607_SL** ☀️ 🗑️ 🗑️ 12" x 6'8" 14" x 6'8"	S6126_SL** ☀️ 🗑️ 🗑️ 10" x 6'8"* 12" x 6'8" ⚡ (70") 14" x 6'8" ⚡ (70")

PRIVACY & TEXTURED GLASS

			
Mahogany	Mahogany	Mahogany	Mahogany
FCM10 ☀️ 🗑️ 🗑️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM870 ☀️ 🗑️ 🗑️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1283 ☀️ 🗑️ 🗑️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	FCM81200 ☀️ 🗑️ 🗑️ 2'6" x 8'0"* 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS *Continues on next page.*









- No Stile Lines
- ☀️ Low-E Glass (LE)
- 🗑️ Simulated Divided Lites (SDL)
- 🗑️ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🗑️ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚡ 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold .

				
Mahogany	Mahogany	Oak	Oak	Oak
FCM870_SL    12" x 8'0" 14" x 8'0"	FCM12101_SL    10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81200_SL    12" x 8'0" 14" x 8'0"	FC10    2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81200P_SL    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
1283    2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	81200    2'6" x 8'0"* 2'10" x 8'0" 3'0" x 8'0"	FC47_SL    10" x 6'8"* 12" x 6'8" 14" x 6'8"	81200P_SL    12" x 8'0" 14" x 8'0"	

				
Oak	Smooth	Smooth	Smooth	Smooth
12101_SL    12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81200_SL    12" x 8'0" 14" x 8'0"	S118    2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S818    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S140    2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"
S8140    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S100_SL    12" x 6'8" 14" x 6'8"	S8601_SL    12" x 8'0" 14" x 8'0"	S601_SL    10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S81086_SL    12" x 8'0" 14" x 8'0"

INTERNAL BLINDS

				
Mahogany	Mahogany	Mahogany	Mahogany	Oak
FCM141    2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8115    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1286    2'4" x 6'8"* 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM81225    2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8115SL    12" x 8'0" 14" x 8'0"
FCM1286SL    10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81225SL    12" x 8'0" 14" x 8'0"	FC141    2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81225P    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Oak

1286
 6E
 2'4" x 6'8" Δ *
 2'6" x 6'8" Δ (7'0")*
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")


81225
 6
 2'6" x 8'0"*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC141SL
 6
 10" x 6'8"*
 12" x 6'8"
 14" x 6'8"


81225PSL
 6
 12" x 8'0"
 14" x 8'0"



Oak

1286SL
 6
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")


81225SL
 6
 12" x 8'0"
 14" x 8'0"



Smooth

S130
 6E
 2'6" x 6'8"*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S829
 6
 2'6" x 8'0"*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6061
 6E
 2'4" x 6'8" Δ *
 2'6" x 6'8" Δ *
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"

S81225
 6
 2'6" x 8'0"*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



Smooth

S130SL
 6
 12" x 6'8"
 14" x 6'8"



Smooth

S829SL
 6
 12" x 8'0"
 14" x 8'0"

S6128SL
 6
 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S85928SL
 6
 12" x 8'0"
 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1209
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1201
 6E
 2'6" x 6'8" (7'0")*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1211
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1202
 6E
 2'6" x 6'8" (7'0")*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1212
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1203
 6E
 2'6" x 6'8" (7'0")*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM138
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1285
 6E
 2'6" x 6'8" (7'0")*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1208
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1200
 6E
 2'6" x 6'8" (7'0")*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM18
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame


- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available

- Vented Sidelite Options
- 6 WBDL Options
- 6 WBDL / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold .



Mahogany

FCM1284
 2'6" x 6'8" (7'0")*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM828
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM81828
 2'6" x 8'0"*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM81208P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Mahogany

FCM81829
 2'6" x 8'0"*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1201SL
 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")




Mahogany

FCM1202SL
 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")




Mahogany

FCM1200SL
 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM12102SL
 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM81208PSL
 12" x 8'0"
 14" x 8'0"




Mahogany

FCM81208SL
 12" x 8'0"
 14" x 8'0"




Mahogany

FCM6124SL
 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM6125SL
 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM6126SL
 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")




Mahogany

FCM198
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Mahogany

FCM1289
 2'6" x 6'8" (7'0")*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")




Mahogany

FCM1289SL
 10" x 6'8"*
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")




Oak

FC1209
 2'6" x 6'8"*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")




Oak

FC1201
 2'6" x 6'8" Δ (7'0")*
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")




Oak

FC1211
 2'6" x 6'8"*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC1202
 2'6" x 6'8" Δ (7'0")*
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC1212 E 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	FC1203 E 2'6" x 6'8" Δ (70")* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")	FC138 6 E 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	1285 6 E 2'6" x 6'8" Δ (70")* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")	FC1208 6 E 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	FC1200 6 E 2'6" x 6'8" Δ (70")* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")	FC18 6 E 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")

















Oak	Oak	Oak	Oak	Oak	Oak	Oak
1284 6 E 2'6" x 8'8" Δ (70")* 2'8" x 8'8" Δ (70") 2'10" x 8'8" Δ (70") 3'0" x 8'8" Δ (70")	FC828 6 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81828 6 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81208P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81208 6 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1209SL 6 10" x 6'8"* 12" x 6'8" 14" x 6'8"	FC1201SL 6 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")

Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC1211SL 6 10" x 6'8"* 12" x 6'8" 14" x 6'8"	FC1202SL 6 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	FC1208SL 6 10" x 6'8"* 12" x 6'8" 14" x 6'8"	FC1200SL 6 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	FC18SL 6 10" x 6'8"* 12" x 6'8" 14" x 6'8"	12102SL 6 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	81208PSL 6 12" x 8'0" 14" x 8'0"	81208SL 6 12" x 8'0" 14" x 8'0"















CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

No Stile Lines	Flat Almond Grilles Between Glass (GBGF)	Scrolled & Flat Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.	Standard Lite Frame Available	Elevated 10" Bottom Rail Options
Low-E Glass (LE)	Flat Bronze Grilles Between Glass (GBGF)	Scrolled Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.	Vented Sidelite Options	6'6" Height Available
Simulated Divided Lites (SDL)			WBDR Options	
Flat or Contour White Grilles Between Glass (GBGF / GBGC)			WBDR / HVHZ Options	

























































Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold .

							
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC06188SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06184SL  12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	FC06189SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06185SL  12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	FC06190SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06186SL  12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	FC198  2'6" x 6'8" 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	1289  2'6" x 6'8" Δ (70")* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")

						
Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC198SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC1289SL  12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	S1209  2'6" x 6'8" 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S1201  2'6" x 6'8" Δ * 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	S1211  2'6" x 6'8" 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S1202  2'6" x 6'8" Δ * 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	S1212  2'6" x 6'8" 2'8" x 6'8" (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1203  2'6" x 6'8" Δ * 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	S128  2'6" x 6'8" 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S141  2'6" x 6'8" Δ * 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	S1208  2'6" x 6'8" 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S1200  2'6" x 6'8" Δ * 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	S108  2'6" x 6'8" 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S6063  2'6" x 6'8" Δ * 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"

*Not available with Advanta lite frame.
Note: See page 277 for important product details that may help with your purchase decision.


									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
S828  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81828  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S808  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81208  2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S1209SL  12" x 6'8" 14" x 6'8"	S1201SL  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	S1211SL  12" x 6'8" 14" x 6'8"	S1202SL  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")		
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1208SL  12" x 6'8" 14" x 6'8"	S1200SL  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	S308SL  12" x 6'8" 14" x 6'8"	S1170SL  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	S808SL  12" x 8'0" 14" x 8'0"	S81186SL  12" x 8'0" 14" x 8'0"	S605SL  12" x 6'8" 14" x 6'8"	S8605SL  12" x 8'0" 14" x 8'0"	S6124SL  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	S85924SL  12" x 8'0" 14" x 8'0"
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S606SL  12" x 6'8" 14" x 6'8"	S8606SL  12" x 8'0" 14" x 8'0"	S6125SL  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	S85925SL  12" x 8'0" 14" x 8'0"	S607SL  12" x 6'8" 14" x 6'8"	S8607SL  12" x 8'0" 14" x 8'0"	S6126SL  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	S85926SL  12" x 8'0" 14" x 8'0"	S198  2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S6062  2'6" x 6'8" Δ* 2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

 No Stile Lines	 Flat Almond Grilles Between Glass (GBGF)	 Fixed Grilles (FXG)	 Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	 WBDR Options
 Low-E Glass (LE)	 Flat Bronze Grilles Between Glass (GBGF)	 Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	 Vented Sidelite Options	 WBDR / HVHZ Options
 Simulated Divided Lites (SDL)	 Flat or Contour White Grilles Between Glass (GBGF / GBGC)	 Standard Lite Frame Available	 6'6" Height Available	 Elevated 10" Bottom Rail Options
 Flat or Contour Black Grilles Between Glass (GBGF / GBGC)				


CLEAR GLASS WITH DIVIDED LITES *Continued*

CLEAR GLASS



Smooth
S198SL
 12" x 6'8"
 14" x 6'8"

Smooth
S6062SL
 10" x 6'8"*
 12" x 6'8" Δ (70")
 14" x 6'8" Δ (70")



Mahogany
FCM10
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Mahogany
FCM870
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Mahogany
FCM1283
 2'4" x 6'8"*
 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")*
 2'10" x 6'8" (70")*
 3'0" x 6'8" (70")

Mahogany
FCM81200
 2'0" x 8'0"*
 2'4" x 8'0"*
 2'6" x 8'0"*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Mahogany
FCM12101SL
 10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")

Mahogany
FCM81200SL
 12" x 8'0"
 14" x 8'0"



Mahogany
FCM870SL
 12" x 8'0"
 14" x 8'0"

Oak
FC10
 2'6" x 6'8"*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

Oak
81200P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Oak
1283
 2'4" x 6'8" Δ*
 2'6" x 6'8" Δ (70")*
 2'8" x 6'8" Δ (70")*
 2'10" x 6'8" Δ (70")*
 3'0" x 6'8" Δ (70")

Oak
81200
 2'0" x 8'0"*
 2'4" x 8'0"*
 2'6" x 8'0"*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Oak
FC47SL
 10" x 6'8"*
 12" x 6'8"
 14" x 6'8"

Oak
81200PSL
 12" x 8'0"
 14" x 8'0"

Oak
12101SL
 12" x 6'8" Δ (70")
 14" x 6'8" Δ (70")

Oak
81200SL
 12" x 8'0"
 14" x 8'0"



Smooth
S118
 2'6" x 6'8"*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

Smooth
S818
 2'6" x 8'0"*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
S140
 2'0" x 6'8"***
 2'4" x 6'8" Δ**
 2'6" x 6'8" Δ**
 2'8" x 6'8" Δ (70")
 2'10" x 6'8" Δ (70")
 3'0" x 6'8" Δ (70")
 3'6" x 6'8"

Smooth
S8140
 2'0" x 8'0"*
 2'4" x 8'0"*
 2'6" x 8'0"*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

Smooth
S100SL
 12" x 6'8"
 14" x 6'8"

Smooth
S8601SL
 12" x 8'0"
 14" x 8'0"

Smooth
S601SL
 10" x 6'8"*
 12" x 6'8" Δ (70")
 14" x 6'8" Δ (70")

Smooth
S81086SL
 12" x 8'0"
 14" x 8'0"

Direct Set
DRS2131SL
 12" x 6'8" (70")
 14" x 6'8" (70")

Direct Set
DRS82131SL
 12" x 8'0"
 14" x 8'0"

*Not available with Advanta lite frame.


**Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.



TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

BLACKSTONE ◆ ◆

Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM765 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM765SL 6 12" x 6'8" 14" x 6'8"	FCM882SL 6 12" x 8'0" 14" x 8'0"	FC765 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC770 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81952P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FC765SL 6 12" x 6'8" 14" x 6'8"	81952PSL 6 12" x 8'0" 14" x 8'0"	S975 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

CRYSTALLINE™ ◆ ◆

Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S979 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S894 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S975SL 6 12" x 6'8" 14" x 6'8"	S894SL 6 12" x 8'0" 14" x 8'0"	FCM38 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM38SL 6 12" x 6'8" 14" x 6'8"
FCM8105SL 6 12" x 8'0" 14" x 8'0"	FC38 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC772 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81953P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

CRYSTALLINE Continues on next page.

- No Stile Lines
- ☀ Low-E Glass (LE)
- 🐢 Turtle Glass
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

CRYSTALLINE™ ♦ ♦ Continued

SEDONA ♦ ♦

Fiber-Classic & Smooth-Star



Oak

FC38SL 12" x 6'8"
14" x 6'8"

81953PSL 12" x 8'0"
14" x 8'0"



Smooth

S977 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S981 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S888 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S758SL 12" x 6'8"
14" x 6'8"

S888SL 12" x 8'0"
14" x 8'0"



Mahogany


FCM131 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany


FCM131SL 12" x 6'8"
14" x 6'8"

FCM883SL 12" x 8'0"
14" x 8'0"



Oak

FC131 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC773 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81954P 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC131SL 12" x 6'8"
14" x 6'8"

81954PSL 12" x 8'0"
14" x 8'0"



Smooth


S95 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S91 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S887 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S91SL 12" x 6'8"
14" x 6'8"

S887SL 12" x 8'0"
14" x 8'0"

SALINAS ✕



Mahogany


FCM115 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM115SL 12" x 6'8"
14" x 6'8"

FCM884SL 12" x 8'0"
14" x 8'0"



Oak

FC115 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC775 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81955P 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC115SL 12" x 6'8"
14" x 6'8"

81955PSL 12" x 8'0"
14" x 8'0"



Smooth

S6009 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

MAPLE PARK. ◆ ◆



Smooth

S6010
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S895
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6009SL
 12" x 6'8"
 14" x 6'8"

S895SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM902
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM902SL
 12" x 6'8"
 14" x 6'8"

FCM887SL
 12" x 8'0"
 14" x 8'0"



Oak

FC902
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC777
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81957P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC902SL
 12" x 6'8"
 14" x 6'8"

81957PSL
 12" x 8'0"
 14" x 8'0"



Smooth

S6102
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S6103
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S85898
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6102SL
 12" x 6'8"
 14" x 6'8"

S85898SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM907
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM907SL
 12" x 6'8"
 14" x 6'8"

FCM889SL
 12" x 8'0"
 14" x 8'0"

SARATOGA.™ ◆ ◆



Oak

FC907
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC776
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81956P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC907SL
 12" x 6'8"
 14" x 6'8"

81956PSL
 12" x 8'0"
 14" x 8'0"



Smooth

S6092
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S982
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S891
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6092SL
 12" x 6'8"
 14" x 6'8"

S891SL
 12" x 8'0"
 14" x 8'0"

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.

- 6 WBDP Options
- 6 WBDP / HVHZ Options


Fiber-Classic & Smooth-Star

TEXAS STAR ◆◆






					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM143 6 28" x 6'8" 210" x 6'8" 30" x 6'8"	FCM143SL 6 12" x 6'8" 14" x 6'8"	FCM8103SL 6 12" x 8'0" 14" x 8'0"	FC143 6 28" x 6'8" 210" x 6'8" 30" x 6'8"	FC778 6 28" x 6'8" 210" x 6'8" 30" x 6'8"	81958P 6 28" x 8'0" 210" x 8'0" 30" x 8'0"
FC143SL 6 12" x 6'8" 14" x 6'8"	81958PSL 6 12" x 8'0" 14" x 8'0"	S6071 6 28" x 6'8" 210" x 6'8" 30" x 6'8"			

Fiber-Classic & Smooth-Star

WELLESLEY ◆◆◆

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S6072 6 28" x 6'8" 210" x 6'8" 30" x 6'8"	S85901 6 28" x 8'0" 210" x 8'0" 30" x 8'0"	FCM147 6 28" x 6'8" 210" x 6'8" 30" x 6'8"	FCM147SL 6 12" x 6'8" 14" x 6'8"	FCM885SL 6 12" x 8'0" 14" x 8'0"	FC147 6 28" x 6'8" 210" x 6'8" 30" x 6'8"
S6071SL 6 12" x 6'8" 14" x 6'8"	85901SL 6 12" x 8'0" 14" x 8'0"	FC779 6 28" x 6'8" 210" x 6'8" 30" x 6'8"			81959P 6 28" x 8'0" 210" x 8'0" 30" x 8'0"

RISERVA x





					
Oak	Smooth	Smooth	Smooth	Mahogany	Mahogany
FC147SL 6 12" x 6'8" 14" x 6'8"	81959PSL 6 12" x 8'0" 14" x 8'0"	S6091 6 28" x 6'8" 210" x 6'8" 30" x 6'8"	S983 6 28" x 6'8" 210" x 6'8" 30" x 6'8"	S892 6 28" x 8'0" 210" x 8'0" 30" x 8'0"	S6091SL 6 12" x 6'8" 14" x 6'8"
S892SL 6 12" x 8'0" 14" x 8'0"	FCM543 6 28" x 6'8" 210" x 6'8" 30" x 6'8"	FCM545SL 6 14" x 6'8"	FCM8545SL 6 12" x 8'0" 14" x 8'0"		

									
Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
FC543 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC529 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC8529 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC545SL 12" x 6'8" 14" x 6'8"	FC8545SL 12" x 8'0" 14" x 8'0"	S543 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S529 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8529 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S545SL 12" x 6'8" 14" x 6'8"	S8545SL 12" x 8'0" 14" x 8'0"

CONCORDE™ ◆ ◆ ◆

								
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak	Oak	Smooth
FCM912 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM912SL 12" x 6'8" 14" x 6'8"	FCM892SL 12" x 8'0" 14" x 8'0"	FC912 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC780 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81960P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC912SL 12" x 6'8" 14" x 6'8"	81960PSL 12" x 8'0" 14" x 8'0"	S912 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





KENSINGTON™ ◆ ◆

									
Smooth	Smooth	Smooth	Smooth	Mahogany	Mahogany	Oak	Oak	Oak	Oak
S97 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85902 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S757SL 12" x 6'8" 14" x 6'8"	S85902SL 12" x 8'0" 14" x 8'0"	FCM156 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1442SL 12" x 6'8" 14" x 6'8"	FCM8107SL 12" x 8'0" 14" x 8'0"	FC156 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC20042 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81961P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

KENSINGTON Continues on next page.






- ◆ Black Nickel Caming (1D)
- ◆ Scrolled & Flat Advanta Lite Frame
- ◆ WBDP / HVHZ Options
- ◆ Brushed Nickel Caming (1C)
- ◆ Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Brass Caming (1A)
- ◆ WBDP Options
- ◆ Wrought Iron (1W)

KENSINGTON™ ◆ ◆ ◆ *Continued*

			
Oak	Smooth	Smooth	Smooth
FC1442SL 12" x 6'8" 14" x 6'8"	81961PSL 12" x 8'0" 14" x 8'0"	S20042 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S902 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S156 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1442SL 12" x 6'8" 14" x 6'8"	S902SL 12" x 8'0" 14" x 8'0"	

PEMBRIDGE™ ◆ ◆ ◆

	
Mahogany	Mahogany
FCM6582 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6580SL 12" x 6'8" 14" x 6'8"
	FCM86580SL 12" x 8'0" 14" x 8'0"

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC6582 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC6580 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86580 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC6580SL 12" x 6'8" 14" x 6'8"	FC86580SL 12" x 8'0" 14" x 8'0"	S6582 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
	S6580 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S86580 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6580SL 12" x 6'8" 14" x 6'8"	S86580SL 12" x 8'0" 14" x 8'0"	

AXIS™ ◆

					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1646SL 12" x 6'8" 14" x 6'8"	FCM81646SL 12" x 8'0" 14" x 8'0"	FC1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC1646 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC81646 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	FC1646SL 12" x 6'8" 14" x 6'8"	FC81646SL 12" x 8'0" 14" x 8'0"	S1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"		

CALIX ◆ ■ ◆



Smooth

S1646
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S81646
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S1646SL
 12" x 6'8"
 14" x 6'8"

S81646SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM389
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM4521SL
 12" x 6'8"
 14" x 6'8"

FCM84521SL
 12" x 8'0"
 14" x 8'0"



Oak

FC389
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC4521
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC84521
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

LATITUDE ◆ ■ ◆



Oak


FC4521SL
 12" x 6'8"
 14" x 6'8"

FC84521SL
 12" x 8'0"
 14" x 8'0"



Smooth

S389
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S4521
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S84521
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4521SL
 12" x 6'8"
 14" x 6'8"

S84521SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM476
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM4525SL
 12" x 6'8"
 14" x 6'8"

FCM84525SL
 12" x 8'0"
 14" x 8'0"



Oak

FC476
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC4525
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC84525
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC4525SL
 12" x 6'8"
 14" x 6'8"

FC84525SL
 12" x 8'0"
 14" x 8'0"



Smooth

S476
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S4525
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S84525
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4525SL
 12" x 6'8"
 14" x 6'8"

S84525SL
 12" x 8'0"
 14" x 8'0"

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ◆ Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.

- ◆ WBDR Options

- ◆ WBDR / HVHZ Options



Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold 🏆.



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XK = Reeded
- XC = Chord
- XR = Rainglass
- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite

PRIVACY & TEXTURED GLASS

				
Mahogany	Mahogany	Oak	Oak	Oak
FCM32_	FCM32_SL	FC32_	FC766_	FC32_SL
2'8" x 6'8"	12" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	12" x 6'8"
2'10" x 6'8"	14" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	14" x 6'8"
3'0" x 6'8"		3'0" x 6'8"	3'0" x 6'8"	
	FCM881_SL		81943P_	81943P_SL
	12" x 8'0"		2'8" x 8'0"	12" x 8'0"
	14" x 8'0"		2'10" x 8'0"	14" x 8'0"
			3'0" x 8'0"	

INTERNAL BLINDS

				
Smooth	Smooth	Smooth	Mahogany	Mahogany
S80_	S90_	S880	FCM5425	FCM5425SL
2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	12" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	14" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	
	S751_SL	S880_SL	FCM8110SL	
	12" x 6'8"	12" x 8'0"	12" x 8'0"	
	14" x 6'8"	14" x 8'0"	14" x 8'0"	

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC5425	1964P	81964P	S5425	S682	S5425SL
2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	12" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	14" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"	
	FC5425SL	81964PSL		S8682	S8682SL
	12" x 6'8"	12" x 8'0"		2'8" x 8'0"	12" x 8'0"
	14" x 6'8"	14" x 8'0"		2'10" x 8'0"	14" x 8'0"
				3'0" x 8'0"	

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat Lite Frame


-  Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.

-  Standard Lite Frame Available
-  WBDR Options
-  WBDR / HVHZ Options

CLEAR GLASS WITH DIVIDED LITES

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold.


Fiber-Classic & Smooth-Star



Mahogany

FCM2106


 28" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM2107

 28" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM2108

 28" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM82

 28" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1089SL

 12" x 6'8"
 14" x 6'8"



Mahogany

FCM8311SL

 12" x 8'0"
 14" x 8'0"

FCM2101SL

 12" x 6'8"
 14" x 6'8"

FCM8313SL

 12" x 8'0"
 14" x 8'0"



Note: See page 277 for important product details that may help with your purchase decision.
 Fiber-Classic Oak Collection, Axis Glass, Door – FC1646, Finish – Barley

Mahogany		Mahogany		Mahogany		Mahogany		
FCM92SL	FCM8310SL	FCM8101SL	FCM81900SL	FCM81947SL	FCM81949SL	FCM1402	FCM1400SL	FCM81944SL
☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️
12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	12" x 8'0" 14" x 8'0"	12" x 8'0" 14" x 8'0"	12" x 8'0" 14" x 8'0"	12" x 8'0" 14" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

























Oak		Oak		Oak		Oak	
FC2106	FC2107	FC2108	FC82	FC1089	FC8311	FC2101	FC8313
☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Oak		Oak		Oak		Oak			
FC2102	FC8316	81945P	FC92	FC8310	81946P	FC1089SL	FC8311SL	FC2101SL	FC8313SL
☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️	☀️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️ ⚡️
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

☀️ Low-E Glass (LE)	⚡️ Flat Almond Grilles Between Glass (GBGF)	⚡️ Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	⚡️ Standard Lite Frame Available
⚡️ Simulated Divided Lites (SDL)	⚡️ Flat Bronze Grilles Between Glass (GBGF)	⚡️ Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.	⚡️ WBDR Options
⚡️ Flat or Contour White Grilles Between Glass (GBGF / GBGC)			⚡️ WBDR / HVHZ Options

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold 

								
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	
FC92SL   12" x 6'8" 14" x 6'8"	FC8310SL   12" x 8'0" 14" x 8'0"	81946PSL   12" x 8'0" 14" x 8'0"	81900PSL   12" x 8'0" 14" x 8'0"	81947PSL   12" x 8'0" 14" x 8'0"	81949PSL   12" x 8'0" 14" x 8'0"	FC1402   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC1400   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81944P   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

							
Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
FC1400SL   12" x 6'8" 14" x 6'8"	81944PSL   12" x 8'0" 14" x 8'0"	S2106   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2107   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2108   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1089   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8311   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

							
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2101   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8313   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2102   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8316   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S881   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S92   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8310   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S882   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.
Right Page: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1089SL 12" x 6'8" 14" x 6'8"	S8311SL 12" x 8'0" 14" x 8'0"	S2101SL 12" x 6'8" 14" x 6'8"	S8313SL 12" x 8'0" 14" x 8'0"	S82SL 12" x 6'8" 14" x 6'8"	S8310SL 12" x 8'0" 14" x 8'0"	S881SL 12" x 8'0" 14" x 8'0"	S8207SL 12" x 8'0" 14" x 8'0"	S8202SL 12" x 8'0" 14" x 8'0"	S8204SL 12" x 8'0" 14" x 8'0"

Smooth	Smooth	Smooth	Smooth	Smooth
S1402 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1400 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S898 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1400SL 12" x 6'8" 14" x 6'8"	S898SL 12" x 8'0" 14" x 8'0"

CLEAR GLASS













Mahogany	Mahogany	Mahogany
FCM32 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM32SL 12" x 6'8" 14" x 6'8"	FCM881SL 12" x 8'0" 14" x 8'0"

CLEAR GLASS *Continues on next page.*



- | | | | | |
|---|--|--|--|--|
| <ul style="list-style-type: none"> Low-E Glass (LE) Simulated Divided Lites (SDL) Flat or Contour White Grilles Between Glass (GBGF / GBGC) | <ul style="list-style-type: none"> Flat Almond Grilles Between Glass (GBGF) Flat Bronze Grilles Between Glass (GBGF) Flat or Contour Black Grilles Between Glass (GBGF / GBGC) | <ul style="list-style-type: none"> Fixed Grilles (FXG) Flat Lite Frame Scrolled & Flat Advanta Lite Frame
Not available for 24" and 2'6" doors or 10" sidelites. | <ul style="list-style-type: none"> Scrolled Advanta Lite Frame
Not available for 24" and 2'6" doors or 10" sidelites. Standard Lite Frame Available WBDR Options | <ul style="list-style-type: none"> WBDR / HVHZ Options |
|---|--|--|--|--|

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR requirements in all 50 states indicated in gold .

									
Oak	Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC32  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC766  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81943P  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC32SL  12" x 6'8" 14" x 6'8"	81943PSL  12" x 8'0" 14" x 8'0"	S80  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S90  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S880  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S751SL  12" x 6'8" 14" x 6'8"	S880SL  12" x 8'0" 14" x 8'0"


Oval Lites

Note: Product images show exterior side of door.












TRANSOMS

For transoms, see page 201.



BLACKSTONE.

						
Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth
FCM110  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM164  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC714  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC164  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC794  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S771  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6085  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.

WELLESLEY™ ◆ ◆ ◆



Smooth

S997

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM106

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM163

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC713

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC163

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC796

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S774

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6082

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S999

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE™ ◆ ◆ ◆



Mahogany

FCM916

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM915

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC916

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC915

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC797

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S773

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6084

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1000

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON™ ◆ ◆ ◆



Mahogany

FCM151

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM789

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC709

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"











KENSINGTON *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)

















- ▢ Scrolled Advanta Lite Frame
Not available for 24" and 2'6" doors or 10" sidelites.
- ▢ Flat Lite Frame

- ▢ Scrolled & Flat Advanta Lite Frame
Not available for 24" and 2'6" doors or 10" sidelites.
- ▢ Turtle Glass

















- ▢ Standard Lite Frame Available
- ▢ WBDR Options

				
Oak	Oak	Smooth	Smooth	Smooth
FC151  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC798  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S709  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S163  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1001  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE™ 

							
Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth	Smooth
FCM6577  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6575  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC6577  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCO6575  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC6576  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6577  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6575  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6576  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS

							
Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth	Smooth
FCM80  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM160  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC710  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC160  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC789  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S770  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6080  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S992  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

*Not available with Advanta lite frame.


Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door - FCM114, Sidelites - FCM814SL, Transom - SART, Finish - Raven



TRANSOMS

For transoms, see page 201.



BLACKSTONE. ◆ ◆

Mahogany		Mahogany		Mahogany		Mahogany		Oak		Oak		Oak	
FCM109 LE 28" x 68" 210" x 68" 30" x 68"	FCM863 LE 28" x 80" 210" x 80" 30" x 80"	FCM6032 LE 28" x 68" 210" x 68" 30" x 68"	FCM6052 LE 28" x 68" 210" x 68" 30" x 68"	FCM109SL LE 12" x 68" 14" x 68"	FCM863SL LE 12" x 80" 14" x 80"	FC109 LE 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	81933P LE 28" x 80" 210" x 80" 30" x 80"	81975P LE 28" x 80" 210" x 80" 30" x 80"	FC109SL LE 12" x 68" 14" x 68"	81933PSL LE 12" x 80" 14" x 80"			
Smooth		Smooth		Smooth		Smooth		Smooth		Smooth		Smooth	
S6000 LE 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	S81933P LE 28" x 80" 210" x 80" 30" x 80"	S6032 LE 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	S86032 LE 28" x 80" 210" x 80" 30" x 80"	S4314 LE 28" x 68" 210" x 68" 30" x 68"	S84314 LE 28" x 80" 210" x 80" 30" x 80"	S6052 LE 28" x 68" 210" x 68" 30" x 68"	S972 LE 28" x 68" 210" x 68" 30" x 68"	S85905 LE 28" x 80" 210" x 80" 30" x 80"	S6000SL LE 12" x 68" 14" x 68"	S85912SL LE 12" x 80" 14" x 80"			

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- ◆ Brass Caming (1A)
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.

- ◆ Scrolled Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
- ◆ Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.

- ◆ Standard Lite Frame Available
- 6 WBDP Options
- 6 WBDP / HVHZ Options

- E Elevated 10" Bottom Rail Options

CRYSTALLINE ◆ ◆



Mahogany

FCM898
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM898SL
 6
 12" x 8'0"
 14" x 8'0"




Oak

81935P
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81977P
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81935PSL
 6
 12" x 8'0"
 14" x 8'0"



Smooth

S81935P
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S86027
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

SEDONA ◆ ◆



Smooth

S84319
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S85907
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Smooth

S85914SL
 6
 12" x 8'0"
 14" x 8'0"




Mahogany

FCM101
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM864
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6025
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Mahogany

FCM6045
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Mahogany

FCM101SL
 6
 12" x 6'8"
 14" x 6'8"




FCM864SL
 6
 12" x 8'0"
 14" x 8'0"



Oak

FC101
 6
 2'6" x 6'8"*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

81978P
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC101SL
 6
 12" x 6'8"
 14" x 6'8"



81936PSL
 6
 12" x 8'0"
 14" x 8'0"



Smooth

S211
 6
 2'6" x 6'8"*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



S81936P
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S6025

- E
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

S86025

- E
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S4328

- E
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S84328

-
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S6045

-
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Smooth

S35

-
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S833

-
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S294SL

-
- 12" x 6'8"
- 14" x 6'8"

S85915SL

-
- 12" x 8'0"
- 14" x 8'0"

SALINAS. X




Mahogany

FCM114

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

FCM865


- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Mahogany

FCM6031

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Mahogany

FCM6051

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"




Mahogany

FCM114SL

- 6
- 12" x 6'8"
- 14" x 6'8"

FCM865SL

- 6
- 12" x 8'0"
- 14" x 8'0"



Oak

FC114

- 6
- E
- 2'6" x 6'8"*
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

81937P

- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Oak

81980P

- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Oak

FC114SL

- 6
- 12" x 6'8"
- 14" x 6'8"

81937PSL

- 6
- 12" x 8'0"
- 14" x 8'0"



Smooth

S6006

- 6
- E
- 2'6" x 6'8"*
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

S81937P

- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S6031

- 6
- E
- 2'8" x 6'8" (70")
- 2'10" x 6'8" (70")
- 3'0" x 6'8" (70")

S86031

- 6
- E
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S4325

- 6
- E
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S84325

- 6
- E
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S6051

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

SALINAS Continues on next page.

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)

- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.







- Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options












- Elevated 10" Bottom Rail Options

SALINAS X *Continued*

	
Smooth	Smooth
S973 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S893 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	
S6006SL 12" x 6'8" 14" x 6'8"	S85916SL 12" x 8'0" 14" x 8'0"

MAPLE PARK ◆ ◆

					
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
FCM901 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM886 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6107 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6108 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM901SL 12" x 6'8" 14" x 6'8"	FCM886SL 12" x 8'0" 14" x 8'0"

										
Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
FC901 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81939P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81982P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC901SL 12" x 6'8" 14" x 6'8"	81939PSL 12" x 8'0" 14" x 8'0"	S6101 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81939P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6107 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86107 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4324 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84324 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SARATOGA ◆ ◆

								
Smooth	Smooth	Smooth	Smooth	Smooth	Mahogany	Mahogany	Mahogany	Mahogany
S6108 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6106 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85897 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6101SL 12" x 6'8" 14" x 6'8"	S85918SL 12" x 8'0" 14" x 8'0"	FCM906 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM888 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6029 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6049 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"








*Not available with Advanta lite frame.
Note: See page 277 for important product details that may help with your purchase decision.

					
Mahogany	Oak	Oak	Oak	Smooth	Smooth
FCM906SL 6 12" x 6'8" 14" x 6'8"	FCM888SL 6 12" x 8'0" 14" x 8'0"	FC906 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81938P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81981P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC906SL 6 12" x 6'8" 14" x 6'8"
				81938PSL 6 12" x 8'0" 14" x 8'0"	
				S213 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81938P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					S6029 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
					S86029 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

			
Smooth	Smooth	Smooth	Smooth
S4327 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84327 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6049 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S41 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
			S85908 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
			S291SL 6 12" x 6'8" 14" x 6'8"
			S85917SL 6 12" x 8'0" 14" x 8'0"

TEXAS STAR ◆ ◆

	
Mahogany	Mahogany
FCM144 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM899 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	FCM6074 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

						
Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth
FCM6075 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM899SL 6 12" x 8'0" 14" x 8'0"	FC144 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81940P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81983P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81940PSL 6 12" x 8'0" 14" x 8'0"	S6073 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						S81940P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						S6074 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						S86074 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


TEXAS STAR Continues on next page.

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)
- ▣ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ▣ Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options




Smooth

S4329
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S84329
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"



Smooth

S6075
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"



Smooth


S6076
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S81983
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"




Smooth


85919SL
 12" x 8'0"
 14" x 8'0"




Mahogany


FCM105
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

FCM866
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"




Mahogany

FCM6030
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"



Mahogany


FCM6050
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"




Mahogany

FCM105SL
 12" x 6'8"
 14" x 6'8"

FCM866SL
 12" x 8'0"
 14" x 8'0"



Oak

FC105
 2'6" x 6'8"
 28" x 6'8" (70")
 210" x 6'8" (70")
 3'0" x 6'8" (70")

81941P
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"



Oak

81984P
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"




Oak


FC105SL
 12" x 6'8"
 14" x 6'8"

81941PSL
 12" x 8'0"
 14" x 8'0"




Smooth

S214
 2'6" x 6'8"
 28" x 6'8" (70")
 210" x 6'8" (70")
 3'0" x 6'8" (70")


S81941P
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"




Smooth

S6030
 28" x 6'8" (70")
 210" x 6'8" (70")
 3'0" x 6'8" (70")

S86030
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"



Smooth

S4330
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S84330
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"



Smooth

S6050
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"



Smooth

S42
 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

S85909
 28" x 8'0"
 210" x 8'0"
 3'0" x 8'0"



Smooth

S292SL
 12" x 6'8"
 14" x 6'8"

S85922SL
 12" x 8'0"
 14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

RISERVA. X



Mahogany		Mahogany		Mahogany		Mahogany		Oak		Oak	
FCM581 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM575 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM577 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM583SL 6 12" x 6'8" 14" x 6'8"	FCM8583SL 6 12" x 8'0" 14" x 8'0"	FC581 6E 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	FC8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8579 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			



Oak		Smooth		Smooth		Smooth		Smooth			
FC583SL 6 12" x 6'8" 14" x 6'8"	FC8583SL 6 12" x 8'0" 14" x 8'0"	S581 6E 2'6" x 6'8"* 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S575 6E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S8575 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4326 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84326 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S577 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

CONCORDE™ ◆ ◆ ◆



Smooth		Smooth		Mahogany		Mahogany		Mahogany		Mahogany	
S579 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8579 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S583SL 6 12" x 6'8" 14" x 6'8"	S8583SL 6 12" x 8'0" 14" x 8'0"	FCM911 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM891 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6026 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6046 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM911SL 6 12" x 6'8" 14" x 6'8"	FCM891SL 6 12" x 8'0" 14" x 8'0"		

CONCORDE Continues on next page.

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)

- ▣ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ▣ Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Fiber-Classic & Smooth-Star



Oak

FC911

 2'6" x 6'8"*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

81942P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81985P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC911SL


 12" x 6'8"
 14" x 6'8"

81942PSL

 12" x 8'0"
 14" x 8'0"



Smooth


S426

 2'6" x 6'8"*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S81942P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth


S6026

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")


S86026

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4316

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S84316

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6046

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S37

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S837

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S430SL

 12" x 6'8"
 14" x 6'8"

S85920SL

 12" x 8'0"
 14" x 8'0"


KENSINGTON™  



Mahogany

FCM149

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM8149

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6036

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6056

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM149SL

 12" x 6'8"
 14" x 6'8"

FCM867SL

 12" x 8'0"
 14" x 8'0"



Oak

FC149

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC8149

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC89701

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Oak

FC149SL


 12" x 6'8"
 14" x 6'8"

FC8867SL

 12" x 8'0"
 14" x 8'0"



Smooth

S161

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S8149

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S6036
6E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

S86036
6E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth


S4320
6E
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S84320
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6056
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S43
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S89701
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Smooth

S161SL
6
 12" x 6'8"
 14" x 6'8"

S867SL
6
 12" x 8'0"
 14" x 8'0"


PEMBRIDGE



Mahogany

FCM6560
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM86560
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6565
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6568
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6565SL
6
 12" x 6'8"
 14" x 6'8"

FCM86560SL
6
 12" x 8'0"
 14" x 8'0"



Oak

FC6560
6E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

FC86560
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak


FC86536
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC6565SL
6
 12" x 6'8"
 14" x 6'8"

FC86560SL
6
 12" x 8'0"
 14" x 8'0"



Smooth

S6560
6E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

S86560
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6565
6E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")

S86565
6E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4323
6E
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S84323
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6568
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

PEMBRIDGE *Continues on next page.*

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)

Scroll & Flat Advanta Lite Frame
 Not available for 24" and 70" doors of 1C finishes.

Flat Advanta Lite Frame
 Not available for 24" and 70" doors of 1C finishes.














- White Option**
- WOOD / HWK Option**
- Elevated 10" Bottom Rail Option**












PEMBRIDGE    *Continued*

	
Smooth	Smooth
S6536  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S86536  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S6565SL  12" x 6'8" 14" x 6'8"	S86560SL  12" x 8'0" 14" x 8'0"

AXIS 

			
Mahogany	Mahogany	Mahogany	Mahogany
FCM1654  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM81654  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1656  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1658  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
FCM1656SL  12" x 6'8" 14" x 6'8"	FCM81654SL  12" x 8'0" 14" x 8'0"		

				
Oak	Oak	Oak	Smooth	Smooth
FC1654  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC81654  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1656SL  12" x 6'8" 14" x 6'8"	FC81654SL  12" x 8'0" 14" x 8'0"	S1654  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				S81654  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				S1656  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				S81656  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

			
Smooth	Smooth	Smooth	Smooth
S4311  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84311  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1658  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S653  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
		S81653  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1656SL  12" x 6'8" 14" x 6'8"
			S81654SL  12" x 8'0" 14" x 8'0"

CALIX   


	
Mahogany	Mahogany
FCM386  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8386  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FCM387  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM394 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM387SL 6 12" x 6'8" 14" x 6'8"	FCM8386SL 6 12" x 8'0" 14" x 8'0"	FC386 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8386 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8392 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	FC387SL 6 12" x 6'8" 14" x 6'8"	FC8386SL 6 12" x 8'0" 14" x 8'0"		S386 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8386 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth	Smooth	Smooth	Smooth	Smooth
S387 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8387 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4310 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84310 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S394 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				S392 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				S8392 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				S387SL 6 12" x 6'8" 14" x 6'8"
				S8386SL 6 12" x 8'0" 14" x 8'0"

LATITUDE ◆ ■ ❖



Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth
FCM8498 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8498SL 6 12" x 8'0" 14" x 8'0"	FC8498 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8489 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8498SL 6 12" x 8'0" 14" x 8'0"	S8498 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8467 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

LATITUDE Continues on next page.

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)

Scroll & Flat
Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" handles.

Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" handles.

Webb Options

WOOD / HWZ Options

Elevated 10" Bottom Rail Options



Smooth

S84322



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8489



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8498SL



12" x 8'0"
14" x 8'0"




Mahogany

FCM65_



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6022_



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6042_



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM8321_



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM65_SL



12" x 6'8"
14" x 6'8"



Mahogany

FCM3487_SL



12" x 8'0"
14" x 8'0"



Oak

FC65_



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC8321_



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC832_



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC63_SL



12" x 6'8"
14" x 6'8"




Oak

FC3487_SL



12" x 8'0"
14" x 8'0"



Smooth

S262_



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6022_



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6042_



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S32_



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8321_



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S86022_



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S832_



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

PRIVACY & TEXTURED GLASS



Smooth

S263_SL

12" x 6'8"
14" x 6'8"



Smooth

S3487_SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM62_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM862_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6021_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6041_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM104_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM62_SL

12" x 6'8"
14" x 6'8"

FCM862_SL

12" x 8'0"
14" x 8'0"



Oak

FC62_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81929P_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC104_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

81971P_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC48_SL

12" x 6'8"
14" x 6'8"

81929P_SL

12" x 8'0"
14" x 8'0"



Smooth

S206_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81929P_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6021_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86021_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4305_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84305_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6041_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S104_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S30_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S830_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S210_SL

12" x 6'8"
14" x 6'8"

S85910_SL

12" x 8'0"
14" x 8'0"

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.





- Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- 6 WSD1-Options
- 6 WSDN / HWZ-Options
- E Elevated 10" Bottom Rail-Options

INTERNAL BLINDS

								
Mahogany		Mahogany		Mahogany	Oak			
FCM678 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8678 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6035 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6055 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM116 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM678SL 12" x 6'8" 14" x 6'8"	FCM8678SL 12" x 8'0" 14" x 8'0"	FC678 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8678 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

									
Oak	Oak	Oak	Smooth	Smooth	Smooth				
FC116 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8971 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC678SL 12" x 6'8" 14" x 6'8"	FC8678SL 12" x 8'0" 14" x 8'0"	S132 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8132 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6035 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86035 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4308 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84308 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

			
Smooth	Smooth	Smooth	Smooth
S6055 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S131 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S971 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8971 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
			S132SL 12" x 6'8" 14" x 6'8"
			S8132SL 12" x 8'0" 14" x 8'0"

SCREEN VENTED LITES**

	
Smooth	Smooth
S243 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6034 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

*Not available with Advanta lite frame.

**Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES



Smooth

S6054

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S137

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM8322

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8323

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8324

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM65

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6022

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6042


2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM8321


2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8675SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM65SL

12" x 6'8"
14" x 6'8"



Mahogany

FCM7125SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM3487SL


12" x 8'0"
14" x 8'0"



Mahogany

FCM1408

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM8145

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1405


2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1406

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1405SL

12" x 6'8"
14" x 6'8"

FCM8145SL

12" x 8'0"
14" x 8'0"



Oak

FC8322

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8323

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8324

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC65

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC8321

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

No Stile Lines

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Contour or Flat White Grilles
Between Glass (GBGF / GBGC)

Contour or Flat Almond Grilles
Between Glass (GBGF / GBGC)

Contour or Flat Bronze Grilles
Between Glass (GBGF / GBGC)

Scrolled & Flat
Advanta Lite Frame
Not available for 24" and
26" doors or 10" sidelites.

Flat Advanta Lite Frame
Not available for 24" and
26" doors or 10" sidelites.

Standard Lite
Frame Available

WVDF Options

WVDF / WV142 Options

Clevered 13" Bottom Rail Opti



Oak

FC8318

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8319

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8320

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC832

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8675SL

12" x 8'0"
14" x 8'0"



Oak

FC63SL

12" x 6'8"
14" x 6'8"



Oak

FC7125SL

12" x 8'0"
14" x 8'0"

FC3487SL

12" x 8'0"
14" x 8'0"



Oak

FC1408

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC8145

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1408SL

12" x 6'8"
14" x 6'8"

FC8145SL

12" x 8'0"
14" x 8'0"



Smooth

S8322

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8326

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S84318

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8323

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8327

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S84313

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8324

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8328


2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S84309

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S262

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6022

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



<p>S4307 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S6042 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S8321 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S8325 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S84312 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S8318 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S8319 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>
---	---	---	---	--	---	---



<p>S8320 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S32 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S832 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S115 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>	<p>S8675SL 12" x 8'0" 14" x 8'0"</p>	<p>S263SL 12" x 6'8" 14" x 6'8"</p>	<p>S7125SL 12" x 8'0" 14" x 8'0"</p>	<p>S3487SL 12" x 8'0" 14" x 8'0"</p>	<p>S1408 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>	<p>S8145 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>
---	---	--	---	---	--	---	---	--	---



<p>S1405 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>	<p>S81405 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S4321 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S84321 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S1406 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S1407 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S8144 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S1405SL 12" x 6'8" 14" x 6'8"</p>	<p>S8145SL 12" x 8'0" 14" x 8'0"</p>
--	--	---	--	---	---	---	---	---

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WFOFF Options
- WFOFF / HW14Z Options
- Elevated 1 1/2" Bottom Rail Opt

CLEAR GLASS



Mahogany		Mahogany		Mahogany		Mahogany		Mahogany		Oak	
FCM62 ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM862 ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6021 ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6041 ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM670 ★▲▽◇ 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM62SL ★▲▽◇ 12" x 6'8" 14" x 6'8"	FCM862SL ★▲▽◇ 12" x 8'0" 14" x 8'0"	FC62 ★▲▽◇ 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81929P ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			



Oak		Oak		Oak		Smooth		Smooth		Smooth	
FC670 ★▲▽◇ 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81971P ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC48SL ★▲▽◇ 12" x 6'8" 14" x 6'8"	81929PSL ★▲▽◇ 12" x 8'0" 14" x 8'0"	S206 ★▲▽◇ 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81929P ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6021 ★▲▽◇ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86021 ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4315 ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84315 ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		




Smooth		Smooth		Smooth		Smooth		Smooth	
S6041 ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S104 ★▲▽◇ 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S105 ★▲▽◇ 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S30 ★▲▽◇ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S830 ★▲▽◇ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S210SL ★▲▽◇ 12" x 6'8" 14" x 6'8"	S85910SL ★▲▽◇ 12" x 8'0" 14" x 8'0"			

*Not available with Advanta lite frame.
 Note: See page 277 for important product details that may help with your purchase decision.
 Right Page: Smooth-Star, Clear Glass, Door - S289, Finish - Onyx



TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

BLACKSTONE. ◆ ◆



Smooth

S6013

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SEDONA ◆ ◆



Smooth

S294

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SALINAS. ✕



Smooth

S6014

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

MAPLE PARK. ◆ ◆



Smooth

S6104

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SARATOGA. ◆ ◆



Smooth

S291

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY. ◆ ◆ ◆



Smooth

S292

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

RISERVA. ✕



Smooth

S585

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE. ◆ ◆ ◆



Smooth

S430

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)

- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- Standard Lite Frame Available
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- ◆ Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options

KENSINGTON™ ◆ ◆ ◆



Smooth

S162
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

PEMBRIDGE™ ◆ ◆ ◆ ◆



Smooth

S6572
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

AXIS ◆



Smooth

S1661
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CALIX ◆ ◆ ◆ ◆



Smooth

S398
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth

S807_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

PRIVACY & TEXTURED GLASS



Smooth

S289_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S807
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S1411
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS



Smooth

S289
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XK = Reeded** **XC = Chord** **XR = Rainglass**
- XE = Satin Etch** **XJ = Chinchilla** **XN = Granite**


Center Lites

Note: Product images show exterior side of door.



TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

BLACKSTONE. ◆ ◆

Oak	Oak	Smooth	Smooth
FC80943 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86243 ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9343 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83143 ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SEDONA. ◆ ◆

Oak	Oak	Smooth
FC80952 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86252 ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9352 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS. ✕

Smooth	Oak	Oak	Smooth	Smooth
S83152 ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC80953 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86253 ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9353 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83153 ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

MAPLE PARK. ◆ ◆

Oak	Oak
FC80955 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86255 ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 📖 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available


MAPLE PARK ◆ ◆



S9355
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83155
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

SARATOGA™ ◆ ◆



FC80954
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

FC86254
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

S9354
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83154
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

WELLESLEY™ ◆ ◆ ◆



FC80949
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

FC86249
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

S9349
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83149
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

RISERVA® X



FC507
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

FC549
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

S507
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

CONCORDE™ ◆ ◆ ◆



S549
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

FC80947
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

FC86247
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

S9347
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

S83147
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

KENSINGTON™ ◆ ◆



FC80942
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

FC86242
 28" x 8'0"
 210" x 8'0"
 30" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XK = Reeded** **XC = Chord** **XR = Rainglass**
- XE = Satin Etch** **XJ = Chinchilla** **XN = Granite**

PEMBRIDGE™ ◆ ◆ ◆ ◆



Smooth

S9342

28" x 6'8"
210" x 6'8"
3'0" x 6'8"



Smooth

S83142

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Oak

FC6534

28" x 6'8"
210" x 6'8"
3'0" x 6'8"



Oak

FC86533

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Smooth

S6534

28" x 6'8"
210" x 6'8"
3'0" x 6'8"



Smooth

S86533

28" x 8'0"
210" x 8'0"
3'0" x 8'0"

AXIS ◆



Oak

FC1655

28" x 6'8"
210" x 6'8"
3'0" x 6'8"



Oak

FC81649

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Smooth

S1655

28" x 6'8"
210" x 6'8"
3'0" x 6'8"



Smooth

S81649

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Oak

FC393

28" x 6'8"
210" x 6'8"
3'0" x 6'8"



Oak

FC8390

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Smooth

S393

28" x 6'8"
210" x 6'8"
3'0" x 6'8"

CALIX ◆ ◆ ◆ ◆

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth

S8390

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Oak

FC809203

28" x 6'8"
210" x 6'8"
3'0" x 6'8"



Oak

FC862203

28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Smooth

S93203

28" x 6'8"
210" x 6'8"
3'0" x 6'8"



Smooth

S831203

28" x 8'0"
210" x 8'0"
3'0" x 8'0"





- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

◆ Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.

◆ Scrolled Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.



PRIVACY & TEXTURED GLASS

			
Oak	Oak	Smooth	Smooth
FC80920 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86220 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9320 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83120 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







INTERNAL BLINDS

		
Oak	Oak	Smooth
FC925 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC8972 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S925 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

						
Smooth	Oak	Oak	Smooth	Smooth	Oak	Oak
S8972 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC809203 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC862203 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S93203 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S831203 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1404 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC8141 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS

					
Smooth	Smooth	Oak	Oak	Smooth	Smooth
S1404 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8141 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC80920 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86220 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9320 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83120 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Available with Advanta flat lite frame only.

***Available with Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Calix Glass, Door- S3540, Finish - Arctic Ice



TRANSOMS

For transoms, see page 201.

OPTIONAL DENTIL SHELVES*



4-Block Dentil Shelf

Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf

Available for all Craftsman-lite Smooth-Star doors.

SEDONA ◆◆



S2650** LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82650** LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM604 SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S604 SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8604 SDL 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	--	---

MAPLE PARK ◆◆



S2630*** LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82630*** LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM609 SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S609 SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8609 SDL 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	--	--	---

SARATOGA™ ◆◆



FCM602 SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2660*** LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82660*** LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S602 SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8602 SDL 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	--	---

RISERVA® X



FCM508 SDL 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2670*** LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82670*** LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--

RISERVA Continues on next page.

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- 🏠 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
- ◆ Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- ◆ WBDR / HVHZ Options

RISERVA ✕ *Continued*



Smooth

S508

28" x 6'8"
210" x 6'8"
30" x 6'8"

S8508

28" x 8'0"
210" x 8'0"
30" x 8'0"

PEMBRIDGE ◆ ◆ ◆



Mahogany

FCM6520

28" x 6'8"
210" x 6'8"
30" x 6'8"



Smooth

S2640*

28" x 6'8"
210" x 6'8"
30" x 6'8"

S82640*

28" x 8'0"
210" x 8'0"
30" x 8'0"



Smooth

S6520

28" x 6'8"
210" x 6'8"
30" x 6'8"

S86520

28" x 8'0"
210" x 8'0"
30" x 8'0"

AXIS ◆



Mahogany

FCM1650

28" x 6'8"
210" x 6'8"
30" x 6'8"



Smooth

S2620*

28" x 6'8"
210" x 6'8"
30" x 6'8"

S82620*

28" x 8'0"
210" x 8'0"
30" x 8'0"



Smooth

S1650

28" x 6'8"
210" x 6'8"
30" x 6'8"

S81650

28" x 8'0"
210" x 8'0"
30" x 8'0"

CALIX ◆ ◆ ◆



Mahogany

FCM6975

28" x 6'8"
210" x 6'8"
30" x 6'8"



Smooth

S3540*

28" x 6'8"
210" x 6'8"
30" x 6'8"

S83540*

28" x 8'0"
210" x 8'0"
30" x 8'0"



Smooth

S6975

28" x 6'8"
210" x 6'8"
30" x 6'8"

S86975

28" x 8'0"
210" x 8'0"
30" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Mahogany

FCM605

28" x 6'8"
210" x 6'8"
30" x 6'8"



Mahogany

FCM606

28" x 6'8"
210" x 6'8"
30" x 6'8"



Mahogany

FCM607

28" x 6'8"
210" x 6'8"
30" x 6'8"



Mahogany

FCM608

28" x 6'8"
210" x 6'8"
30" x 6'8"



Smooth

S605

28" x 6'8"
210" x 6'8"
30" x 6'8"

S8605

28" x 8'0"
210" x 8'0"
30" x 8'0"



Smooth

S606

28" x 6'8"
210" x 6'8"
30" x 6'8"

S8606

28" x 8'0"
210" x 8'0"
30" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Available with Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



S607 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8607 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S608 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8608 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--



FCM601
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S2610 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82610 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



S601 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8600 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

CLEAR GLASS WITH DIVIDED LITES



FCM605
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM606
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM607
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM608
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S605 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8605 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



S606 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8606 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

CLEAR GLASS



S607 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8607 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



S608 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8608 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



FCM601
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S2610* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82610* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



S601 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8601 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

- Simulated Divided Lites (SDL)
- ▤ Flat Lite Frame
- ▤ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.


- ▤ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ▤ Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- ▤ Standard Lite Frame Available
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



TRANSOMS

For transoms, see page 201.



MAPLE PARK ◆ ◆

					
Mahogany		Oak		Smooth	
FCM736	FCM8736	FC736	FC8736	S736	S8736
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"

SARATOGA™ ◆ ◆

			
Mahogany		Oak	
FCM707	FCM8707	FC707	FC8707
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"

WELLESLEY™ ◆ ◆ ◆

							
Smooth		Mahogany		Oak		Smooth	
S707	S8707	FCM721	FCM8721	FC721	FC8721	S721	S8721
2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Concorde Glass, Door - FC917, Sidelite - FC910SL



Mahogany

FCM735

2'8" x 6'8"
2'10" x 6'8" (7'0")
3'0" x 6'8"

FCM8735

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC735

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8735

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S735

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8735

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM745

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8745

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC745

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8745

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S745

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8745

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Mahogany

FCM752

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8752

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC752

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8752

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S752

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8752

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM704

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8704

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS



Oak

FC704

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8704

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S704

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8704

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM708

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8708

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC708

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8708

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S708

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8708

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)

- ◆ Fixed Grilles (FXG)
- ◆ Standard Lite Frame Available
- E Elevated 10" Bottom Rail Options

CONCORDE™ ◆ ◆ ◆ ◆



Oak

FC917

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S454

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Oak

FC23

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S255

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



Oak

FC803

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S256

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S236

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8317

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S237

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

(Scalloped Lite Frame)

PEMBRIDGE™ ◆ ◆ ◆ ◆



Mahogany

FCM6570

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM86570

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6570

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86570

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6570

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86570

2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

AXIS™ ◆



Mahogany

FCM1645

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81645

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1645

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81645

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1645

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81645

2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



Mahogany

FCM61_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM861_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC61_

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

FC861_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S296_

2'6" x 6'8"*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

S896_

2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS



Mahogany

FCM61

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM861

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC61

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

FC861

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S296

2'6" x 6'8"*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

S896

2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

S8140STC

2'6" x 8'0"*
2'8" x 8'0"
3'0" x 8'0"



Smooth

S141STC

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Smooth

S6063STC

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- ◆ Brass Caming (1A)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)

- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Fixed Grilles (FXG)

- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available

- Elevated 10" Bottom Rail Options

Solid Panel


Note: Product images show exterior side of door.

Fiber-Classic & Smooth-Star



TRANSOMS


For transoms, see page 201.



Mahogany

FCM31

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM220

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM205

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM755

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM600


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany


FCM60

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM860

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1000

 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM81000

 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Oak

FC31

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC809

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC755

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC862


 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC60

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC860

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



Oak

- | | |
|--|--|
| 1000
■ 6E
2'0" x 6'8"
2'4" x 6'8" Δ
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0") | 81000
■ 6
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|--|--|



Smooth

- S93**
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Smooth

- S45**
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth


- S220**
6E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

- S1100**
6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S81100**
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

- S3301**
2 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S83301**
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

- S3401L**
2 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S83401L**
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

- S3401R**
2 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S83401R**
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

- S3501L**
2 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S83501L**
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

- S3501R**
2 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S83501R**
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

- S3601L**
2 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S83601L**
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

- S3601R**
2 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S83601R**
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

- S5701**
2 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S85701**
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth


- S5721**
2 6E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- S85721**
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


SOLID PANEL *Continues on next page.*

- No Stile Lines
- 2 Door Divider Bars (DDBF2)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6" Height Available
- E Elevated 10" Bottom Rail Options

SOLID PANEL *Continued*



Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XK = Reeded
- XC = Chord
- XR = Rainglass
- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite

Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

BLACKSTONE. ◆ ◆ ◆



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

SEDONA ◆ ◆ ◆



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SALINAS. ✕



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

MAPLE PARK. ◆ ◆ ◆



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SARATOGA.™ ◆ ◆ ◆



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

WELLESLEY.™ ◆ ◆ ◆ ◆



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

RISERVA. ✕



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

CONCORDE.™ ◆ ◆ ◆ ◆



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

KENSINGTON.™ ◆ ◆ ◆



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

PEMBRIDGE.™ ◆ ◆ ◆ ◆



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

AXIS. ◆



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CALIX ◆ ◆ ◆ ◆



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

LATITUDE ◆ ◆ ◆ ◆



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

ECHELON ◆ ◆ ◆ ◆



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T
◆
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
◆
3'0" Door Only



19210T
◆
12" & 14" Sidelite Only

■ No Stile Lines

🔥 Flush-Glazed Glass with Detailed Sticking (FG)

☀️ Low-E Glass (LE)

2 Simulated Divided Lites (SDLF2)

◆ Black Nickel Caming (1D)

◆◆ Brushed Nickel Caming (1C)

◆◆◆ Brass Caming (1A)

✕ Wrought Iron (1W)

6 WBDR Options

6 WBDR / HVHZ Options

⬆️ 6'6" Height Available

E Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors – S118

Bottom: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx


DOOR SELECTIONS



**Fiber-Classic®
Mahogany
Collection™**



**Fiber-Classic®
Oak Collection™**



Smooth-Star®



**Profiles™
& Traditions**

(Wood-grained images shown in Driftwood stain.)

Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 32–33 for details.

GLASS SELECTIONS



Internal Blinds



Low-E / Clear

Divided Lites

For details on divided lite options, see pages 112–113.



Simulated
Divided
Lites



Grilles
Between
Glass



Fixed
Grilles

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

Flush-Glazed Warranty Riders

See page 115 for details on the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners.

■ = Available

	Fiber-Classic	Smooth-Star	Profiles	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds		■		
Low-E Glass with and without Divided Lites	■	■		
Clear Glass with and without Divided Lites	■	■		
Privacy & Textured Glass with and without Divided Lites	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

Flush-Glazed

Internal Blinds




AVAILABLE COLLECTIONS

- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Colonial Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic. Oak
- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Prairie Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass



AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Lite Frames


Internal Blinds




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Colonial Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




Prairie Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Profiles™ Steel Doors

Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Screen Vented Glass, Door - 1004HD
Bottom: Profiles, Sedona Glass, Door - 996HD, Sidelite - 139SL



Traditions Steel Doors

Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions, Clear Glass, Door - TS118, Sidelites - 100SL
Bottom: Traditions Door - TS210



Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.¹

20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 232–235.

	Profiles	Traditions
■ = Available		
• = Not Applicable		
P = Paint		

Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

Glass Options

Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

Frame Options

Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■

Additional Options

Finish	P	P
--------	---	---



Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 202–207.

5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

²Decorative glass designs are shown in Profiles only.

³Brass caming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs²



Black Nickel Brushed Nickel
Blackstone[®]
 Glass Privacy Rating: 7



Black Nickel Brushed Nickel
Crystalline[™]
 Glass Privacy Rating: 7



Black Nickel Brushed Nickel
Sedona
 Glass Privacy Rating: 7



Wrought Iron
Salinas[®]
 Glass Privacy Rating: 10



Black Nickel Brushed Nickel
Maple Park[®]
 Glass Privacy Rating: 6



Black Nickel Brushed Nickel
Saratoga[™]
 Glass Privacy Rating: 7



Black Nickel Brushed Nickel
Texas Star
 Glass Privacy Rating: 5



Black Nickel Brass
Wellesley[™]
 Glass Privacy Rating: 6




Wrought Iron
Riserva[®]
 Glass Privacy Rating: 10




Black Nickel Brass
Concorde[™]
 Glass Privacy Rating: 8




Black Nickel Brushed Nickel
Kensington[™]
 Glass Privacy Rating: 8




Black Nickel Brass³
Pembroke[™]
 Glass Privacy Rating: 7




Black Nickel
Axis[®]
 Glass Privacy Rating: 7



Black Nickel Brass
Calix
 Glass Privacy Rating: 1



Black Nickel Brass
Latitude
 Glass Privacy Rating: 2



Black Nickel Brass
Echelon
 Glass Privacy Rating: 1

Also Available:
Internal Blinds
Screen Vented


Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10


Clear

Opaque


Privacy & Textured Glass




Reeded (XK)
Glass Privacy Rating: 7




Satin Etch (XE)
Glass Privacy Rating: 10



Chord (XC)
Glass Privacy Rating: 10



Chinchilla (XJ)
Glass Privacy Rating: 10



Rainglass (XR)
Glass Privacy Rating: 8



Granite (XN)
Glass Privacy Rating: 10

Glass Privacy Rating Scale



Also Available:

Divided Lites
Clear Glass



*Not available with Advanta Lite Frame.
Note: See page 277 for important product details that may help with your purchase decision.
Bottom: Profiles, Salinas Glass, Door - 968HD, Sidelites - 971SLHD

Full Lites

BLACKSTONE. ◆ ◆



310

26" x 6'8" (70")*
28" x 6'8" (70")
210" x 6'8" (70")
30" x 6'8" (70")
36" x 6'8" (70")

310SL

10" x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

CRYSTALLINE™ ◆ ◆



916

28" x 6'8" (70")
210" x 6'8" (70")
30" x 6'8" (70")
36" x 6'8" (70")

916SL

10" x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

SEDONA ◆ ◆



139

26" x 6'8" (70")*
28" x 6'8" (70")
210" x 6'8" (70")
30" x 6'8" (70")
36" x 6'8" (70")

139SL

10" x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

SALINAS. ✕



369

26" x 6'8" (70")*
28" x 6'8" (70")
210" x 6'8" (70")
30" x 6'8" (70")
36" x 6'8" (70")

369SL

10" x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

MAPLE PARK. ◆ ◆



1006

28" x 6'8" (70")
210" x 6'8" (70")
30" x 6'8" (70")
36" x 6'8" (70")

1006SL

10" x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

SARATOGA™ ◆ ◆



610

26" x 6'8" (70")*
28" x 6'8" (70")
210" x 6'8" (70")
30" x 6'8" (70")
36" x 6'8" (70")

610SL

10" x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

TEXAS STAR ◆ ◆



1029

28" x 6'8" (70")
210" x 6'8" (70")
30" x 6'8" (70")
36" x 6'8" (70")

1029SL

10" x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

WELLESLEY™ ◆ ◆ ◆



620

26" x 6'8" (70")*
28" x 6'8" (70")
210" x 6'8" (70")
30" x 6'8" (70")
36" x 6'8" (70")

620SL

10" x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

RISERVA. ✕



571

26" x 6'8" (70")*
28" x 6'8" (70")
210" x 6'8" (70")
30" x 6'8" (70")
36" x 6'8" (70")

TS572SL

10" x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

- ◆ Black Nickel Caming (1D)
- ◆ ◆ Brushed Nickel Caming (1C)
- ◆ ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
- 6 WBDR / HVHZ Options
- ◆ Standard Lite Frame Available

CONCORDE



1028
 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")

416SL
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

KENSINGTON



626
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")

626SL
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

PEMBRIDGE



6500HD
 2'4" x 6'8"**
 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")

6500SL
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

AXIS



1651HD
 2'4" x 6'8"**
 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")

1651SL
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

CALIX



2389HD
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")

2389SL
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

LATITUDE



2382HD
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")

2382SL
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

ECHELON



2385HD
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")

2385SL
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



128
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")

108
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")

6184 SL**
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

6185 SL**
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

6186 SL**
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

632 SL
 10" x 6'8"**
 12" x 6'8" (70")
 14" x 6'8" (70")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Advanta Lite Frame.

**Not available with Reeded (XK) glass.

***Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



118

28" x 6'8" (70")*
 210" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")



100 SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")

INTERNAL BLINDS



130

2'4" x 6'8"*
 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")



130SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")

CLEAR GLASS WITH DIVIDED LITES



1201

2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")



1202

2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")



1203

2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")




128

2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")



1200

2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")



108

2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")



1201SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



1202SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



1200SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



632SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



6184SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")

CLEAR GLASS



6185SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



6186SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



198

2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")



198SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")



118

2'0" x 6'8"****
 2'4" x 6'8"****
 2'6" x 6'8" (70")****
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")
 3'6" x 6'8" (70")



100SL

10" x 6'8"*
 12" x 6'8" (70")
 14" x 6'8" (70")

Low-E Glass (LE)

Turtle Glass

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Fixed Grilles (FXG)

Flat Lite Frame

Standard Lite Frame Available

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR / HVHZ Options

3/4 Lites

BLACKSTONE. ♦ ♦



1037HD
 28" x 68"
 210" x 68"
 30" x 68"

1037SLHD
 12" x 68"
 14" x 68"

CRYSTALLINE.™ ♦ ♦



1042HD
 28" x 68"
 210" x 68"
 30" x 68"

956SLHD
 12" x 68"
 14" x 68"

SEDONA. ♦ ♦



965HD
 28" x 68"
 210" x 68"
 30" x 68"

965SLHD
 12" x 68"
 14" x 68"

SALINAS. ✕



968HD
 28" x 68"
 210" x 68"
 30" x 68"

971SLHD
 12" x 68"
 14" x 68"

MAPLE PARK. ♦ ♦



1009HD
 28" x 68"
 210" x 68"
 30" x 68"

1009SLHD
 12" x 68"
 14" x 68"

SARATOGA.™ ♦ ♦



1039HD
 28" x 68"
 210" x 68"
 30" x 68"

1039SLHD
 12" x 68"
 14" x 68"

TEXAS STAR. ♦ ♦



1040HD
 28" x 68"
 210" x 68"
 30" x 68"

1040SLHD
 12" x 68"
 14" x 68"


WELLESLEY.™ ♦ ♦ ♦



1041HD
 28" x 68"
 210" x 68"
 30" x 68"

1041SLHD
 12" x 68"
 14" x 68"

RISERVA. ✕



544HD
 28" x 68"
 210" x 68"
 30" x 68"

546SLHD
 12" x 68"
 14" x 68"

CONCORDE.™ ♦ ♦ ♦



967HD
 28" x 68"
 210" x 68"
 30" x 68"

967SLHD
 12" x 68"
 14" x 68"

KENSINGTON.™ ♦ ♦



03142HD
 28" x 68"
 210" x 68"
 30" x 68"

966SLHD
 12" x 68"
 14" x 68"

PEMBRIDGE.™ ♦ ♦ ♦



6582HD
 28" x 68"
 210" x 68"
 30" x 68"

6580SLHD
 12" x 68"
 14" x 68"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite


AXIS ◆



1644HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1644SLHD
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

CALIX ◆ ◆ ◆ ◆



391HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

391SLHD
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

LATITUDE ◆ ◆ ◆ ◆



469HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

469SLHD
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

PRIVACY & TEXTURED GLASS



961HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

959HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

6720HD_SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

959HD_SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

INTERNAL BLINDS



5425
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

5425SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



2109HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

2110HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS



2111HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

961HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1089SLHD
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

4572SLHD
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

6720SLHD
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

1403HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1400SLHD
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

959HD
 ◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

959SLHD
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (IW)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- ◆ WBD / HVHZ Options

Oval Lites

BLACKSTONE™



1025HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

WELLESLEY™



1022HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

CONCORDE™



1024HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

KENSINGTON™



630HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

PEMBRIDGE™



6578HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"


CLEAR GLASS



1020HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

1/2 Lites

BLACKSTONE™



309HD
 26" x 6'8" (70")*
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



1001HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



1117HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



311SLHD
 12" x 6'8" (70")
 14" x 6'8" (70")

SEDONA™



211HD
 26" x 6'8" (70")*
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



996HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



1114HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



294SLHD
 12" x 6'8" (70")
 14" x 6'8" (70")

SALINAS™



374HD
 26" x 6'8" (70")*
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



1002HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



1115HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



371SLHD
 12" x 6'8" (70")
 14" x 6'8" (70")

MAPLE PARK™



1007HD
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



1011HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



1116HD
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



1007SLHD
 12" x 6'8" (70")
 14" x 6'8" (70")

*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

SARATOGA™ ◆ ◆



613HD
 ◆ ◆
 26" x 6'8" (70")*
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")

988HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

1112HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

615SLHD
 ◆ ◆
 12" x 6'8" (70")
 14" x 6'8" (70")

TEXAS STAR ◆ ◆



1032HD
 ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")

1035HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

1111HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

WELLESLEY™ ◆ ◆ ◆



623HD
 ◆ ◆
 26" x 6'8" (70")*
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")

989HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

1120HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

625SLHD
 ◆ ◆
 12" x 6'8" (70")
 14" x 6'8" (70")

RISERVA® X



582HD
 ◆ ◆
 26" x 6'8" (70")*
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")

576HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

578HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

584SLHD
 ◆ ◆
 12" x 6'8" (70")
 14" x 6'8" (70")

CONCORDE™ ◆ ◆ ◆



426HD
 ◆ ◆
 26" x 6'8" (70")*
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")

999HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

1118HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

430SLHD
 ◆ ◆
 12" x 6'8" (70")
 14" x 6'8" (70")

KENSINGTON™ ◆ ◆



627HD
 ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")

631HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"





1113HD
 ◆ ◆
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"

628SLHD
 ◆ ◆
 12" x 6'8" (70")
 14" x 6'8" (70")

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Wrought Iron (1W)
- ◆ Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- ◆ WBDP / HVHZ Options

PEMBRIDGE   



6560HD  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	6565HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	6568HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	6565SLHD  12" x 6'8" (7'0") 14" x 6'8" (7'0")
--	--	--	--





AXIS 



1660HD  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1657HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1659HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1657SLHD  12" x 6'8" (7'0") 14" x 6'8" (7'0")
--	---	--	--





CALIX   



835HD  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	395HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	397HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	395SLHD  12" x 6'8" (7'0") 14" x 6'8" (7'0")
--	---	---	---





PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



262HD  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	982HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1123HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	263SLHD  12" x 6'8" (7'0") 14" x 6'8" (7'0")
--	--	--	---



PRIVACY & TEXTURED GLASS



206HD  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	980HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1101 HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	104  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	210SLHD  12" x 6'8" (7'0") 14" x 6'8" (7'0")
--	---	---	--	---

INTERNAL BLINDS



132HD  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	984HD  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Advanta Lite Frame.


**Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.

SCREEN VENTED LITES**




1121HD
 * 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



131
 * 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



132SLHD
 * 12" x 6'8" (70")
 14" x 6'8" (70")




243HD
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



1004HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




1102HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




137
 E 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")


CLEAR GLASS WITH DIVIDED LITES




262HD
 * 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



982HD
 * 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1123HD
 * 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



115HD
 * 2'6" x 6'8" (70")
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



263SLHD
 * 12" x 6'8" (70")
 14" x 6'8" (70")



1408HD
 * 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



1405HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1406HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS



1405SLHD
 * 12" x 6'8" (70")
 14" x 6'8" (70")



206HD
 * 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")




980HD
 * 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101HD
 * 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104
 * 2'6" x 6'8" (70")*
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



105
 * 2'6" x 6'8" (70")
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



210SLHD
 * 12" x 6'8" (70")
 14" x 6'8" (70")

☀ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

■ Simulated Divided Lites (SDL)

◆ Flat or Contour White Grilles
Between Glass (GBGF / GBGC)

◆ Flat Almond Grilles
Between Glass (GBGF)

◆ Flat Bronze Grilles
Between Glass (GBGF)

◆ Flat or Contour Black Grilles
Between Glass (GBGF / GBGC)

◆ Fixed Grilles (FXG)

■ Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

■ Scrolled Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

■ Standard Lite Frame Available

6 WBDR / HVHZ Options

E Elevated 10" Bottom
Rail Options

Twin 1/2 Lites

BLACKSTONE.™



311HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

SEDONA



294HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

SALINAS. X



371HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

MAPLE PARK.™



1008HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

SARATOGA.™



615HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

WELLESLEY.™



625HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

RISERVA. X



588HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

CONCORDE.™



430HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

KENSINGTON.™



628HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

PEMBRIDGE.™



6572HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

AXIS.™



1662HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

CALIX



396HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

PRIVACY & TEXTURED GLASS



263HD

2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



289HD

2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Advanta Lite Frame.

**Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES



263HD

 26" x 6'8" (7'0")*
 28" x 6'8" (7'0")
 210" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1411HD

 26" x 6'8" (7'0")*
 28" x 6'8" (7'0")
 210" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

CLEAR GLASS



289HD

 26" x 6'8" (7'0")*
 28" x 6'8" (7'0")
 210" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Craftsman Lites

SEDONA



604HD

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

MAPLE PARK®



609HD

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

SARATOGA™



602HD

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

RISERVA®



508HD

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

PEMBRIDGE™



6520HD

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

AXIS®



1650HD

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

CALIX



6975HD

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



605HD_**

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"



606HD_**

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"



607HD_**

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"



608HD_**

 28" x 6'8"
 210" x 6'8"
 3'0" x 6'8"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)

- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

- Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.

- Standard Lite Frame Available
- WBDR / HVHZ Options

PRIVACY & TEXTURED GLASS



601_HD*
 28" x 68"
 210" x 68"
 30" x 68"

CLEAR GLASS WITH DIVIDED LITES



605HD
 28" x 68"
 210" x 68"
 30" x 68"



606HD
 28" x 68"
 210" x 68"
 30" x 68"



607HD
 28" x 68"
 210" x 68"
 30" x 68"



608HD
 28" x 68"
 210" x 68"
 30" x 68"

CLEAR GLASS



601HD
 28" x 68"
 210" x 68"
 30" x 68"

Minimal Lites

MAPLE PARK



736HD
 28" x 68" (70")
 210" x 68" (70")
 30" x 68" (70")

SARATOGA™



707HD
 28" x 68" (70")
 210" x 68" (70")
 30" x 68" (70")

WELLESLEY™



721HD
 28" x 68" (70")
 210" x 68" (70")
 30" x 68" (70")

CONCORDE™



735HD
 28" x 68" (70")
 210" x 68" (70")
 30" x 68" (70")

PEMBRIDGE™



745HD
 28" x 68" (70")
 210" x 68" (70")
 30" x 68" (70")

CLEAR GLASS WITH DIVIDED LITES



752HD
 28" x 68" (70")
 210" x 68" (70")
 30" x 68" (70")



704HD
 28" x 68" (70")
 210" x 68" (70")
 30" x 68" (70")

CLEAR GLASS



708HD
 28" x 68" (70")
 210" x 68" (70")
 30" x 68" (70")

CONCORDE™



454HD
 28" x 68" (70")
 210" x 68" (70")
 30" x 68" (70")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES



255HD
 * ◆ ◆ ◆ ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")

CLEAR GLASS



256HD
 * ◆ ◆ ◆ ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")

CLEAR GLASS WITH DIVIDED LITES



236HD
 ◆ ◆ ◆ ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



237HD
 * ◆ ◆ ◆ ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")
 (Scalloped Lite Frame)

PEMBRIDGE™
 ◆ ◆ ◆ ◆ ◆



6570HD
 ◆ ◆ ◆ ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



6570SLHD
 ◆ ◆ ◆ ◆ ◆
 12" x 6'8" (70")
 14" x 6'8" (70")

AXIS. ◆



1643HD
 ◆ ◆ ◆ ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



1643SLHD
 ◆ ◆ ◆ ◆ ◆
 12" x 6'8" (70")
 14" x 6'8" (70")

PRIVACY & TEXTURED GLASS



296HD
 ◆ ◆ ◆ ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



296SLHD
 ◆ ◆ ◆ ◆ ◆
 12" x 6'8" (70")
 14" x 6'8" (70")

CLEAR GLASS



296HD
 * ◆ ◆ ◆ ◆ ◆
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



296SLHD
 * ◆ ◆ ◆ ◆ ◆
 12" x 6'8" (70")
 14" x 6'8" (70")

Solid Panel



969HD
 9
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



978HD
 9
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



1005HD
 9
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



205HD
 9
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



203HD
 9
 28" x 6'8"
 210" x 6'8"
 30" x 6'8"



210HD
 9
 26" x 6'8" (70")
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")



100
 9E
 20" x 6'8"
 24" x 6'8"
 26" x 6'8" (70")
 28" x 6'8" (70")
 210" x 6'8" (70")
 30" x 6'8" (70")
 36" x 6'8" (70")

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Fixed Grilles (FXG)
- ◆ Flat Lite Frame
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- ◆ WBDL / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options

Full Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS128

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS108

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6184 SL*

 10" x 6'8"***
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6185 SL*

 10" x 6'8"***
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6186 SL*

 10" x 6'8"***
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



632 SL

 10" x 6'8"***
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



TS118

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

818

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

PRIVACY & TEXTURED GLASS



100 SL

 10" x 6'8"***
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

818 SL

 12" x 8'0"
 14" x 8'0"

INTERNAL BLINDS



TS130

 2'4" x 6'8"***
 2'6" x 6'8"***
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

829

 2'6" x 8'0"***
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



130SL

 10" x 6'8"***
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

829SL

 12" x 8'0"
 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



TS1201

 2'6" x 6'8"***
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




TS1202

 2'6" x 6'8"***
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1203

 2'6" x 6'8"***
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




TS128

 2'6" x 6'8"***
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1200

 2'6" x 6'8"***
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS108

 2'6" x 6'8"***
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



828

 2'6" x 8'0"***
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



808

 2'6" x 8'0"***
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



1201SL

 10" x 6'8"***
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1202SL

 10" x 6'8"***
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1200SL

 10" x 6'8"***
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla


XR = Rainglass
XN = Granite












*Not available with Reeded (XK) glass.

**Not available with Advanta Lite Frame.

***Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR[®] requirements in all 50 states indicated in gold .

							
632SL  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	828SL  12" x 8'0" 14" x 8'0"	6184SL  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	86184SL  12" x 8'0" 14" x 8'0"	6185SL  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	86185SL  12" x 8'0" 14" x 8'0"	6186SL  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	86186SL  12" x 8'0" 14" x 8'0"

CLEAR GLASS

					
TS198  2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	198SL  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	TS118  2'0" x 6'8"**** 2'4" x 6'8"**** 2'6" x 6'8"**** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	818  2'0" x 8'0"**** 2'6" x 8'0"**** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	100SL  10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	818SL  12" x 8'0" 14" x 8'0"

1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

		
TS262  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8321  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS263_SL  12" x 6'8" 14" x 6'8"

PRIVACY & TEXTURED GLASS

			
TS206  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8206  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS104  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS210_SL  12" x 6'8" 14" x 6'8"

-  Low-E Glass (LE)
-  Turtle Glass
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)
-  Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Standard Lite Frame Available
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

Profiles & Traditions Steel

INTERNAL BLINDS



- TS132**
 - 2'6" x 6'8"***
 - 2'8" x 6'8"
 - 2'10" x 6'8"
 - 3'0" x 6'8"
- 8132**
 - 2'8" x 8'0"
 - 2'10" x 8'0"
 - 3'0" x 8'0"
- TS131**
 - 2'6" x 6'8"***
 - 2'8" x 6'8"
 - 2'10" x 6'8"
 - 3'0" x 6'8"
- TS132SL**
 - 12" x 6'8"
 - 14" x 6'8"

SCREEN VENTED LITES*



- TS243**
 - 2'8" x 6'8"
 - 2'10" x 6'8"
 - 3'0" x 6'8"
- TS137**
 - 2'8" x 6'8"
 - 2'10" x 6'8"
 - 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



- 8322**
 - 2'8" x 8'0"
 - 2'10" x 8'0"
 - 3'0" x 8'0"
- 8323**
 - 2'8" x 8'0"
 - 2'10" x 8'0"
 - 3'0" x 8'0"
- 8324**
 - 2'8" x 8'0"
 - 2'10" x 8'0"
 - 3'0" x 8'0"
- TS262**
 - 2'6" x 6'8"***
 - 2'8" x 6'8"
 - 2'10" x 6'8"
 - 3'0" x 6'8"
- 8321**
 - 2'8" x 8'0"
 - 2'10" x 8'0"
 - 3'0" x 8'0"
- TS115**
 - 2'6" x 6'8"***
 - 2'8" x 6'8"
 - 2'10" x 6'8"
 - 3'0" x 6'8"
- TS263SL**
 - 12" x 6'8"
 - 14" x 6'8"

CLEAR GLASS



- TS1408**
 - 2'6" x 6'8"***
 - 2'8" x 6'8"
 - 2'10" x 6'8"
 - 3'0" x 6'8"
- 8145**
 - 2'8" x 8'0"
 - 2'10" x 8'0"
 - 3'0" x 8'0"
- TS1405SL**
 - 12" x 6'8"
 - 14" x 6'8"
- TS206**
 - 2'6" x 6'8"***
 - 2'8" x 6'8"
 - 2'10" x 6'8"
 - 3'0" x 6'8"
- 8206**
 - 2'8" x 8'0"
 - 2'10" x 8'0"
 - 3'0" x 8'0"
- TS104**
 - 2'6" x 6'8"***
 - 2'8" x 6'8"
 - 2'10" x 6'8" ⚠
 - 3'0" x 6'8"
- TS105**
 - 2'6" x 6'8"
 - 2'8" x 6'8"
 - 2'10" x 6'8" ⚠
 - 3'0" x 6'8"
- TS210SL**
 - 12" x 6'8"
 - 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Features a gliding operation and sash locking system.

**Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

Twin 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS263

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

PRIVACY & TEXTURED GLASS



TS289

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS263

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1411

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS



TS289

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Profiles & Traditions Steel

Minimal Lites

PRIVACY & TEXTURED GLASS



TS296

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

896

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS296_SL

 12" x 6'8"
 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS752

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8752

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS704

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8704

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS255

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS236

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8317


 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES



TS237

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 (Scalloped Lite Frame)

CLEAR GLASS



TS708

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



8708

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS256

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS296

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



896

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS296SL

 12" x 6'8"
 14" x 6'8"

Solid Panel




TS210


 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"





810

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS100

 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



800

 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

BLACKSTONE. ♦ ::



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

SEDONA ♦ ::



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SALINAS. ✕



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

MAPLE PARK. ♦ ::



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SARATOGA. ♦ ::



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

WELLESLEY. ♦ :: ♦



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

RISERVA. ✕



RSRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

CONCORDE. ♦ :: ♦



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

KENSINGTON. ♦ ::



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

PEMBRIDGE. ♦ :: ♦



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

AXIS. ♦



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CALIX. ♦ :: ♦



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

LATITUDE. ♦ :: ♦



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

ECHELON. ♦ :: ♦



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T

☀
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

☀
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
☀
3'0" Door Only



19210T
☀
12" & 14" Sidelite Only

- ☀ Low-E Glass (LE)
- ♦ Black Nickel Caming (ID)
- :: Brushed Nickel Caming (IC)
- ♦ :: Brass Caming (IA)

- ✕ Wrought Iron (IW)
- ♦ Fixed Grilles (FXG)
- ▭ Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
- ▭ Standard Lite Frame Available

- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Fire Doors




Intertek

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.¹ Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Smooth-Star® 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.²



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

ADDITIONAL OPTIONS

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label. See page 235.

For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) and other State WUI requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR) including the Gulf and Texas coast.

Note: Therma-Tru Fire-rated doors are approved for use in all Wildland Urban Interface (WUI) zones.

¹To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

²Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performance.

Left: Smooth-Star Door – SSF120

20-Minute Fire-Rated Wood Edge – Fiberglass

SMOOTH-STAR®



SSSF93
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSSF45
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSSF220
6E
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



SSSF8220
6E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSSF1100
6E
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSSF81100
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSSF120
6E
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSSF8120
6E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSSF200
6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSSF8200
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSSF205
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSSF8205
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSSF755
6
 2'10" x 6'8"
 3'0" x 6'8"



SSSF31
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSSF831
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSSF960
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




SSSF4800
6E
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSSF600
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSSF8600
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSSF160
6E
 2'6" x 6'8"
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



SSSF8160
6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSSF100
6E
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8" (70")
 2'10" x 6'8" (70")
 3'0" x 6'8" (70")



SSSF8100
6E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



20-Minute Fire-Rated Wood Edge – Steel

PROFILES™



969HD
■ **6**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



978HD
■ **6**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1005HD
■ **6**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



205HD
■ **6**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



203HD
■ **6**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



210HD
■ **6**
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



100
■ **6E**
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

TRADITIONS



TS210
■ **6**
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




TS100
■ **6E**
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

■ No Stile Lines
6 WBDR Options

6 WBDR / HVHZ Options
E Elevated 10" Bottom Rail Options

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches — Ari, Línea and Echo — the entrance becomes modern art.



¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Línea, Echelon Glass with Flat Lite Frame, Door - S81EC, Finish - Golden Wheat

Right Page: Pulse Ari, Satin Etch Glass, Door - S2XE, Finish - Indigo

It's your decision, by design.


Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.

THE CREATIVITY IS UNLIMITED

Stain or paint the entrance any color.


These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



 WBDR / HVHZ Options:
Look for this icon to find door styles that can be configured for WBDR or HVHZ.¹


1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



2 CHOOSE A MATERIAL

Each style is available in any of these material choices.




3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.




Low-E also available.

Decorative Glass

Available for Línea.



Available for Ari.



- 1 Blackstone
- 2 Crystalline
- 3 Sedona
- 4 Salinas
- 5 Saratoga
- 6 Riserva
- 7 Pembridge
- 8 Axis
- 9 Calix
- 10 Latitude
- 11 Echelon

Available for Echo.



4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame

Scrolled Profile Lite Frame

ADVANTA
LITE FRAME

Our patented Advanta¹ lite frame now comes default with every Pulse[®] door system, unless otherwise noted.

¹See your Therma-Tru seller for details on product availability.

Pulse Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

- Available in full-lite sidelites only.
- Available in Línea and Echo only.






Select styles are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.



Ari

Note: Product images show exterior side of door.



Línea

Note: Product images show exterior side of door.



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth:
Fiberglass or Steel




It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 277 for important product details that may help with your purchase decision.

Top: Pulse Ari, Saratoga Glass with Flat Lite Frame, Door - S2SG, Finish - Estuary




LÍNEA *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ▨ Scrolled & Flat Advanta Lite Frame
- Ⓜ WBDR / HVHZ Options




S1LAX
S81LAX




S1AX
S81AX




S1RAX
S81RAX



S1LCX
S81LCX




S1CX
S81CX



S1RCX
S81RCX



S1LLT
S81LLT




S1LT
S81LT



S1RLT
S81RLT



S1LEC
S81LEC



S1EC
S81EC



S1REC
S81REC



S1L
S81L



S1
S81




S1R
S81R

Pulse



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth:
Fiberglass or Steel



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Echo

Note: Product images show exterior side of door.



ECHO *Continues on next page.*









Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Standard Lite Frame Available
-  Scrolled & Flat Advanta Lite Frame
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options



S811LPB
◆ ◆ ◆ ◆ ◆ E



S811PB
◆ ◆ ◆ ◆ ◆ E



S811RPB
◆ ◆ ◆ ◆ ◆ E



S810LPB
◆ ◆ ◆ ◆ ◆ E



S810PB
◆ ◆ ◆ ◆ ◆ E



S810RPB
◆ ◆ ◆ ◆ ◆ E



S4LAX | S84LAX
◆ ◆ ◆ ◆ ◆



S4AX | S84AX
◆ ◆ ◆ ◆ ◆



S4RAX | S84RAX
◆ ◆ ◆ ◆ ◆




S5LAX | S85LAX
◆ ◆ ◆ ◆ ◆



S5AX | S85AX
◆ ◆ ◆ ◆ ◆



S5RAX | S85RAX
◆ ◆ ◆ ◆ ◆



S86LAX
◆ ◆ ◆ ◆ ◆




S86AX
◆ ◆ ◆ ◆ ◆



S86RAX
◆ ◆ ◆ ◆ ◆

Pulse



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth:
Fiberglass or Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.




S9LAX
◆▲E




S9AX
◆▲E




S9RAX
◆▲E



S8LAX
◆▲E



S8AX
◆▲E




S8RAX
◆▲E




S811LAX
◆▲E




S811AX
◆▲E



S811RAX
◆▲E



S810LAX
◆▲E




S810AX
◆▲E



S810RAX
◆▲E




S4L
S4LCL



S84L
S84LCL

S4
S4CL

S84
S84CL



S4R
S4RCL

S84R
S84RCL



S5L
S5LCL

S85L
S85LCL

ECHO *Continues on next page.*

Privacy & Textured Glass Options



Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch




XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ▾ Standard Lite Frame Available
- ▲ Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options




Pulse

			<p>It's your decision, by design.</p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.</p>
<p>Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)</p>	<p>Smooth: Fiberglass or Steel</p>		

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Sidelites

Note: Product images show exterior side of door.





SIDELITES Continue on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame
- Standard Lite Frame Available
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame
- Standard Lite Frame Available

Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth:
Fiberglass or Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 277 for important product details that may help with your purchase decision.



Finish Options

Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.






Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



10 YEAR
LIMITED WARRANTY
Classic Craft Finish
Transferable


10 YEAR
LIMITED WARRANTY
Fiber-Classic,
Smooth-Star, Pulse,
Steel Finish

Professional
Application

Durable
Topcoat



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (🌲) symbol.



Finish Options

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Left Page: Smooth-Star, Clear Glass with GBGs, Door - S2104, Finish - Golden Wheat

Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door - FC83XK, Finish - Acorn



Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.




Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Shown on Classic Craft Fir Grain.



Tumbleweed 

Acorn

Wildflower Honey

Rustic Clay

Barley

Mulberry

Autumn Harvest

New Earth

Driftwood

Raven

Finish Options

Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.




- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



COLOR MATCHES AVAILABLE

Explore other products from Fortune Brands Outdoors designed to match select colors shown here.

Look for the (🌲) symbol. See your Thermo-Tru seller for details.



Alpine




Granite



Peregrine 🌲🌲



Onyx



Obsidian 🌲🌲



Indigo



Estuary 🌲



Arctic Ice 🌲



Cypress




Golden Wheat 🌲




Canyon 🌲




Ruby Red



Cabernet



Chestnut



Elk 🌲🌲

Finish Options

Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

🌲 = Inspired by Yellowstone National Park.

Left Page: Smooth-Star, Calix Glass, Door - S2223, Finish - Golden Wheat

SAME-DAY STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors and composite door frames.




ALL-INCLUSIVE KIT

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.¹ Visit thermatru.com/samedaystain for ordering information and easy-to-follow instructions.


Shown on Classic Craft Fir Grain.




Light Oak




Natural Oak




Walnut



English Walnut



Mahogany



Cherry



Cedar

5 YEAR
LIMITED WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, visit thermatru.com/finishing or ask your seller for more details.


¹Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Door System Components

PROVEN TO PERFORM, PROTECT AND PRESERVE

A Therma-Tru complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.



Composite Door Frame¹ featuring Tru-Guard™ Composite Technology



TRU  **GUARD**[™]
COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

¹See your Therma-Tru seller for details on product availability.


²Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

³To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders. Frame-only warranty option for customers without a Therma-Tru door system.

AVAILABLE TEXTURES





 Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry — no sanding or priming required.






 Ready to install.
 Ready to finish.

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is — no painting required. Or finish with stain or paint to complement the entry — no sanding or priming required.

THE ADVANTAGE IS CLEAR

Performance		
Resists Moisture and Humidity — Eliminates Risk of Swelling, Warping and Splitting		✓
Resists Mold, Fungus and Rot — Does Not Absorb or Retain Moisture		✓
Resists Insects — Helps Protect from Wood-Ingesting Insects		✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins. ²		✓
Impact and 20-Minute Fire Code Compliant ³		✓
Aesthetics		
Ready to Finish — No Sanding or Priming Required		✓
Ready-to-Install Option — No Finishing Required - White Smooth		✓
Universal Grain Complements a Wide Range of Wood Species — Buff Grained		✓
Screw Plugs Match Frame Material and Conceal External Fasteners		✓
Warranty		
Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft Door + Components		Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic, Smooth-Star, Pulse Fiberglass Door + Components		10-Year Transferable Full-System Rider
Composite Door Frame Only		

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs



4-1/8"
4-9/16"
5-1/4"
6-9/16"
7-1/4"

Mullions



2" Entry Narrow
2-1/2" Entry Wide



2" Patio Narrow
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"
2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*
2-15/16" x 3/8" *Buff grained only.*

Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor
Face Adaptor
(Use 1-15/32" x 1-1/16" Mull Casing)




6-9/16" Base Adaptor

Screen Track Cap



1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions



4-9/16"
6-9/16"



7/16" x 5/16" Cove Mould


Transom Sills



4-9/16"
6-9/16"

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.¹

Pendulum Impact Test



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

CODE-COMPLIANT OPTIONS

Therma-Tru® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.²



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.²



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.²

¹Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

²To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performance.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru® seller for a complete list of options.


INSWING OPTIONS



Composite Adjustable Sill (Premium) ❖

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.¹



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



Basic Composite Adjustable Sill (Economy)


- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



Value Composite Adjustable Sill (Economy)


- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

Inswing Sill Extenders



1"


2"



1-³/₈"


3-¹/₄"

OUTSWING OPTIONS




Composite Outswing Sill (Premium) ❖

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break


- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Public Access Sill



Public Access Sill with Thermal Break²
(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

¹See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

²Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

³For full details on the Tru-Defense Warranty Rider, visit thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

SILL FINISHES



Mill



Bronze

CAP COLORS



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available

	Inswing Options			Outswing Options				Public Access (Inswing / Outswing)	
	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (ADA) ²	
Sill Finishes									
Mill	■	■	■	■	■	■	■		■
Bronze	■	■	■	■	■	■			■
Cap Colors									
Lightwood	■		■	■					
Darkwood	■		■	■					
Hardwood		■							
Sill Configurations									
Single	■	■	■	■	■	■	■		■
French	■	■		■	■	■	■		■
Double Patio	■	■		■					
Triple Patio	■			■					
Lineal	■	■							
Sidelite Configurations									
Boxed Sidelites	■								
Single with Sidelites	■	■		■					
French with Sidelites	■								
Single Vented Sidelites	■								
French Vented Sidelites	■								
Depths									
4- ⁹ / ₁₆ "	■		■	■		■	■		■
5- ³ / ₄ "	■	■	■	■	■				
6- ⁹ / ₁₆ "									■
7- ³ / ₄ "	■	■	■		■				
Substrates									
Composite Extruded	■			■					
Composite Injection Molded	■		■						
Treated Pine		■			■	■	■		
Other Options									
Integrated Thermal Break	■	■	■	■	■				■
Screen Rail Available	■	■							
Sill Extenders Available	■	■	■	■					
Sill Covers Available	■	■	■	■					
Tru-Defense Eligible ³	■			■					
With Anchor Holes					■	■	■		■
Without Anchor Holes	■	■	■	■	■				

Note: See your Thermo-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

INSWING OPTIONS



Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep ✚

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



Inactive Door Bottom ✚

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze


OUTSWING OPTIONS



Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze




Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / REPLACEMENT



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 262 for availability.

Shown over composite adjustable sill.



Sill Pan (Recommended) ✚

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads ❖



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Fiber-Classic® / Smooth-Star® 7-Shape Pads ❖



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Basic Pads




Colors:
Bronze

Sills:
Inswing
Applications Only

Weatherstrip

Provides two points of contact and a form-fitting barrier for extra protection against leaks.



Medium-Reach Weatherstrip ❖

Colors:
Bronze
White

Doors:
Square Edge



Long-Reach Weatherstrip ❖

Colors:
Bronze
White

Doors:
Bull Edge

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.




Rain Deflector (Inswing)

Colors:
Bronze
White



Rain Guard (Outswing) ❖

Colors:
Bronze
White



Bottom of door;
exterior view.

Rain Deflector

Bottom Sweep



Top of door;
exterior view.

Jamb

Rain Guard

Weatherstrip

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

GRIP-STYLE MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)

Side view of door.



Tongue

Heights:	Configurations:
6'8"	Inswing
7'0"	Outswing
8'0"	

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.



Exterior view of door.



Side view of door.

Engages at three critical points.

Exterior view of door.

LEVER-STYLE MPLS ✦

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue

Heights:
6'6"
6'8"
7'0"
8'0"

Configurations:
Inswing
Outswing



Shootbolt

(For door systems with an astragal.)

Heights: Configurations:
6'6" Inswing
6'8" Outswing
7'0"
8'0"



Vented Sidelite MPLS





Tongue
(Included in vented sidelite units.)

Heights:
6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS


Designed to complement Therma-Tru® door styles from traditional to contemporary.




Backplates:
Wide
Narrow

Locking:
Active
Inactive

FINISH OPTIONS



FINISH OPTIONS



Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

- Brushed Nickel
- Black Nickel
- Polished Chrome
- Oil-Rubbed Bronze
- Stainless Steel
- Zinc Dichomate

A genuine Therma-Tru® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ❶ Wraps around the door jamb for added support and an exact fit.
- ❷ 2-½" screws fully engage with the frame of the house for added strength.




¹To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Hinges

Adjustable Hinge

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Classic-Craft® Ball-Bearing - Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.¹



HINGE FINISH OPTIONS



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze Stainless Steel Zinc Dichromate


■ = Available

Hinge Finish Options	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing — Staggered Hole Pattern	Classic Craft Ball-Bearing — Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■				
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■		■		■
Polished Chrome	■	■	■	■	■		■		■
Oil-Rubbed Bronze	■	■	■	■	■	■	■		■
Stainless Steel		■	■	■	■		■	■	■
Zinc Dichromate		■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.


Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Oak Grain



Fir Grain

Aluminum



Bronze



White

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.





STAINABLE / PAINTABLE ASTRAGAL ✚



Heights:
6'6"
6'8"
7'0"
8'0"
Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Oak
Fir

Weatherstrip:
Bronze

Shown in
Oak grain with
Driftwood stain.

ALUMINUM ASTRAGAL ✚



Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Finish Colors:
Bronze
White

Weatherstrip:
Bronze

Coastal option
also available.



✚ Tru-Defense Eligible

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

Left Page: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028
Top: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood

Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote
GBG Color Options


DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

CLASSIC CRAFT.

8'0" Door Styles




Glass Designs

Homeward	■		■			■	■
Arborwatch	■		■			■	■
Augustine	◆	◆	◆	◆	◆	◆	
Borrassa	◆	◆	◆	◆	◆	◆	
Lucerna	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

KEY

- Classic Craft. Casual Styles
- ◆ Classic Craft. Traditional Styles
- ▲ Classic Craft. Modern Styles
- * Smooth-Star.
- ▷ Profiles™ & Traditions


6'8" & 8'0" Solid-Panel Door Styles



SMOOTH-STAR®, PROFILES™, TRADITIONS & PULSE.

6'8" & 8'0" Door Styles

All Pulse Styles



Glass Designs

Blackstone	*▷	*			*▷	*							
Crystalline	*▷	*			*▷	*							
Sedona	*▷		*▷	*	*▷	*							
Salinas	*▷	*			*▷	*							
Maple Park	*▷												
Saratoga	*▷		*▷	*	*▷	*							
Texas Star	*▷												
Wellesley	*▷	*											
Riserva	*▷	*	*▷	*	*▷	*							
Concorde	*▷	*											
Kensington	*▷												
Pembridge	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*			
Axis	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*			
Calix	*▷	*	*▷	*	*▷	*							
Latitude	*▷	*			*▷	*							
Echelon	*▷	*	*▷	*	*▷	*							
Privacy & Textured Glass	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*			
Internal Blinds	*▷	*											
Divided Lites	*▷	*											
Clear	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*			
Solid Panel											*▷	*	

7'0" Height Door Style Options

Door Styles



Glass Designs

Blackstone	▼▲*▷	▲*▷	*		▷							
Crystalline	▼▲*▷											
Sedona	▼▲*▷	▲*▷	*		▷							
Salinas	▼▲*▷	▲*▷	*		▷							
Maple Park	▼▲*▷	▲*▷	*		▷			▲*▷				
Saratoga	▼▲*▷	▲*▷	*		▷		▼*	▲*▷				
Texas Star	▼▲*▷	▲*▷	*									
Wellesley	▼▲*▷	▲*▷	*		▷			▲*▷				
Riserva	▼▲*▷	▲*▷	*		▷							
Concorde	▼▲*▷	▲*▷	*		▷			▲*▷	▷			
Kensington	▼▲*▷	▲*▷	*		▷							
Pembridge	▼▲*▷	▲*▷	*		▷			▷		▲*▷		
Axis	▼▲*▷	▲*▷	*		▷					▲*▷		
Calix	▼▲*▷	▲*▷	*									
Latitude	▼▲*▷											
Echelon	▼▲*▷											
Privacy & Textured Glass	▼▲*▷	▲*▷	*	▼▲*▷	▷		▼*			▲*▷		
Internal Blinds	▼▲*▷	▲*▷	*	▼▲*▷								
Screen Vented		*▷	*	*▷								
Divided Lites	▼▲*▷	▲*▷	*		▷	*▷	▼*	▲*▷	▷		▷	
Clear	▼▲*▷	▲*▷	*	▼▲*▷	▷	*▷	▼*	▲*▷	▷	▲*▷		
Solid Panel												▲*▷

6'6" Height Door Style Options

Door Styles



Glass Designs

Blackstone	▲*	▲*	
Crystalline	▲*	▲*	
Sedona	▲*	▲*	
Salinas	▲*	▲*	
Maple Park	▲*	▲*	
Saratoga	▲*	▲*	
Texas Star	▲*	▲*	
Wellesley	▲*	▲*	
Riserva	▲*	▲*	
Concorde	▲*	▲*	
Kensington	▲*	▲*	
Pembridge	▲*	▲*	
Axis	▲*	▲*	
Calix	▲*	▲*	
Latitude	▲*	▲*	
Echelon	▲*	▲*	
Privacy & Textured Glass	▲*	▲*	
Internal Blinds	▲*	▲*	
Screen Vented			
Divided Lites	▲*	▲*	
Clear	▲*	▲*	
Solid Panel			▲*▷

KEY

- ▲ Classic Craft® Modern Styles
- ▼ Fiber-Classic® Mahogany™
- ▲ Fiber-Classic® Oak™
- * Smooth-Star®
- ▷ Profiles™ & Traditions



		▼▲*D	D					
		▼▲*D						
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D	▼*				
		▼▲*D						
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D	▼*	D			
		▼▲*D	D					
	D	▼▲*D	D	▼*				
		▼▲*D	D	▼*	D			
						*	▲*	▲▼▲*



Top: Smooth-Star, Maple Park Glass, Door – S6107
 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door System Product Details

Feature	Classic Craft	Fiber-Classic & Pulse Wood-Grained	Smooth-Star & Pulse Smooth	Profiles & Pulse Steel (6'8")	Traditions & Pulse Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill¹	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges¹	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame¹	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/ AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at thermatru.com:

- Therma-Tru Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions Door Systems
- Therma-Tru Tru-Defense Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star Flush-Glazed Fiberglass Door Systems
- Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star Flush-Glazed Fiberglass Door Systems
- PrismaGuard Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions
- Same-Day Stain 5-Year Limited Warranty: Same-Day Stain and Topcoat for Use on Therma-Tru Fiberglass Door Systems and Fypon Stainable Polyurethane Products
- Therma-Tru Composite Door Frame featuring Tru-Guard Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- Therma-Tru Composite Door Frame featuring Tru-Guard Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit thermatru.com for more details.

Classic Craft®

Classic Craft	CCA2320XN	CCA3400XRSL	CCA8220XN	CCA82360XJ	CCA84940XJ
19020T	CCA2320XNSL	CCA3401SL	CCA8220XR	CCA82360XN	CCA84940XN
19200T	CCA2320XR	CCA3450SL	CCA8230	CCA82360XR	CCA84940XR
19210T	CCA2320XRSL	CCA3450XCSL	CCA82300	CCA82370	CCA84945
19220T	CCA2330	CCA3450XJSL	CCA82300SL	CCA82370XC	CCA87100
AB30T	CCA2330SL	CCA3450XNSL	CCA82300XC	CCA82370XE	CCA87100XR
ABRT	CCA2330XC	CCA3450XRSL	CCA82300XCSL	CCA82370XJ	CCA87111
CC040T	CCA2330XCSL	CCA3500SL	CCA82300XE	CCA82370XN	CCA87112
CC400T	CCA2330XE	CCA3500XCSL	CCA82300XESL	CCA82370XR	CCA87131
CC420T	CCA2330XESL	CCA3500XJSL	CCA82300XJ	CCA82380	CCA87132
CCA1100	CCA2330XJ	CCA3500XNSL	CCA82300XJSL	CCA82380XC	CCA87200
CCA1125	CCA2330XJSL	CCA3500XRSL	CCA82300XK	CCA82380XE	CCA87200XR
CCA1127	CCA2330XK	CCA3501SL	CCA82300XKSL	CCA82380XJ	CCA87300
CCA1133	CCA2330XKSL	CCA3560SL	CCA82300XN	CCA82380XK	CCA87300XR
CCA1145	CCA2330XN	CCA3560XCSL	CCA82300XNSL	CCA82380XN	CCA87400
CCA1147	CCA2330XNSL	CCA3560XJSL	CCA82300XR	CCA82380XR	CCA87400XR
CCA1149	CCA2330XR	CCA3560XNSL	CCA82300XRSL	CCA8240	CCA87600
CCA1150	CCA2330XRSL	CCA3560XRSL	CCA82300XC	CCA82400	CCA87600XR
CCA1158	CCA2340	CCA4900	CCA82300XJ	CCA82400SL	CCA89100
CCA1166	CCA2340SL	CCA4900XC	CCA82300XN	CCA82400XC	CCA9100
CCA1423SL	CCA2340XC	CCA4900XE	CCA82300XR	CCA82400XCSL	CCA9100SL
CCA210	CCA2340XCSL	CCA4900XJ	CCA8231	CCA82400XE	CCA9300
CCA210SL	CCA2340XE	CCA4900XN	CCA82310	CCA82400XESL	CCM1419
CCA210XC	CCA2340XESL	CCA4900XR	CCA82310SL	CCA82400XJ	CCM1424
CCA210XCSL	CCA2340XJ	CCA4905	CCA82310XC	CCA82400XJSL	CCM1465
CCA210XJ	CCA2340XJSL	CCA4910L	CCA82310XCSL	CCA82400XK	CCM1475
CCA210XJSL	CCA2340XK	CCA4910LXC	CCA82310XE	CCA82400XKSL	CCM1485
CCA210XN	CCA2340XKSL	CCA4910LXE	CCA82310XESL	CCA82400XN	CCM1495
CCA210XNSL	CCA2340XN	CCA4910LXJ	CCA82310XJ	CCA82400XNSL	CCM1842
CCA210XR	CCA2340XNSL	CCA4910LXN	CCA82310XJSL	CCA82400XR	CCM1843SL
CCA210XRSL	CCA2340XR	CCA4910LXR	CCA82310XK	CCA82400XRSL	CCM1844
CCA211	CCA2340XRSL	CCA4910R	CCA82310XKSL	CCA82400XC	CCM2000
CCA211SL	CCA2350	CCA4910RXC	CCA82310XN	CCA82400XJ	CCM200XC
CCA220	CCA2350XC	CCA4910RXE	CCA82310XNSL	CCA82400XN	CCM200XN
CCA220SL	CCA2350XE	CCA4910RXJ	CCA82310XR	CCA82400XR	CCM203
CCA220XC	CCA2350XJ	CCA4910RXN	CCA82310XRSL	CCA82410SL	CCM204
CCA220XCSL	CCA2350XN	CCA4910RXR	CCA82320	CCA82420SL	CCM2800
CCA220XJ	CCA2350XR	CCA4915L	CCA82320SL	CCA8260	CCM2800XC
CCA220XJSL	CCA2360	CCA4915R	CCA82320XC	CCA8260XC	CCM2800XE
CCA220XN	CCA2360XC	CCA4920L	CCA82320XCSL	CCA8260XJ	CCM2800XK
CCA220XNSL	CCA2360XE	CCA4920LXC	CCA82320XE	CCA8260XN	CCM2800XN
CCA220XR	CCA2360XJ	CCA4920LXE	CCA82320XESL	CCA8260XR	CCM2800XR
CCA220XRSL	CCA2360XN	CCA4920LXJ	CCA82320XJ	CCA84900	CCM2801
CCA230	CCA2360XR	CCA4920LXN	CCA82320XJSL	CCA84900XC	CCM2802
CCA2300	CCA2370	CCA4920LXR	CCA82320XK	CCA84900XE	CCM2803
CCA2300SL	CCA2370XC	CCA4920R	CCA82320XKSL	CCA84900XJ	CCM2804
CCA2300XC	CCA2370XE	CCA4920RXC	CCA82320XN	CCA84900XN	CCM2804XC
CCA2300XCSL	CCA2370XJ	CCA4920RXE	CCA82320XNSL	CCA84900XR	CCM2804XE
CCA2300XE	CCA2370XN	CCA4920RXJ	CCA82320XR	CCA84905	CCM2804XK
CCA2300XESL	CCA2370XR	CCA4920RXN	CCA82320XRSL	CCA84910L	CCM2804XN
CCA2300XJ	CCA2380	CCA4920RXR	CCA82330	CCA84910LXC	CCM2804XR
CCA2300XJSL	CCA2380XC	CCA4925L	CCA82330SL	CCA84910LXE	CCM2806
CCA2300XK	CCA2380XE	CCA4925R	CCA82330XC	CCA84910LXJ	CCM2806XC
CCA2300XKSL	CCA2380XJ	CCA4930	CCA82330XCSL	CCA84910LXN	CCM2806XE
CCA2300XN	CCA2380XK	CCA4930XC	CCA82330XE	CCA84910LXR	CCM2806XK
CCA2300XNSL	CCA2380XN	CCA4930XE	CCA82330XESL	CCA84910R	CCM2806XN
CCA2300XR	CCA2380XR	CCA4930XJ	CCA82330XJ	CCA84910RXC	CCM2806XR
CCA2300XRSL	CCA240	CCA4930XN	CCA82330XJSL	CCA84910RXE	CCM2812
CCA230XC	CCA2400	CCA4930XR	CCA82330XK	CCA84910RXL	CCM2812XC
CCA230XJ	CCA2400SL	CCA4935	CCA82330XKSL	CCA84910RXN	CCM2812XE
CCA230XN	CCA2400XC	CCA4940	CCA82330XN	CCA84910RXR	CCM2812XK
CCA230XR	CCA2400XCSL	CCA4940XC	CCA82330XNSL	CCA84915L	CCM2812XN
CCA231	CCA2400XE	CCA4940XE	CCA82330XR	CCA84915R	CCM2812XR
CCA2310	CCA2400XESL	CCA4940XJ	CCA82330XRSL	CCA84920L	CCM300
CCA2310SL	CCA2400XJ	CCA4940XN	CCA82340	CCA84920LXC	CCM300XC
CCA2310XC	CCA2400XJSL	CCA4940XR	CCA82340SL	CCA84920LXE	CCM300XN
CCA2310XCSL	CCA2400XK	CCA4945	CCA82340XC	CCA84920LXJ	CCM301CAL
CCA2310XE	CCA2400XKSL	CCA81100	CCA82340XCSL	CCA84920LXN	CCM301CALXC
CCA2310XESL	CCA2400XN	CCA81125	CCA82340XE	CCA84920LXR	CCM301CALXE
CCA2310XJ	CCA2400XNSL	CCA81127	CCA82340XESL	CCA84920R	CCM301CALXN
CCA2310XJSL	CCA2400XR	CCA81133	CCA82340XJ	CCA84920RXC	CCM301CALXR
CCA2310XK	CCA2400XRSL	CCA81145	CCA82340XJSL	CCA84920RXE	CCM301CAR
CCA2310XKSL	CCA240XC	CCA81147	CCA82340XK	CCA84920RXJ	CCM301CARXC
CCA2310XN	CCA240XJ	CCA81149	CCA82340XKSL	CCA84920RXN	CCM301CARXE
CCA2310XNSL	CCA240XN	CCA81150	CCA82340XN	CCA84920RXL	CCM301CARXN
CCA2310XR	CCA240XR	CCA81158	CCA82340XNSL	CCA84925L	CCM301CARXR
CCA2310XRSL	CCA2410SL	CCA81166	CCA82340XR	CCA84925R	CCM302
CCA2320	CCA2420SL	CCA81423SL	CCA82340XRSL	CCA84930	CCM302L
CCA2320SL	CCA260	CCA8210	CCA82350	CCA84930XC	CCM302LXC
CCA2320XC	CCA260XC	CCA8210XC	CCA82350XC	CCA84930XE	CCM302LXE
CCA2320XCSL	CCA260XJ	CCA8210XJ	CCA82350XE	CCA84930XJ	CCM302LXN
CCA2320XE	CCA260XN	CCA8210XN	CCA82350XJ	CCA84930XN	CCM302LXR
CCA2320XESL	CCA260XR	CCA8210XR	CCA82350XN	CCA84930XR	CCM302R
CCA2320XJ	CCA3400SL	CCA8211	CCA82350XR	CCA84935	CCM302RXC
CCA2320XJSL	CCA3400XCSL	CCA8220	CCA82360	CCA84940	CCM302RXE
CCA2320XK	CCA3400XJSL	CCA8220XC	CCA82360XC	CCA84940XC	CCM302RXN
CCA2320XKSL	CCA3400XNSL	CCA8220XJ	CCA82360XE	CCA84940XE	CCM302RXN

CCM303.....63	CCM8301CARXN.....76	CCR1851SL.....65	CCR81515.....71	CCV06020.....81	CCV8100XRSL.....85
CCM303L.....79	CCM8301CARXR.....76	CCR200.....93	CCR81516.....70	CCV06020XE.....80	CCV8102SL.....64
CCM303LXC.....76	CCM8302L.....78	CCR20020.....77	CCR81518.....70	CCV06022.....80	CCV8103SL.....64
CCM303LXE.....76	CCM8302LXC.....75	CCR20020XC.....75	CCR81838.....74	CCV06023.....80	CCV8108SL.....65
CCM303LXN.....76	CCM8302LXE.....75	CCR20020XN.....75	CCR81839.....74	CCV06028.....80	CCV8111SL.....62
CCM303LXR.....76	CCM8302LXN.....75	CCR20022.....73	CCR81841.....73	CCV10020.....61	CCV81414.....69
CCM303R.....79	CCM8302LXR.....75	CCR20023.....72	CCR81845.....74	CCV10022.....55	CCV81415.....69
CCM303RXC.....76	CCM8302R.....78	CCR20027.....69	CCR81845A.....74	CCV10023.....55	CCV81418.....62
CCM303RXE.....76	CCM8302RXC.....75	CCR20037.....70	CCR81846.....74	CCV10027.....54	CCV81423SL.....62
CCM303RXN.....76	CCM8302RXE.....75	CCR20037A.....70	CCR81846A.....74	CCV10028.....55	CCV81512.....71
CCM303RXR.....76	CCM8302RXN.....75	CCR200A.....92	CCR81847.....74	CCV100SL.....61	CCV81515.....71
CCM304L.....78	CCM8302RXR.....75	CCR2025SL.....67	CCR81851SL.....65	CCV100SL.....67	CCV81516.....71
CCM304LXC.....76	CCM8303L.....79	CCR2025SL.....61	CCR8200.....93	CCV100SL.....87	CCV81519.....63
CCM304LXE.....76	CCM8303LXC.....76	CCR2025XCSL.....66	CCR820020.....77	CCV100XCSL.....66	CCV81838.....74
CCM304LXN.....76	CCM8303LXE.....76	CCR2025XESL.....66	CCR820020XC.....75	CCV100XCSL.....85	CCV81839.....74
CCM304LXR.....76	CCM8303LXN.....76	CCR2025XHSL.....93	CCR820020XN.....75	CCV100XESL.....66	CCV81843.....65
CCM304R.....78	CCM8303LXR.....76	CCR2025XJSL.....66	CCR820022.....73	CCV100XESL.....85	CCV81846.....74
CCM304RXC.....76	CCM8303R.....79	CCR2025XNSL.....66	CCR820023.....72	CCV100XESL.....55	CCV81851SL.....65
CCM304RXE.....76	CCM8303RXC.....76	CCR2025XRSL.....66	CCR820027.....69	CCV100XESL.....63	CCV8205.....93
CCM304RXN.....76	CCM8303RXE.....76	CCR205.....93	CCR820028.....72	CCV100XJSL.....66	CCV820520.....78
CCM304RXR.....76	CCM8303RXN.....76	CCR20520.....77	CCR820030.....77	CCV100XJSL.....85	CCV820520XC.....75
CCM305CAL.....79	CCM8303RXR.....76	CCR20520XC.....75	CCR820030A.....78	CCV100XNSL.....54	CCV820520XN.....75
CCM305CALXC.....77	CCM8304L.....79	CCR20520XN.....75	CCR820030XC.....75	CCV100XNSL.....63	CCV820522.....73
CCM305CALXE.....77	CCM8304LXC.....76	CCR20522.....73	CCR820030XN.....75	CCV100XNSL.....66	CCV820523.....72
CCM305CALXN.....77	CCM8304LXE.....76	CCR20523.....72	CCR820032.....73	CCV100XNSL.....85	CCV820527.....70
CCM305CALXR.....77	CCM8304LXN.....76	CCR20527.....69	CCR820032A.....73	CCV100XRSL.....66	CCV820528.....72
CCM305CAR.....77	CCM8304LXR.....76	CCR20537.....70	CCR820037.....70	CCV100XRSL.....85	CCV820530.....78
CCM305CARXC.....79	CCM8304R.....79	CCR20537A.....70	CCR820037A.....70	CCV103SL.....55	CCV820530XC.....75
CCM305CARXE.....77	CCM8304RXC.....76	CCR205A.....92	CCR8200A.....92	CCV103SL.....64	CCV820530XN.....75
CCM305CARXN.....77	CCM8304RXE.....76	CCR30020.....61	CCR82035SL.....67	CCV108SL.....55	CCV820532.....73
CCM305CARXR.....77	CCM8304RXN.....76	CCR30023.....55	CCR82035XCSL.....66	CCV108SL.....65	CCV820537.....70
CCM306CAL.....79	CCM8304RXC.....76	CCR30027.....54	CCR82035XESL.....66	CCV1414.....69	CCV8220.....93
CCM306CALXC.....77	CCM8305CAL.....79	CCR30028.....55	CCR82035XHSL.....93	CCV1415.....69	CCV822020.....78
CCM306CALXE.....77	CCM8305CALXC.....77	CCR3400SL.....61	CCR82035XJSL.....66	CCV1418.....62	CCV822020XC.....75
CCM306CALXN.....77	CCM8305CALXE.....77	CCR3400SL.....67	CCR82035XNSL.....66	CCV1423.....54	CCV822020XN.....75
CCM306CALXR.....77	CCM8305CALXN.....77	CCR3400XCSL.....66	CCR82035XRSL.....66	CCV1423SL.....54	CCV822022.....73
CCM306CAR.....79	CCM8305CALXR.....77	CCR3400XESL.....66	CCR8205.....93	CCV1423SL.....62	CCV822023.....72
CCM306CARXC.....77	CCM8305CAR.....79	CCR3400XHSL.....55	CCR820520.....77	CCV1423SL.....83	CCV822027.....70
CCM306CARXE.....77	CCM8305CARXC.....77	CCR3400XHSL.....63	CCR820520XC.....75	CCV1424.....80	CCV822028.....72
CCM306CARXN.....77	CCM8305CARXE.....77	CCR3400XJSL.....66	CCR820520XN.....75	CCV1512.....71	CCV831.....93
CCM306CARXR.....77	CCM8305CARXN.....77	CCR3400XNSL.....54	CCR820522.....73	CCV1515.....71	CCV8950SL.....67
CCM3300SL.....67	CCM8305CARXR.....77	CCR3400XNSL.....63	CCR820523.....72	CCV1516.....71	CCV8950SL.....87
CCM3302SL.....64	CCM8306CAL.....79	CCR3400XNSL.....66	CCR820527.....69	CCV1519.....63	CCV8950XCSL.....66
CCM3303SL.....64	CCM8306CALXC.....77	CCR3400XRSL.....66	CCR820528.....71	CCV1528.....55	CCV8950XCSL.....85
CCM60.....93	CCM8306CALXE.....77	CCR3407SL.....55	CCR820530.....77	CCV1838.....74	CCV8950XHSL.....93
CCM600.....81	CCM8306CALXN.....77	CCR3407SL.....64	CCR820530A.....78	CCV1839.....74	CCV8950XJSL.....66
CCM600XE.....80	CCM8306CALXR.....77	CCR3408SL.....55	CCR820530AXC.....75	CCV1843.....65	CCV8950XJSL.....85
CCM603.....80	CCM8306CAR.....79	CCR3408SL.....65	CCR820530AXN.....75	CCV1851.....56	CCV8950XNSL.....66
CCM612.....80	CCM8306CARXC.....77	CCR3412SL.....55	CCR820530XC.....75	CCV1851SL.....56	CCV8950XNSL.....85
CCM805027.....62	CCM8306CARXE.....77	CCR3412SL.....64	CCR820530XN.....75	CCV1851SL.....65	CCV8950XRSL.....66
CCM81418.....62	CCM8306CARXN.....77	CCR8000SL.....67	CCR820532.....73	CCV200.....93	CCV8950XRSL.....85
CCM81519.....63	CCM8306CARXR.....77	CCR8000XCSL.....66	CCR820532A.....73	CCV205.....93	CCV89918.....68
CCM82800.....67	CCM890.....92	CCR8000XRSL.....66	CCR820537.....70	CCV20520.....78	CCV89919.....68
CCM82800XC.....65	CCM892.....63	CCR8000XHSL.....63	CCR820537A.....70	CCV20520XC.....75	CCV89922.....62
CCM82800XE.....65	CCM9923.....62	CCR8000XJSL.....66	CCR8205A.....92	CCV20520XN.....75	CCV9010SL.....87
CCM82800XK.....65	CCM9926.....80	CCR8000XNSL.....63	CCR8222.....92	CCV20522.....73	CCV9011SL.....82
CCM82800XN.....65	CCR040.....93	CCR8000XNSL.....66	CCR822214.....69	CCV20523.....72	CCV9020SL.....87
CCM82800XR.....65	CCR04020.....77	CCR8000XRSL.....66	CCR822215.....71	CCV20527.....70	CCV910.....87
CCM82801.....62	CCR04020XC.....75	CCR8005.....92	CCR822218.....68	CCV20537.....70	CCV910XC.....85
CCM82802.....64	CCR04020XN.....75	CCR8005A.....92	CCR822220.....77	CCV220.....93	CCV910XCSL.....85
CCM82803.....65	CCR04022.....73	CCR8007SL.....64	CCR822220XC.....75	CCV22020.....78	CCV910XJ.....85
CCM82804.....66	CCR04023.....72	CCR8008SL.....65	CCR822220XN.....75	CCV22020XC.....75	CCV910XJSL.....85
CCM82804XC.....65	CCR04027.....69	CCR8040.....93	CCR822222.....73	CCV22020XN.....75	CCV910XN.....85
CCM82804XE.....65	CCR04037.....69	CCR804020.....77	CCR822223.....72	CCV22022.....73	CCV910XNSL.....85
CCM82804XK.....65	CCR100.....92	CCR804020XC.....75	CCR822227.....69	CCV22023.....72	CCV910XR.....85
CCM82804XN.....65	CCR10022.....55	CCR804020XN.....75	CCR822228.....72	CCV22027.....70	CCV910XRSL.....85
CCM82804XR.....65	CCR100R.....92	CCR804022.....73	CCR82223.....74	CCV3412SL.....55	CCV911.....82
CCM82806.....66	CCR11414.....68	CCR804023.....72	CCR82235.....92	CCV3412SL.....64	CCV911SL.....54
CCM82806XC.....65	CCR11415.....68	CCR804027.....69	CCR89918.....68	CCV4100.....83	CCV911SL.....62
CCM82806XE.....65	CCR11417.....68	CCR804028.....71	CCR89919.....68	CCV4100SL.....83	CCV911SL.....82
CCM82806XK.....65	CCR11423.....54	CCR804030.....77	CCR89921.....68	CCV4300.....83	CCV920.....86
CCM82806XN.....65	CCR11423SL.....54	CCR804030XC.....75	CCR89925SL.....62	CCV805020.....67	CCV920XC.....85
CCM82806XR.....65	CCR11423SL.....62	CCR804030XN.....75	CCR9918.....68	CCV805022.....64	CCV920XCSL.....85
CCM82815.....66	CCR1511.....71	CCR804032.....73	CCR9919.....68	CCV805023.....64	CCV920XJ.....85
CCM82815XC.....65	CCR1511A.....71	CCR804037.....69	CCR9921.....68	CCV805027.....63	CCV920XJSL.....85
CCM82815XE.....65	CCR1512.....71	CCR8100.....92	CCR9925.....54	CCV805028.....65	CCV920XN.....85
CCM82815XK.....65	CCR1512A.....71	CCR8100R.....92	CCR9925SL.....54	CCV8100SL.....67	CCV920XNSL.....85
CCM82815XN.....65	CCR1514.....71	CCR8102SL.....64	CCR9925SL.....62	CCV8100SL.....87	CCV920XR.....85
CCM82815XR.....65	CCR1515.....71	CCR81414.....68	CCV050.....93	CCV8100XCSL.....66	CCV920XRSL.....85
CCM8301CAL.....79	CCR1516.....70	CCR81415.....68	CCV05020.....67	CCV8100XCSL.....85	CCV930.....86
CCM8301CALXC.....76	CCR1518.....70	CCR81417.....68	CCV05020XC.....66	CCV8100XHSL.....63	CCV930XC.....85
CCM8301CALXE.....76	CCR1528.....55	CCR81423SL.....62	CCV05020XN.....66	CCV8100XJSL.....66	CCV930XJ.....85
CCM8301CALXN.....76	CCR1838.....74	CCR81511.....71	CCV05022.....64	CCV8100XJSL.....85	CCV930XN.....85
CCM8301CALXR.....76	CCR1839.....74	CCR81511A.....71	CCV05023.....64	CCV8100XNSL.....63	CCV930XR.....85
CCM8301CAR.....79	CCR1841.....73	CCR81512A.....71	CCV05027.....63	CCV8100XNSL.....66	CCV931.....82
CCM8301CARXC.....76	CCR1851.....56	CCR81512A.....71	CCV05028.....65	CCV8100XNSL.....85	CCV940.....86
CCM8301CARXE.....76	CCR1851SL.....56	CCR81514.....71	CCV060.....93	CCV8100XRSL.....66	CCV940XC.....85

Fiber-Classic® & Smooth-Star®

CCV940XJ.....85	Fiber-Classic & Smooth-	2050XCSSL.....116	81937P.....169	81981P.....171	FC1289SL.....148
CCV940XN.....85	Star.....	2050XE.....116	81937PSL.....169	81982P.....170	FC131SL.....152
CCV940XR.....85	1000.....199	2050XESL.....116	81938P.....171	81983P.....171	FC131XC.....152
CCV950SL.....61	1283.....150	2050XJ.....116	81938PSL.....171	81984P.....172	FC131XE.....152
CCV950SL.....67	1284.....147	2050XJSL.....116	81939P.....170	81985P.....174	FC131XJ.....152
CCV950SL.....87	1285.....147	2050XK.....116	81939PSL.....170	81986PSL.....134	FC131XK.....152
CCV950XCSL.....66	1286.....145	2050XKSL.....116	81940P.....171	81986SL.....134	FC131XN.....152
CCV950XCSL.....85	1289.....148	2050XN.....116	81940PSL.....171	85901SL.....154	FC131XR.....152
CCV950XESL.....66	2000.....122	2050XNSL.....116	81941P.....172	85919SL.....172	FC138.....147
CCV950XESL.....85	2009.....120	2050XR.....116	81941PSL.....172	AXRT.....201	FC138XC.....142
CCV950XHSL.....93	2010.....119	2050XRSL.....116	81942P.....174	BSRT.....201	FC138XE.....142
CCV950XJSL.....66	2050.....119	8000-18.....119	81942PSL.....174	CNRT.....201	FC138XJ.....142
CCV950XJSL.....85	8000.....122	8000XC.....119	81943P.....164	CX30T.....201	FC138XK.....142
CCV950XNSL.....66	81000.....199	8000XE.....119	81943PSL.....164	CXRT.....201	FC138XN.....142
CCV950XNSL.....85	81200.....150	8000XJ.....119	81943PX.....159	DRS2131SL.....150	FC138XR.....142
CCV950XRSL.....66	81208.....147	8000XK.....119	81943PXCSL.....159	DRS82131SL.....150	FC1400.....162
CCV950XRSL.....85	81225.....145	8000XN.....119	81943PXE.....159	EC30T.....201	FC1400SL.....162
CCV960.....87	81828.....147	8000XR.....119	81943PXESL.....159	ECRT.....201	FC1402.....162
CCV960XC.....85	2228225.....120	81200P.....150	81943PXJ.....159	FC10.....150	FC1404.....190
CCV960XJ.....85	2228316.....119	81200PSL.....150	81943PXJSL.....159	FC100.....132	FC1408.....182
CCV960XN.....85	12101SL.....150	81200PXC.....144	81943PXX.....159	FC1006.....134	FC1408SL.....142
CCV960XR.....85	12101XCSSL.....144	81200PXCSL.....144	81943PXXSL.....159	FC100SL.....133	FC141.....144
CCV9918.....68	12101XESL.....144	81200PXE.....144	81943PXN.....159	FC101SL.....168	FC141SL.....145
CCV9919.....68	12101XJSL.....144	81200PXESL.....144	81943PXNSL.....159	FC101.....168	FC142.....135
CCV9922.....62	12101XKSL.....144	81200PXJ.....144	81943PXR.....159	FC1029.....135	FC142SL.....135
CCV9925.....54	12101XNSL.....144	81200PXJSL.....144	81943PXRSL.....159	FC104.....135	FC143.....154
CCV9926.....80	12101XRSL.....144	81200PXX.....144	81944P.....162	FC104SL.....136	FC143SL.....154
CCW1000.....90	12102SL.....147	81200PXXSL.....144	81944PSL.....162	FC104XC.....179	FC144.....171
CCW81000.....90	12102XCSSL.....143	81200PXN.....144	81945P.....161	FC104XE.....179	FC1442SL.....156
CCW8900L.....90	12102XESL.....143	81200PXNSL.....144	81945PXC.....158	FC104XJ.....179	FC147.....154
CCW8900R.....90	12102XJSL.....143	81200PXR.....144	81945PXE.....158	FC104XK.....179	FC147SL.....154
CCW8901L.....90	12102XKSL.....143	81200PXRSL.....144	81945PXJ.....158	FC104XN.....179	FC148.....138
CCW8901R.....90	12102XNSL.....143	81200SL.....150	81945PXX.....158	FC104XR.....179	FC148SL.....138
CCW8902L.....90	12102XRSL.....143	81200XC.....144	81945PXN.....158	FC105.....172	FC149.....174
CCW8902R.....91	1283XC.....144	81200XCSSL.....144	81945PXR.....158	FC105SL.....172	FC149SL.....174
CCW8903.....91	1283XE.....144	81200XE.....144	81946P.....161	FC108.....131	FC151.....166
CCW8904L.....91	1283XJ.....144	81200XESL.....144	81946PSL.....162	FC1089.....161	FC156.....155
CCW8904R.....91	1283XK.....144	81200XJ.....144	81946PXC.....158	FC1089SL.....161	FC16.....132
CCW8905.....91	1283XN.....144	81200XJSL.....144	81946PXCSL.....158	FC108SL.....131	FC160.....166
CCW8906L.....91	1283XR.....144	81200XK.....144	81946PXE.....158	FC109.....167	FC163.....165
CCW8906R.....91	1284XC.....142	81200XKSL.....144	81946PXESL.....158	FC109SL.....167	FC164.....164
CCW8907L.....91	1284XE.....142	81200XN.....144	81946PXJ.....158	FC10XC.....144	FC1645.....196
CCW8907R.....91	1284XJ.....142	81200XNSL.....144	81946XJSL.....158	FC10XE.....144	FC1646.....156
CCW900L.....90	1284XK.....142	81200XR.....144	81946PXX.....158	FC10XJ.....144	FC1646SL.....156
CCW900R.....90	1284XN.....142	81200XRSL.....144	81946PXXSL.....158	FC10XK.....144	FC1647.....156
CCW901L.....90	1284XR.....142	81208P.....147	81946PXN.....158	FC10XN.....144	FC1651.....139
CCW901R.....90	1285XC.....142	81208PSL.....147	81946PXNSL.....158	FC10XR.....144	FC1651SL.....139
CCW902L.....90	1285XE.....142	81208SL.....147	81946PXR.....158	FC113.....133	FC1652.....139
CCW902R.....91	1285XJ.....142	81225P.....144	81946PXRSL.....158	FC113SL.....133	FC1652SL.....139
CCW903.....91	1285XK.....142	81225PSL.....145	81947PSL.....162	FC114.....169	FC1654.....176
CCW904L.....91	1285XN.....142	81225SL.....145	81949PSL.....162	FC114SL.....169	FC1655.....189
CCW904R.....91	1285XR.....142	81800P.....132	81952P.....151	FC115.....152	FC1656SL.....176
CCW905.....91	1286SL.....145	81800PSL.....132	81952PSL.....151	FC115SL.....152	FC18.....147
CCW906L.....91	18101SL.....132	81800SL.....132	81953P.....151	FC116.....180	FC18SL.....147
CCW906R.....91	19020T.....201	81900PSL.....162	81953PSL.....152	FC1200.....147	FC18XC.....142
CCW907L.....91	19055T.....201	81918P.....131	81954P.....152	FC1200SL.....147	FC18XCSSL.....143
CCW907R.....91	19200T.....201	81918PSL.....131	81954PSL.....152	FC1201.....146	FC18XE.....142
DRS2131SL.....91	19210T.....201	81918SL.....131	81955P.....152	FC1201SL.....147	FC18XESL.....143
DRS82131SL.....91	19220T.....201	81919P.....133	81955PSL.....152	FC1202.....146	FC18XJ.....142
HW30T.....94	19520T.....201	81919PSL.....133	81956P.....153	FC1202SL.....147	FC18XJSL.....143
HWRT.....94	1964P.....159	81919SL.....133	81956PSL.....153	FC1203.....147	FC18XK.....142
LC30T.....94	19720T.....201	81921P.....135	81957P.....153	FC1204.....119	FC18XKSL.....143
LCET.....94	19730T.....201	81921PSL.....136	81957PSL.....153	FC1204SL.....120	FC18XN.....142
LCRT.....94	19740T.....201	81921SL.....136	81958P.....154	FC1205.....119	FC18XNSL.....143
LF30T.....94	19750T.....201	81928P.....137	81958PSL.....154	FC1205SL.....119	FC18XR.....142
LFET.....94	2000SL.....122	81928PSL.....137	81959P.....154	FC1205XC.....116	FC18XRSL.....143
LFRT.....94	2000XC.....119	81928SL.....137	81959PSL.....154	FC1205XE.....116	FC198.....148
ZHRT.....94	2000XCSSL.....119	81929P.....184	81960P.....155	FC1205XJ.....116	FC198SL.....148
	2000XE.....119	81929PSL.....184	81960PSL.....155	FC1205XK.....116	FC20042.....155
	2000XESL.....119	81929PXC.....179	81961P.....155	FC1205XN.....116	FC2101.....161
	2000XJ.....119	81929PXCSL.....179	81961PSL.....156	FC1205XR.....116	FC2101SL.....161
	2000XJSL.....119	81929PXE.....179	81964P.....159	FC1206.....119	FC2102.....161
	2000XK.....119	81929PXESL.....179	81964PSL.....159	FC1206SL.....119	FC2106.....161
	2000XKSL.....119	81929PXJ.....179	81968PSL.....133	FC1207.....119	FC2107.....161
	2000XN.....119	81929PXJSL.....179	81968P.....132	FC1207XC.....116	FC2108.....161
	2000XNSL.....119	81929PXX.....179	81968SL.....133	FC1207XE.....116	FC2213.....141
	2000XR.....119	81929PXXSL.....179	81971P.....184	FC1207XJ.....116	FC2213SL.....141
	2000XRSL.....119	81929PXN.....179	81971PXC.....179	FC1207XK.....116	FC2223.....140
	2009SL.....120	81929PXNSL.....179	81971PXE.....179	FC1207XN.....116	FC2223SL.....140
	2010XC.....116	81929PXR.....179	81971PXJ.....179	FC1207XR.....116	FC2233.....141
	2010XE.....116	81929PXRSL.....179	81971PXX.....179	FC1208.....147	FC2233SL.....142
	2010XJ.....116	81933P.....167	81971PXX.....179	FC1208SL.....147	FC23.....196
	2010XK.....116	81933PSL.....167	81971PXR.....179	FC1209.....146	FC2382.....141
	2010XN.....116	81935P.....168	81975P.....167	FC1209SL.....147	FC2382SL.....141
	2010XR.....116	81935PSL.....168	81977P.....168	FC1211.....146	FC2385.....141
	2050SL.....120	81936P.....168	81978P.....168	FC1211SL.....147	FC2385SL.....142
	2050XC.....116	81936PSL.....168	81980P.....169	FC1212.....147	FC2389.....140

FC2389SL.....	140	FC5710XRSL.....	117	FC691XJ.....	116	FC81654.....	176	FC85720XC.....	116	FC89701.....	174
FC241.....	132	FC5720.....	120	FC691XK.....	116	FC81654SL.....	176	FC85720XE.....	116	FC8971.....	180
FC31.....	198	FC5720SL.....	120	FC691XN.....	116	FC816SL.....	133	FC85720XJ.....	116	FC8972.....	190
FC310.....	131	FC5720XC.....	116	FC691XR.....	116	FC817.....	133	FC85720XK.....	116	FC900.....	134
FC32.....	164	FC5720XCCL.....	117	FC704.....	195	FC817SL.....	135	FC85720XN.....	116	FC900SL.....	134
FC32SL.....	164	FC5720XE.....	116	FC707.....	194	FC818SL.....	136	FC85720XR.....	116	FC901.....	170
FC32XC.....	159	FC5720XESL.....	117	FC708.....	195	FC82.....	161	FC8572SL.....	136	FC901SL.....	170
FC32XCCL.....	159	FC5720XJ.....	116	FC709.....	165	FC820.....	137	FC8573SL.....	136	FC902.....	153
FC32XE.....	159	FC5720XJSL.....	117	FC710.....	166	FC821.....	135	FC8574.....	136	FC902SL.....	153
FC32XESL.....	159	FC5720XK.....	116	FC7125SL.....	182	FC822.....	132	FC8579.....	173	FC905.....	134
FC32XJ.....	159	FC5720XKSL.....	117	FC713.....	165	FC82213.....	141	FC8581.....	173	FC905SL.....	134
FC32XJSL.....	159	FC5720XN.....	116	FC714.....	164	FC82213SL.....	141	FC8583SL.....	173	FC906.....	171
FC32XK.....	159	FC5720XNLSL.....	117	FC721.....	194	FC82223.....	140	FC860.....	198	FC906SL.....	171
FC32XKSL.....	159	FC5720XR.....	116	FC735.....	195	FC82223SL.....	140	FC861.....	197	FC907.....	153
FC32XN.....	159	FC5720XRSL.....	117	FC736.....	194	FC82233.....	141	FC861XC.....	197	FC907SL.....	153
FC32XNSL.....	159	FC572SL.....	136	FC745.....	195	FC82233SL.....	142	FC861XE.....	197	FC910.....	137
FC32XR.....	159	FC573SL.....	136	FC752.....	195	FC82382.....	141	FC861XJ.....	197	FC910SL.....	137
FC32XRSL.....	159	FC574.....	136	FC755.....	198	FC82382SL.....	141	FC861XK.....	197	FC911.....	174
FC3487SL.....	182	FC581.....	173	FC765.....	151	FC82385.....	141	FC861XN.....	197	FC911SL.....	174
FC3487XCSL.....	178	FC583SL.....	173	FC765SL.....	151	FC82385SL.....	142	FC861XR.....	197	FC912.....	155
FC3487XESL.....	178	FC60.....	198	FC766.....	164	FC82389.....	140	FC862.....	198	FC912SL.....	155
FC3487XJSL.....	178	FC6093.....	134	FC766XC.....	159	FC82389SL.....	140	FC86220.....	190	FC915.....	165
FC3487XKSL.....	178	FC6094.....	135	FC766XE.....	159	FC828.....	147	FC862203.....	190	FC916.....	165
FC3487XNSL.....	178	FC6095.....	137	FC766XJ.....	159	FC828X.....	158	FC862203XC.....	189	FC917.....	196
FC3487XRSL.....	178	FC61.....	197	FC766XK.....	159	FC82XE.....	158	FC862203XE.....	189	FC92.....	161
FC369.....	133	FC61XC.....	197	FC766XN.....	159	FC82XJ.....	158	FC862203XJ.....	189	FC925.....	190
FC38.....	151	FC61XE.....	197	FC766XR.....	159	FC82XK.....	158	FC862203XK.....	189	FC92SL.....	162
FC386.....	177	FC61XJ.....	197	FC770.....	151	FC82XN.....	158	FC862203XN.....	189	FC92XC.....	158
FC387SL.....	177	FC61XK.....	197	FC772.....	151	FC82XR.....	158	FC862203XR.....	189	FC92XCCL.....	158
FC389.....	157	FC61XN.....	197	FC773.....	152	FC8310.....	161	FC86220XC.....	190	FC92XE.....	158
FC38SL.....	152	FC61XR.....	197	FC775.....	152	FC8310SL.....	162	FC86220XE.....	190	FC92XESL.....	158
FC393.....	189	FC62.....	184	FC776.....	153	FC8311.....	161	FC86220XJ.....	190	FC92XJ.....	158
FC4521.....	157	FC626.....	138	FC777.....	153	FC8311SL.....	161	FC86220XK.....	190	FC92XJSL.....	158
FC4521SL.....	157	FC62XC.....	179	FC778.....	154	FC8313.....	161	FC86220XN.....	190	FC92XK.....	158
FC4525.....	157	FC62XE.....	179	FC779.....	154	FC8313SL.....	161	FC86220XR.....	190	FC92XKSL.....	158
FC4525SL.....	157	FC62XJ.....	179	FC780.....	155	FC8316.....	161	FC86242.....	188	FC92XN.....	158
FC46SL.....	132	FC62XK.....	179	FC789.....	166	FC8318.....	182	FC86243.....	187	FC92XNSL.....	158
FC476.....	157	FC62XN.....	179	FC794.....	164	FC8319.....	182	FC86247.....	188	FC92XR.....	158
FC47SL.....	150	FC62XR.....	179	FC796.....	165	FC832.....	182	FC86249.....	188	FC92XRSL.....	158
FC47XCCL.....	144	FC63SL.....	182	FC797.....	165	FC8320.....	182	FC86252.....	187	FCM10.....	150
FC47XESL.....	144	FC63XCCL.....	178	FC798.....	166	FC8321.....	181	FC86253.....	187	FCM100.....	132
FC47XJSL.....	144	FC63XESL.....	178	FC803.....	196	FC8321XC.....	178	FC86254.....	188	FCM1000.....	198
FC47XKSL.....	144	FC63XJSL.....	178	FC808SL.....	131	FC8321XE.....	178	FC86255.....	187	FCM1006.....	134
FC47XNSL.....	144	FC63XKSL.....	178	FC809.....	198	FC8321XJ.....	178	FC86500.....	138	FCM101.....	168
FC47XRSL.....	144	FC63XNSL.....	178	FC80920.....	190	FC8321XK.....	178	FC86500SL.....	138	FCM101SL.....	168
FC48SL.....	184	FC63XRSL.....	178	FC809203.....	190	FC8321XN.....	178	FC86533.....	189	FCM1029.....	135
FC48XCCL.....	179	FC65.....	181	FC809203XC.....	189	FC8321XR.....	178	FC86536.....	175	FCM104.....	135
FC48XESL.....	179	FC6500.....	138	FC809203XE.....	189	FC8322.....	181	FC86550.....	138	FCM104XC.....	179
FC48XJSL.....	179	FC6500SL.....	138	FC809203XJ.....	189	FC8323.....	181	FC86550SL.....	138	FCM104XE.....	179
FC48XKSL.....	179	FC6534.....	189	FC809203XK.....	189	FC8324.....	181	FC86560.....	175	FCM104XJ.....	179
FC48XNSL.....	179	FC6550.....	138	FC809203XN.....	189	FC832XC.....	178	FC86560SL.....	175	FCM104XK.....	179
FC48XRSL.....	179	FC6550SL.....	138	FC809203XR.....	189	FC832XE.....	178	FC86570.....	196	FCM104XN.....	179
FC507.....	188	FC6560.....	175	FC80920XC.....	190	FC832XJ.....	178	FC86580.....	156	FCM104XR.....	179
FC529.....	155	FC6565SL.....	175	FC80920XE.....	190	FC832XK.....	178	FC86580SL.....	156	FCM105.....	172
FC5425.....	159	FC6570.....	196	FC80920XJ.....	190	FC832XN.....	178	FC8675SL.....	182	FCM105SL.....	172
FC5425SL.....	159	FC6576.....	166	FC80920XK.....	190	FC832XR.....	178	FC8678.....	180	FCM106.....	165
FC543.....	155	FC6577.....	166	FC80920XN.....	190	FC8386.....	177	FC8678SL.....	180	FCM108.....	131
FC545SL.....	155	FC6580.....	156	FC80920XR.....	190	FC8386SL.....	177	FC8685.....	120	FCM1089SL.....	160
FC549.....	188	FC6580SL.....	156	FC80942.....	188	FC8390.....	189	FC8685LXC.....	116	FCM109.....	167
FC5700.....	120	FC6582.....	156	FC80943.....	187	FC8392.....	177	FC8685LXE.....	116	FCM109SL.....	167
FC5700SL.....	120	FC65XC.....	178	FC80947.....	188	FC84521.....	157	FC8685LXJ.....	116	FCM10XC.....	143
FC5700XC.....	116	FC65XE.....	178	FC80949.....	188	FC84521SL.....	157	FC8685LXK.....	116	FCM10XE.....	143
FC5700XCCL.....	117	FC65XJ.....	178	FC80952.....	187	FC84525.....	157	FC8685LXN.....	116	FCM10XJ.....	143
FC5700XE.....	116	FC65XK.....	178	FC80953.....	187	FC84525SL.....	157	FC8685LXR.....	116	FCM10XK.....	143
FC5700XESL.....	117	FC65XN.....	178	FC80954.....	188	FC84527.....	158	FC8685LXR.....	120	FCM10XN.....	143
FC5700XJ.....	116	FC65XR.....	178	FC80955.....	187	FC84527SL.....	158	FC8685R.....	116	FCM10XN.....	143
FC5700XJSL.....	117	FC668.....	132	FC8095L.....	137	FC8489.....	177	FC8685RXC.....	116	FCM10XR.....	143
FC5700XK.....	116	FC670.....	184	FC812SL.....	134	FC8498.....	177	FC8685RXE.....	116	FCM110.....	164
FC5700XKSL.....	117	FC678.....	180	FC813SL.....	138	FC8498SL.....	177	FC8685RXJ.....	116	FCM113.....	133
FC5700XN.....	116	FC678SL.....	180	FC814.....	132	FC8529.....	155	FC8685RXK.....	116	FCM114.....	169
FC5700XNSL.....	117	FC685L.....	120	FC8141.....	190	FC8545SL.....	155	FC8685RXN.....	116	FCM114SL.....	169
FC5700XR.....	116	FC685LXC.....	116	FC8144.....	182	FC85700.....	120	FC8685RXR.....	116	FCM115.....	152
FC5700XRSL.....	117	FC685LXE.....	116	FC8145.....	182	FC85700C.....	116	FC8691.....	120	FCM115SL.....	152
FC571.....	136	FC685LXJ.....	116	FC8145SL.....	182	FC85700XC.....	116	FC8691XC.....	116	FCM116.....	180
FC5710.....	120	FC685LXK.....	116	FC8149.....	174	FC85700XJ.....	116	FC8691XE.....	116	FCM1200.....	145
FC5710SL.....	120	FC685LXN.....	116	FC814SL.....	133	FC85700XK.....	116	FC8691XJ.....	116	FCM1200SL.....	146
FC5710XC.....	116	FC685LXR.....	116	FC815SL.....	134	FC85700XN.....	116	FC8691XK.....	116	FCM1201.....	145
FC5710XCCL.....	117	FC685R.....	120	FC816.....	131	FC85700XR.....	116	FC8691XN.....	116	FCM1201SL.....	146
FC5710XE.....	116	FC685RXC.....	116	FC81645.....	196	FC8571.....	136	FC8704.....	195	FCM1202.....	145
FC5710XESL.....	117	FC685RXE.....	116	FC81646.....	156	FC85710.....	120	FC8707.....	194	FCM1202SL.....	146
FC5710XJ.....	116	FC685RXJ.....	116	FC81646SL.....	156	FC85710XC.....	116	FC8708.....	195	FCM1203.....	145
FC5710XJSL.....	117	FC685RXK.....	116	FC81649.....	189	FC85710XE.....	116	FC8721.....	194	FCM1204SL.....	119
FC5710XK.....	116	FC685RXN.....	116	FC81651.....	139	FC85710XJ.....	116	FC8735.....	195	FCM1205SL.....	119
FC5710XKSL.....	117	FC685RXR.....	116	FC81651SL.....	139	FC85710XK.....	116	FC8736.....	194	FCM1206SL.....	119
FC5710XN.....	116	FC691.....	120	FC81652.....	139	FC85710XN.....	116	FC8745.....	195	FCM1208.....	145
FC5710XNSL.....	117	FC691XC.....	116	FC81652SL.....	139	FC85710XR.....	116	FC8752.....	195	FCM1209.....	145
FC5710XR.....	116	FC691XE.....	116	FC81653.....	176	FC85720.....	120	FC8867SL.....	174	FCM1210SL.....	150
										FCM1210XCCL.....	144

Fiber-Classic® & Smooth-Star®
Continued

FCM12101XESL.....	144	FCM18XK.....	142	FCM4812XJ.....	127	FCM6051.....	169	FCM6570.....	196	FCM765SL.....	151
FCM12101XJSL.....	144	FCM18XN.....	142	FCM4812XJSL.....	128	FCM6052.....	167	FCM6575.....	166	FCM789.....	165
FCM12101XKSL.....	144	FCM18XR.....	142	FCM4812XN.....	127	FCM6055.....	180	FCM6577.....	166	FCM800.....	166
FCM12101XNSL.....	144	FCM198.....	146	FCM4812XNSL.....	128	FCM6056.....	174	FCM6580SL.....	156	FCM8000SL.....	129
FCM12101XRSL.....	144	FCM2000SL.....	129	FCM4812XR.....	127	FCM605XC.....	192	FCM6582.....	156	FCM8000XC.....	128
FCM12102SL.....	146	FCM2000XC.....	128	FCM4812XRSL.....	128	FCM605XE.....	192	FCM655L.....	181	FCM8000XESL.....	128
FCM12102XC.....	142	FCM2000XESL.....	128	FCM4813.....	128	FCM605XJ.....	192	FCM65XC.....	178	FCM8000XJSL.....	128
FCM12102XESL.....	142	FCM2000XJSL.....	128	FCM4813XC.....	127	FCM605XN.....	192	FCM65XC.....	178	FCM8000XKSL.....	128
FCM12102XJSL.....	142	FCM2000XKSL.....	128	FCM4813XE.....	127	FCM605XR.....	192	FCM65XE.....	178	FCM8000XNSL.....	128
FCM12102XKSL.....	142	FCM2000XNSL.....	128	FCM4813XJ.....	127	FCM606.....	193	FCM65XESL.....	178	FCM8000XRSL.....	128
FCM12102XNSL.....	142	FCM2000XRSL.....	128	FCM4813XN.....	127	FCM606XC.....	192	FCM65XJ.....	178	FCM808SL.....	131
FCM12102XRSL.....	142	FCM2009SL.....	119	FCM4813XR.....	127	FCM606XE.....	192	FCM65XJSL.....	178	FCM809SL.....	137
FCM1211.....	145	FCM205.....	198	FCM4814.....	129	FCM606XJ.....	192	FCM65XK.....	178	FCM81000.....	198
FCM1212.....	145	FCM2050SL.....	129	FCM4814XC.....	127	FCM606XN.....	192	FCM65XKSL.....	178	FCM8101SL.....	161
FCM1283.....	150	FCM2050XC.....	127	FCM4814XE.....	127	FCM606XR.....	192	FCM65XN.....	178	FCM8101XC.....	158
FCM1283XC.....	143	FCM2050XESL.....	127	FCM4814XJ.....	127	FCM607.....	193	FCM65XNSL.....	178	FCM8101XESL.....	158
FCM1283XE.....	143	FCM2050XJSL.....	127	FCM4814XN.....	127	FCM6074.....	171	FCM65XR.....	178	FCM8101XJSL.....	158
FCM1283XJ.....	143	FCM2050XKSL.....	127	FCM4814XR.....	127	FCM6075.....	171	FCM65XRSL.....	178	FCM8101XKSL.....	158
FCM1283XK.....	143	FCM2050XNSL.....	127	FCM4816.....	129	FCM607XC.....	192	FCM668.....	132	FCM8101XNSL.....	158
FCM1283XN.....	143	FCM2050XRSL.....	127	FCM4816XC.....	127	FCM607XE.....	192	FCM670.....	184	FCM8101XRSL.....	158
FCM1283XR.....	143	FCM2101SL.....	160	FCM4816XE.....	127	FCM607XJ.....	192	FCM678.....	180	FCM8103SL.....	154
FCM1284.....	146	FCM2106.....	160	FCM4816XJ.....	127	FCM607XN.....	192	FCM678SL.....	180	FCM8105SL.....	151
FCM1284XC.....	142	FCM2107.....	160	FCM4816XN.....	127	FCM607XR.....	192	FCM6975.....	192	FCM8107SL.....	155
FCM1284XE.....	142	FCM2108.....	160	FCM4816XR.....	127	FCM608.....	193	FCM704.....	195	FCM8110SL.....	159
FCM1284XJ.....	142	FCM220.....	198	FCM508.....	191	FCM608XC.....	192	FCM707.....	194	FCM8114.....	132
FCM1284XK.....	142	FCM2213.....	140	FCM5425.....	159	FCM608XE.....	192	FCM708.....	195	FCM8114SL.....	132
FCM1284XN.....	142	FCM2223.....	140	FCM5425SL.....	159	FCM608XJ.....	192	FCM7125SL.....	181	FCM8115.....	144
FCM1285.....	145	FCM2233.....	141	FCM543.....	154	FCM608XN.....	192	FCM721.....	194	FCM8115SL.....	144
FCM1285XC.....	142	FCM2382.....	140	FCM545SL.....	154	FCM608XR.....	192	FCM735.....	195	FCM81200.....	150
FCM1285XE.....	142	FCM2382SL.....	140	FCM571.....	136	FCM609.....	191	FCM736.....	194	FCM81200SL.....	150
FCM1285XJ.....	142	FCM2385.....	141	FCM572SL.....	136	FCM6093.....	134	FCM745.....	195	FCM81200XC.....	143
FCM1285XK.....	142	FCM2385SL.....	141	FCM574.....	136	FCM6094.....	135	FCM7500.....	125	FCM81200XC.....	144
FCM1285XN.....	142	FCM2389.....	140	FCM575.....	173	FCM6095.....	137	FCM7500SL.....	125	FCM81200XE.....	143
FCM1285XR.....	142	FCM2389SL.....	140	FCM577.....	173	FCM61.....	197	FCM7500SLXC.....	124	FCM81200XESL.....	144
FCM1286.....	144	FCM241.....	132	FCM583.....	173	FCM6107.....	170	FCM7500SLXE.....	124	FCM81200XJ.....	143
FCM1286SL.....	144	FCM31.....	198	FCM583SL.....	173	FCM6108.....	170	FCM7500SLXJ.....	124	FCM81200XJSL.....	144
FCM1289.....	146	FCM310.....	131	FCM60.....	198	FCM6124SL.....	146	FCM7500SLXN.....	124	FCM81200XK.....	143
FCM1289SL.....	146	FCM32.....	163	FCM600.....	198	FCM6124XC.....	142	FCM7500SLXR.....	124	FCM81200XKSL.....	144
FCM131.....	152	FCM32SL.....	163	FCM601.....	193	FCM6124XESL.....	142	FCM7500XC.....	124	FCM81200XN.....	143
FCM131SL.....	152	FCM32XC.....	159	FCM601XC.....	193	FCM6124XJSL.....	142	FCM7500XE.....	124	FCM81200XNSL.....	144
FCM138.....	145	FCM32XC.....	159	FCM601XE.....	193	FCM6124XNSL.....	142	FCM7500XJ.....	124	FCM81200XR.....	143
FCM138XC.....	142	FCM32XE.....	159	FCM601XJ.....	193	FCM6124XRSL.....	142	FCM7500XN.....	124	FCM81200XRSL.....	144
FCM138XE.....	142	FCM32XESL.....	159	FCM601XN.....	193	FCM6125SL.....	146	FCM7500XN.....	124	FCM81208P.....	146
FCM138XJ.....	142	FCM32XJ.....	159	FCM601XR.....	193	FCM6125XC.....	142	FCM7500XX.....	124	FCM81208PSL.....	146
FCM138XK.....	142	FCM32XJSL.....	159	FCM602.....	191	FCM6125XESL.....	142	FCM7500XX.....	124	FCM81208SL.....	146
FCM138XN.....	142	FCM32XK.....	159	FCM6021.....	184	FCM6125XJSL.....	142	FCM7500XX.....	124	FCM81225.....	144
FCM138XR.....	142	FCM32XKSL.....	159	FCM6021XC.....	179	FCM6125XNSL.....	142	FCM7500XX.....	124	FCM81225SL.....	144
FCM1400SL.....	161	FCM32XN.....	159	FCM6021XE.....	179	FCM6125XRSL.....	142	FCM7500XR.....	124	FCM812SL.....	134
FCM1402.....	161	FCM32XNSL.....	159	FCM6021XJ.....	179	FCM6126SL.....	146	FCM7512.....	124	FCM813SL.....	138
FCM1405.....	181	FCM32XR.....	159	FCM6021XK.....	179	FCM6126XC.....	142	FCM7512SL.....	124	FCM814.....	132
FCM1405SL.....	181	FCM32XRSL.....	159	FCM6021XN.....	179	FCM6126XESL.....	142	FCM7512XC.....	123	FCM8145.....	181
FCM1406.....	181	FCM3487SL.....	181	FCM6021XR.....	179	FCM6126XJSL.....	142	FCM7512XC.....	123	FCM8145SL.....	181
FCM1408.....	181	FCM3487XC.....	178	FCM6022.....	181	FCM6126XNSL.....	142	FCM7512XE.....	123	FCM8149.....	174
FCM141.....	144	FCM3487XESL.....	178	FCM6022XC.....	178	FCM6126XRSL.....	142	FCM7512XESL.....	123	FCM814SL.....	133
FCM142.....	135	FCM3487XJSL.....	178	FCM6022XE.....	178	FCM61XC.....	197	FCM7512XJ.....	123	FCM815SL.....	134
FCM143.....	154	FCM3487XKSL.....	178	FCM6022XJ.....	178	FCM61XE.....	197	FCM7512XJSL.....	123	FCM816.....	131
FCM143SL.....	154	FCM3487XNSL.....	178	FCM6022XK.....	178	FCM61XJ.....	197	FCM7512XN.....	123	FCM81645.....	196
FCM144.....	171	FCM3487XNSL.....	178	FCM6022XN.....	178	FCM61XJ.....	197	FCM7512XNSL.....	123	FCM81646SL.....	156
FCM1442SL.....	155	FCM3487XRSL.....	178	FCM6022XR.....	178	FCM61XK.....	197	FCM7512XR.....	123	FCM81651.....	139
FCM147.....	154	FCM369.....	133	FCM6025.....	168	FCM61XN.....	197	FCM7512XR.....	123	FCM81651SL.....	139
FCM147SL.....	154	FCM38.....	151	FCM6026.....	173	FCM61XR.....	197	FCM752.....	195	FCM81652.....	139
FCM148.....	138	FCM386.....	176	FCM6029.....	170	FCM62.....	184	FCM7540.....	124	FCM81652SL.....	139
FCM149.....	174	FCM387.....	177	FCM6030.....	172	FCM6201SL.....	127	FCM7540SL.....	124	FCM81654.....	176
FCM149SL.....	174	FCM387SL.....	177	FCM6031.....	169	FCM6240SL.....	127	FCM7540XC.....	123	FCM81654SL.....	176
FCM151.....	165	FCM389.....	157	FCM6032.....	167	FCM626.....	138	FCM7540XC.....	123	FCM8166SL.....	132
FCM156.....	155	FCM389SL.....	157	FCM6035.....	180	FCM626.....	138	FCM7540XE.....	123	FCM8167.....	133
FCM16.....	132	FCM394.....	177	FCM6036.....	174	FCM62SL.....	184	FCM7540XESL.....	123	FCM817SL.....	135
FCM160.....	166	FCM4521SL.....	157	FCM604.....	191	FCM62XC.....	179	FCM7540XJ.....	123	FCM81800SL.....	132
FCM163.....	165	FCM4525SL.....	157	FCM6041.....	184	FCM62XE.....	179	FCM7540XJSL.....	123	FCM81828.....	146
FCM164.....	164	FCM476.....	157	FCM6041XC.....	179	FCM62XESL.....	179	FCM7540XN.....	123	FCM81829.....	146
FCM1645.....	196	FCM4810SL.....	129	FCM6041XE.....	179	FCM62XJ.....	179	FCM7540XNSL.....	123	FCM818SL.....	135
FCM1646SL.....	156	FCM4810XC.....	128	FCM6041XJ.....	179	FCM62XJSL.....	179	FCM7540XR.....	123	FCM81900SL.....	161
FCM1647.....	156	FCM4810XC.....	128	FCM6041XK.....	179	FCM62XK.....	179	FCM7540XRSL.....	123	FCM81918SL.....	131
FCM1650.....	192	FCM4810XESL.....	128	FCM6041XN.....	179	FCM62XKSL.....	179	FCM755.....	198	FCM81919SL.....	133
FCM1651.....	139	FCM4810XNSL.....	128	FCM6041XR.....	179	FCM62XNSL.....	179	FCM7560.....	124	FCM81921SL.....	135
FCM1651SL.....	139	FCM4810XJ.....	128	FCM6042.....	181	FCM62XR.....	179	FCM7560SL.....	124	FCM81928SL.....	137
FCM1652.....	139	FCM4810XJSL.....	128	FCM6042XC.....	178	FCM62XRSL.....	179	FCM7560XC.....	123	FCM81944SL.....	161
FCM1654.....	176	FCM4810XNSL.....	128	FCM6042XE.....	178	FCM62XSL.....	179	FCM7560XC.....	123	FCM81947SL.....	161
FCM1656.....	176	FCM4810XR.....	128	FCM6042XJ.....	178	FCM65.....	181	FCM7560XE.....	123	FCM81949SL.....	161
FCM1658.....	176	FCM4810XRSL.....	128	FCM6042XK.....	178	FCM6500.....	138	FCM7560XESL.....	123	FCM81968SL.....	132
FCM18.....	145	FCM4812SL.....	129	FCM6044.....	168	FCM6500SL.....	138	FCM7560XJ.....	123	FCM81968SL.....	134
FCM18101SL.....	132	FCM4812XC.....	127	FCM6046.....	173	FCM6520.....	192	FCM7560XJSL.....	123	FCM82.....	160
FCM18XC.....	142	FCM4812XC.....	128	FCM6049.....	170	FCM6550.....	138	FCM7560XN.....	123	FCM820.....	137
FCM18XE.....	142	FCM4812XC.....	128	FCM605.....	193	FCM6550.....	138	FCM7560XNSL.....	123	FCM821.....	135
FCM18XJ.....	142	FCM4812XESL.....	127	FCM6050.....	172	FCM6565.....	175	FCM7560XR.....	123	FCM822.....	132
						FCM6565SL.....	175	FCM7560XRSL.....	123	FCM82213.....	140
						FCM6568.....	175	FCM765.....	151	FCM82213SL.....	141

FCM82223.....	140	FCM8571.....	136	FCM8752.....	195	FC06188XRSL.....	143	S1207XE.....	117	S200.....	200
FCM82223SL.....	140	FCM8572SL.....	136	FCM87540.....	124	FC06189SL.....	148	S1207XJ.....	117	S2000.....	122
FCM82233.....	141	FCM8573SL.....	136	FCM87540XC.....	123	FC06189XCSSL.....	143	S1207XK.....	117	S2000SL.....	122
FCM82233SL.....	141	FCM8574.....	136	FCM87540XE.....	123	FC06189XESL.....	143	S1207XN.....	117	S2000SL.....	129
FCM82382.....	140	FCM8581.....	173	FCM87540XJ.....	123	FC06189XJSL.....	143	S1207XR.....	117	S2000SL-2C.....	121
FCM82382SL.....	140	FCM8583SL.....	173	FCM87540XN.....	123	FC06189XNSL.....	143	S1208.....	148	S2000SL-4C.....	121
FCM82385.....	141	FCM860.....	198	FCM87540XR.....	123	FC06189XRSL.....	143	S1208SL.....	149	S2000XC.....	119
FCM82385SL.....	141	FCM861.....	197	FCM87560.....	124	FC06190SL.....	148	S1209.....	148	S2000XCSSL.....	119
FCM82389.....	140	FCM861XC.....	197	FCM87560XC.....	123	FC06190XCSSL.....	143	S1209SL.....	149	S2000XCSSL.....	128
FCM82389SL.....	140	FCM861XE.....	197	FCM87560XE.....	123	FC06190XESL.....	143	S1211.....	148	S2000XCSSL-2C.....	117
FCM828.....	146	FCM861XJ.....	197	FCM87560XJ.....	123	FC06190XJSL.....	143	S1211SL.....	149	S2000XCSSL-4C.....	117
FCM82XC.....	158	FCM861XK.....	197	FCM87560XN.....	123	FC06190XNSL.....	143	S1212.....	148	S2000XE.....	119
FCM82XE.....	158	FCM861XN.....	197	FCM87560XR.....	123	FC06190XRSL.....	143	S128.....	148	S2000XESL.....	119
FCM82XJ.....	158	FCM861XR.....	197	FCM881SL.....	163	FC06575.....	166	S128XC.....	143	S2000XESL.....	128
FCM82XK.....	158	FCM862.....	184	FCM881XCSSL.....	159	FWRT.....	201	S128XE.....	143	S2000XESL-2C.....	117
FCM82XN.....	158	FCM86201SL.....	127	FCM881XESL.....	159	KNRT.....	201	S128XJ.....	143	S2000XESL-4C.....	117
FCM82XR.....	158	FCM86240.....	127	FCM881XJSL.....	159	LT30T.....	201	S128XK.....	143	S2000XJ.....	119
FCM8310SL.....	161	FCM86240SL.....	127	FCM881XKSL.....	159	LTRT.....	201	S128XN.....	143	S2000XJSL.....	119
FCM8311SL.....	160	FCM862SL.....	184	FCM881XNSL.....	159	PBRT.....	201	S128XR.....	143	S2000XJSL.....	128
FCM8313SL.....	160	FCM862XC.....	179	FCM881XRSL.....	159	RSRT.....	201	S130.....	145	S2000XJSL-2C.....	117
FCM8321.....	181	FCM862XCSSL.....	179	FCM882SL.....	151	S100.....	200	S130SL.....	145	S2000XJSL-4C.....	117
FCM8321XC.....	178	FCM862XE.....	179	FCM883SL.....	152	S1000.....	165	S131.....	180	S2000XK.....	119
FCM8321XE.....	178	FCM862XESL.....	179	FCM884SL.....	152	S1001.....	166	S132.....	180	S2000XKSL.....	119
FCM8321XJ.....	178	FCM862XJ.....	179	FCM885SL.....	154	S1006.....	134	S132SL.....	180	S2000XKSL.....	128
FCM8321XK.....	178	FCM862XJSL.....	179	FCM886.....	170	S100SL.....	150	S135.....	126	S2000XN.....	119
FCM8321XN.....	178	FCM862XK.....	179	FCM886SL.....	170	S100XCSSL.....	144	S137.....	181	S2000XNLSL.....	119
FCM8321XR.....	178	FCM862XKSL.....	179	FCM887SL.....	153	S100XESL.....	144	S139.....	133	S2000XNLSL.....	128
FCM8322.....	181	FCM862XN.....	179	FCM888.....	170	S100XJSL.....	144	S139SL.....	133	S2000XNLSL-2C.....	117
FCM8323.....	181	FCM862XNSL.....	179	FCM888SL.....	171	S100XKSL.....	144	S140.....	150	S2000XNLSL-4C.....	117
FCM8324.....	181	FCM862XR.....	179	FCM889SL.....	153	S100XNSL.....	144	S1400.....	163	S2000XR.....	119
FCM8386.....	176	FCM862XRSL.....	179	FCM890.....	137	S100XRSL.....	144	S1400SL.....	163	S2000XRSL.....	119
FCM8386SL.....	177	FCM863.....	167	FCM890SL.....	137	S1029.....	135	S1401.....	125	S2000XRSL.....	128
FCM84521SL.....	157	FCM863SL.....	167	FCM891.....	173	S104.....	184	S1401SL.....	125	S2000XRSL-2C.....	117
FCM84525SL.....	157	FCM864.....	168	FCM891SL.....	173	S104XC.....	179	S1402.....	163	S2000XRSL-4C.....	117
FCM84527SL.....	158	FCM864SL.....	168	FCM892SL.....	155	S104XE.....	179	S1404.....	190	S20042.....	156
FCM84810.....	129	FCM865.....	169	FCM893SL.....	134	S104XJ.....	179	S1405.....	183	S2009.....	121
FCM84810SL.....	129	FCM86500.....	138	FCM898.....	168	S104XK.....	179	S1405SL.....	183	S2009SL.....	121
FCM84810XC.....	128	FCM86500SL.....	138	FCM898SL.....	168	S104XN.....	179	S1406.....	183	S2010.....	120
FCM84810XCSSL.....	128	FCM86550.....	138	FCM899.....	171	S104XR.....	179	S1407.....	183	S2010SL.....	121
FCM84810XE.....	128	FCM86550SL.....	138	FCM899SL.....	171	S105.....	184	S1408.....	183	S2010SL.....	129
FCM84810XESL.....	128	FCM86560.....	175	FCM900.....	134	S108.....	148	S1409.....	126	S2010XC.....	117
FCM84810XJ.....	128	FCM86560SL.....	175	FCM901.....	170	S1089.....	162	S140STC.....	197	S2010XCSSL.....	117
FCM84810XJSL.....	128	FCM86570.....	196	FCM901SL.....	170	S1089SL.....	163	S140XC.....	144	S2010XCSSL.....	128
FCM84810XN.....	128	FCM86580SL.....	156	FCM902.....	153	S108XC.....	143	S140XE.....	144	S2010XE.....	117
FCM84810XNSL.....	128	FCM865SL.....	169	FCM902SL.....	153	S108XE.....	143	S140XJ.....	144	S2010XESL.....	117
FCM84810XR.....	128	FCM866.....	172	FCM905.....	134	S108XJ.....	143	S140XK.....	144	S2010XESL.....	128
FCM84810XRSL.....	128	FCM866SL.....	172	FCM906.....	170	S108XK.....	143	S140XN.....	144	S2010XJ.....	117
FCM84812.....	128	FCM8675SL.....	181	FCM906SL.....	171	S108XN.....	143	S140XR.....	144	S2010XJSL.....	117
FCM84812SL.....	129	FCM8678.....	180	FCM907.....	153	S108XR.....	143	S141.....	148	S2010XJSL.....	128
FCM84812XC.....	127	FCM8678SL.....	180	FCM907SL.....	153	S1100.....	199	S1411.....	186	S2010XK.....	117
FCM84812XCSSL.....	128	FCM867SL.....	174	FCM910.....	137	S115.....	183	S141STC.....	197	S2010XKSL.....	117
FCM84812XE.....	128	FCM870.....	150	FCM911.....	173	S1170SL.....	149	S141XC.....	143	S2010XKSL.....	128
FCM84812XESL.....	127	FCM8704.....	195	FCM911SL.....	173	S1170XCSSL.....	143	S141XE.....	143	S2010XN.....	117
FCM84812XJ.....	127	FCM8707.....	194	FCM912.....	155	S1170XESL.....	143	S141XJ.....	143	S2010XNLSL.....	117
FCM84812XJSL.....	128	FCM8708.....	195	FCM912SL.....	155	S1170XJSL.....	143	S141XK.....	143	S2010XNLSL.....	128
FCM84812XN.....	127	FCM870SL.....	150	FCM915.....	165	S1170XKSL.....	143	S141XN.....	143	S2010XNLSL.....	117
FCM84812XNSL.....	128	FCM870XC.....	143	FCM916.....	165	S1170XNSL.....	143	S141XR.....	143	S2010XRSL.....	117
FCM84812XR.....	127	FCM870XCSSL.....	144	FCM92SL.....	161	S1170XRSL.....	143	S1442SL.....	156	S2010XRSL.....	128
FCM84812XRSL.....	128	FCM870XE.....	143	FCM92XCSL.....	158	S118.....	150	S154.....	134	S205.....	200
FCM84813.....	128	FCM870XESL.....	144	FCM92XESL.....	158	S118XC.....	144	S154SL.....	134	S2050.....	120
FCM84813XC.....	127	FCM870XJ.....	143	FCM92XJSL.....	158	S118XE.....	144	S155.....	136	S2050XC.....	117
FCM84813XE.....	127	FCM870XJSL.....	144	FCM92XKSL.....	158	S118XJ.....	144	S155SL.....	136	S2050XE.....	117
FCM84813XJ.....	127	FCM870XK.....	143	FCM92XNSL.....	158	S118XK.....	144	S156.....	156	S2050XJ.....	117
FCM84813XN.....	127	FCM870XKSL.....	144	FCM92XRSL.....	158	S118XN.....	144	S160.....	138	S2050XK.....	117
FCM84813XR.....	127	FCM870XN.....	143	FC06184SL.....	148	S118XR.....	144	S160SL.....	138	S2050XN.....	117
FCM84814.....	129	FCM870XNSL.....	144	FC06184XCSSL.....	143	S120.....	200	S161.....	174	S2050XR.....	117
FCM84814XC.....	127	FCM870XR.....	143	FC06184XESL.....	143	S1200.....	148	S161SL.....	175	S206.....	184
FCM84814XE.....	127	FCM870XRSL.....	144	FC06184XJSL.....	143	S1200SL.....	149	S162.....	186	S206XC.....	179
FCM84814XJ.....	127	FCM871.....	131	FC06184XNSL.....	143	S1201.....	148	S163.....	166	S206XE.....	179
FCM84814XN.....	127	FCM871SL.....	131	FC06184XRSL.....	143	S1201SL.....	149	S1645.....	196	S206XJ.....	179
FCM84814XR.....	127	FCM872.....	132	FC06185SL.....	148	S1202.....	148	S1646.....	157	S206XK.....	179
FCM84816.....	129	FCM8721.....	194	FC06185XCSSL.....	143	S1202SL.....	149	S1646SL.....	157	S206XN.....	179
FCM84816XC.....	127	FCM872SL.....	132	FC06185XESL.....	143	S1203.....	148	S1647.....	156	S206XR.....	179
FCM84816XE.....	127	FCM873.....	133	FC06185XJSL.....	143	S1204.....	120	S1650.....	192	S210.....	200
FCM84816XJ.....	127	FCM8735.....	195	FC06185XNSL.....	143	S1204SL.....	121	S1651.....	139	S2100.....	127
FCM84816XN.....	127	FCM8736.....	194	FC06185XRSL.....	143	S1205.....	120	S1651SL.....	139	S2101.....	162
FCM84816XR.....	127	FCM873SL.....	133	FC06186SL.....	148	S1205SL.....	121	S1652.....	139	S2101SL.....	163
FCM84886SL.....	129	FCM874.....	135	FC06186XCSSL.....	143	S1205XC.....	117	S1652SL.....	139	S2102.....	162
FCM84886XCSSL.....	127	FCM8745.....	195	FC06186XESL.....	143	S1205XE.....	117	S1653.....	176	S2103.....	125
FCM84886XESL.....	127	FCM874SL.....	135	FC06186XJSL.....	143	S1205XJ.....	117	S1654.....	176	S2103SL.....	125
FCM84886XJSL.....	127	FCM87500.....	125	FC06186XNSL.....	143	S1205XK.....	117	S1655.....	189	S2103XC.....	123
FCM84886XKSL.....	127	FCM87512.....	124	FC06186XRSL.....	143	S1205XN.....	117	S1656.....	176	S2103XCSSL.....	124
FCM84886XNSL.....	127	FCM87512XC.....	123	FC06188SL.....	148	S1205XR.....	117	S1656SL.....	176	S2103XE.....	123
FCM84886XRSL.....	127	FCM87512XE.....	123	FC06188XCSSL.....	143	S1206.....	120	S1658.....	176	S2103XESL.....	124
FCM8498.....	177	FCM87512XJ.....	123	FC06188XESL.....	143	S1206SL.....	121	S1661.....	186	S2103XJ.....	123
FCM8498SL.....	177	FCM87512XN.....	123	FC06188XJSL.....	143	S1207.....	120	S198.....	149	S2103XJSL.....	124
FCM8545SL.....	154	FCM87512XR.....	123	FC06188XNSL.....	143	S1207XC.....	117	S198SL.....	150	S2103XK.....	123

S606XE	192	S6200XE	126	S7512XNSL	123	S81086XJSL	144	S82105XJ	123	S831203XC	189
S606XESL	143	S6200XESL	126	S7512XR	123	S81086XKSL	144	S82105XK	123	S831203XE	189
S606XJ	192	S6200XJ	126	S7512XRSL	123	S81086XNSL	144	S82105XN	123	S831203XJ	189
S606XJSL	143	S6200XJSL	126	S7512SL	164	S81086XRSL	144	S82105XR	123	S831203XK	189
S606XN	192	S6200XN	126	S751XCSL	159	S81100	199	S82106	125	S831203XN	189
S606XNSL	143	S6200XNSL	126	S751XESL	159	S81186SL	149	S82106X	123	S831203XR	189
S606XR	192	S6200XR	126	S751XJSL	159	S8120	200	S82106XE	123	S83120XC	190
S606XRSL	143	S6200XRSL	126	S751YKSL	159	S81208	149	S82106XJ	123	S83120XE	190
S607	193	S6200XR	126	S751XNSL	159	S81225	145	S82106XK	123	S83120XJ	190
S6070	135	S6200XRSL	126	S751XRSL	159	S8132	180	S82106XN	123	S83120XK	190
S6070SL	135	S6201SL	127	S752	195	S8132SL	180	S82106XR	123	S83120XN	190
S6071	154	S6240	127	S7540	124	S814	132	S82107	125	S83120XR	190
S6071SL	154	S6240SL	127	S7540SL	124	S8140	150	S82107XC	123	S8313	162
S6072	154	S626	138	S7540XC	123	S81401	125	S82107XE	123	S8313SL	163
S6073	171	S6500	139	S7540XE	123	S81405	183	S82107XJ	123	S83142	189
S6074	171	S6500SL	139	S7540XJ	123	S81405STC	197	S82107XK	123	S83143	187
S6075	172	S6520	192	S7540XN	123	S8140XC	144	S82107XN	123	S83147	188
S6076	172	S6534	189	S7540XR	123	S8140XE	144	S82107XR	123	S83149	188
S607SL	149	S6536	176	S755	200	S8140XJ	144	S82200	126	S83152	187
S607XC	193	S6550	139	S7560	124	S8140XK	144	S82200XC	124	S83153	187
S607XCSSL	143	S6550SL	139	S7560SL	125	S8140XN	144	S82200XE	124	S83154	188
S607XE	193	S6560	175	S7540XCSSL	123	S8140XR	144	S82200XJ	124	S83155	188
S607XESL	143	S6565	175	S7540XESL	123	S8141	190	S82200XK	124	S8316	162
S607XJ	193	S6565SL	176	S7540XJSL	123	S8144	183	S82200XN	124	S8317	196
S607XJSL	143	S6568	175	S7540XNSL	123	S8145	183	S82200XR	124	S8318	183
S607XN	193	S6570	196	S7540XRSL	123	S8145SL	183	S82213	141	S8319	183
S607XNSL	143	S6572	186	S7560XC	123	S8149	174	S82213SL	141	S832	183
S607XR	193	S6575	166	S7560XCSSL	123	S814SL	132	S82223	140	S8320	183
S607XRSL	143	S6576	166	S7560XE	123	S815	132	S82223SL	140	S83200	127
S608	193	S6577	166	S7560XESL	123	S816	131	S82233	142	S83200SL	127
S6080	166	S6580	156	S7560XJ	123	S81645	196	S82233SL	142	S83200XC	126
S6082	165	S6580SL	156	S7560XJSL	123	S81646	157	S82250	125	S83200XCSSL	126
S6084	165	S6582	156	S7560XN	123	S81646SL	157	S822XC	158	S83200XE	126
S6085	164	S668	132	S7560XNSL	123	S81649	189	S822XE	158	S83200XESL	126
S608XC	193	S682	159	S7560XR	123	S81650	192	S822XJ	158	S83200XJ	126
S608XE	193	S685L	122	S7560XRSL	123	S81651	139	S822XK	158	S83200XJSL	126
S608XJ	193	S685LXC	118	S757SL	155	S81651SL	139	S822XN	158	S83200XK	126
S608XN	193	S685LXE	118	S758SL	152	S81652	139	S822XR	158	S83200XKSL	126
S608XR	193	S685LXJ	118	S770	166	S81652SL	139	S82382	141	S83200XN	126
S609	191	S685LXK	118	S771	164	S81653	176	S82382SL	141	S83200XNSL	126
S6090	137	S685LXN	118	S773	165	S81654	176	S82385	142	S83200XNSL	126
S6091	154	S685LXR	118	S774	165	S81654SL	176	S82385SL	142	S83200XRSL	126
S6091SL	154	S685R	122	S80	164	S81656	176	S82389	140	S8321	183
S6092	153	S685RXC	118	S8000	122	S817	133	S82389SL	140	S8321XC	178
S6092SL	153	S685RXE	118	S8000-12	121	S818	150	S82600	119	S8321XE	178
S6094	136	S685RXJ	118	S8000-18	121	S81828	149	S82610	193	S8321XJ	178
S6095	137	S685RXK	118	S8000-9	121	S818XC	144	S82610XC	193	S8321XK	178
S6093	134	S685RXN	118	S8000SL	126	S818XE	144	S82610XE	193	S8321XN	178
S6100	134	S685RXR	118	S8000SL	129	S818XJ	144	S82610XJ	193	S8321XR	178
S6100SL	134	S691	121	S8000XC	119	S818XK	144	S82610XN	193	S8322	182
S6101	170	S691XC	117	S8000XCSSL	124	S818XN	144	S82610XR	193	S8323	182
S6101SL	170	S691XE	117	S8000XCSSL	128	S818XR	144	S82620	192	S8324	182
S6102	153	S691XJ	117	S8000XE	119	S81929P	184	S82630	191	S8325	183
S6102SL	153	S691XK	117	S8000XESL	124	S81929PXC	179	S82640	192	S8326	182
S6103	153	S691XN	117	S8000XESL	128	S81929PXE	179	S82650	191	S8327	182
S6104	185	S691XR	117	S8000XJ	119	S81929PXJ	179	S82660	191	S8328	182
S6106	170	S6975	192	S8000XJSL	124	S81929PXK	179	S82670	191	S832XC	178
S6107	170	S704	195	S8000XJSL	128	S81929PXN	179	S828	149	S832XE	178
S6108	170	S707	194	S8000XK	119	S81929PXR	179	S829	145	S832XJ	178
S6124SL	149	S708	195	S8000XKSL	128	S81933P	167	S829SL	145	S832XK	178
S6124XCSSL	143	S709	166	S8000XN	119	S81935P	168	S82SL	163	S832XN	178
S6124XESL	143	S7125SL	183	S8000XKSL	124	S81936P	168	S82XC	158	S832XR	178
S6124XJSL	143	S721	194	S8000XNSL	124	S81937P	169	S82XCSSL	158	S833	169
S6124XNSL	143	S735	195	S8000XNSL	128	S81938P	171	S82XE	158	S83300	122
S6124XRSL	143	S736	194	S8000XR	119	S81940P	171	S82XESL	158	S83300XC	118
S6125SL	149	S745	195	S8000XRSL	124	S81941P	172	S82XJ	158	S83300XE	118
S6125XCSSL	143	S7500	125	S8000XRSL	128	S81942P	174	S82XJSL	158	S83300XJ	118
S6125XESL	143	S7500SL	125	S807	186	S81983	172	S82XK	158	S83300XK	118
S6125XJSL	143	S7500SLXC	124	S807XC	186	S82	162	S82XKSL	158	S83300XN	118
S6125XNSL	143	S7500SLXE	124	S807XE	186	S820	137	S82XN	158	S83300XR	118
S6125XRSL	143	S7500SLXJ	124	S807XJ	186	S8200	199	S82XNSL	158	S83301	199
S6126SL	149	S7500SLXN	124	S807XK	186	S8201	200	S82XR	158	S83400L	121
S6126XCSSL	143	S7500SLXR	124	S807XN	186	S8202SL	163	S82XRSL	158	S83400LXC	118
S6126XESL	143	S7500XC	124	S807XR	186	S8204SL	163	S830	184	S83400LXE	118
S6126XJSL	143	S7500XE	124	S808	149	S8207SL	163	S830XC	179	S83400LXJ	118
S6126XNSL	143	S7500XJ	124	S808SL	149	S821	136	S830XE	179	S83400LXK	118
S6126XRSL	143	S7500XN	124	S80XC	159	S82103	125	S830XJ	179	S83400LXN	118
S6128SL	145	S7500XR	124	S80XE	159	S82103XC	123	S830XK	179	S83400LXR	118
S6130SL	132	S7512	124	S80XJ	159	S82103XE	123	S830XN	179	S83400R	122
S6131SL	134	S7512SL	125	S80XK	159	S82103XJ	123	S830XR	179	S83400RXC	118
S6132SL	138	S7512XC	123	S80XN	159	S82103XK	123	S831	200	S83400RXC	118
S6134SL	133	S7512XCSSL	123	S80XR	159	S82103XN	123	S8310	162	S83400RXJ	118
S6135SL	135	S7512XE	123	S810	200	S82103XR	123	S8310SL	163	S83400RXK	118
S6200	126	S7512XESL	123	S81000	200	S82104	125	S8311	162	S83400RXN	118
S6200SL	127	S7512XJ	123	S81086SL	150	S82105	125	S8311SL	163	S83400RXR	118
S6200XC	126	S7512XJSL	123	S81086XCSSL	144	S82105XC	123	S83120	190	S83401L	199
S6200XCSSL	126	S7512XN	123	S81086XESL	144	S82105XE	123	S831203	190	S83401R	199

Fiber-Classic® & Smooth-Star® *Continued*

S83500L	122	S84586SL	132	S85228XJSL	118	S85892	131	S8605XR	192	S87500	125
S83500LXC	118	S8467	177	S85228XKSL	118	S85892SL	131	S8606	193	S87500XC	124
S83500LXE	118	S84800	200	S85228XNSL	118	S85893	133	S8606SL	149	S87500XE	124
S83500LXJ	118	S84810	129	S85228XRSL	118	S85893SL	133	S8606XC	192	S87500XJ	124
S83500LXK	118	S84810SL	129	S85229SL	122	S85895	137	S8606XE	192	S87500XN	124
S83500LXN	118	S84810XC	128	S85229XC	118	S85895SL	137	S8606XJ	192	S87500XR	124
S83500LXR	118	S84810XC	128	S85229XCSL	118	S85896	136	S8606XN	192	S87512	124
S83500R	122	S84810XE	128	S85229XJSL	118	S85896SL	136	S8606XR	192	S87512XC	123
S83500RXC	118	S84810XESL	128	S85229XKSL	118	S85897	170	S8607	193	S87512XE	123
S83500RXE	118	S84810XJ	128	S85229XNSL	118	S85898	153	S86074	171	S87512XJ	123
S83500RXJ	118	S84810XJSL	128	S85229XRSL	118	S85898SL	153	S8607SL	149	S87512XN	123
S83500RXK	118	S84810XN	128	S85230SL	200	S85901	154	S8607XC	193	S87512XR	123
S83500RXN	118	S84810XNSL	128	S8529	155	S85902	155	S8607XE	193	S8752	195
S83500RXR	118	S84810XR	128	S8545SL	155	S85902SL	155	S8607XJ	193	S87540	124
S83501L	199	S84810XRSL	128	S85700	121	S85905	167	S8607XN	193	S87540XC	123
S83501R	199	S84812	129	S85700SL	200	S85907	168	S8607XR	193	S87540XE	123
S83540	192	S84812SL	129	S85700XC	117	S85908	171	S8608	193	S87540XJ	123
S83600L	122	S84812XC	128	S85700XC	200	S85909	172	S8608XC	193	S87540XN	123
S83600LXC	118	S84812XC	128	S85700XE	117	S85910SL	184	S8608XE	193	S87540XR	123
S83600LXE	118	S84812XE	128	S85700XESL	200	S85910XC	179	S8608XJ	193	S87560	124
S83600LXJ	118	S84812XESL	128	S85700XJ	117	S85910XC	179	S8608XN	193	S87560XC	123
S83600LXK	118	S84812XJ	128	S85700XJSL	200	S85910XJSL	179	S8608XR	193	S87560XE	123
S83600LXN	118	S84812XJSL	128	S85700XK	117	S85910XKSL	179	S8609	191	S87560XJ	123
S83600LXR	118	S84812XN	128	S85700XKSL	200	S85910XNSL	179	S86107	170	S87560XN	123
S83600R	122	S84812XNSL	128	S85700XN	117	S85910XRSL	179	S86200	126	S87560XR	123
S83600RXC	118	S84812XR	128	S85700XNSL	200	S85912SL	167	S86200SL	127	S880	164
S83600RXE	118	S84812XRSL	128	S85700XR	117	S85914SL	168	S86200XC	126	S880SL	164
S83600RXJ	118	S84813	129	S85700XRSL	200	S85915SL	169	S86200XCSL	126	S880XC	159
S83600RXK	118	S84813XC	128	S85701	199	S85916SL	170	S86200XE	126	S880XC	159
S83600RXN	118	S84813XE	128	S85705	121	S85917SL	171	S86200XESL	126	S880XC	159
S83600RXR	118	S84813XJ	128	S85705XC	117	S85918SL	170	S86200XJ	126	S880XESL	159
S83601L	199	S84813XN	128	S85705XE	117	S85920SL	174	S86200XJSL	126	S880XJ	159
S83601R	199	S84813XR	128	S85705XJ	117	S85922SL	172	S86200XK	126	S880XJSL	159
S837	174	S84814	129	S85705XK	117	S85924SL	149	S86200XKSL	126	S880XK	159
S8386	177	S84814XC	128	S85705XKSL	117	S85925SL	149	S86200XN	126	S880XKSL	159
S8386SL	177	S84814XE	128	S85710	121	S85926SL	149	S86200XNSL	126	S880XN	159
S8387	177	S84814XJ	128	S85710SL	200	S85927SL	131	S86200XR	126	S880XNSL	159
S8390	189	S84814XN	128	S85710SL	200	S85928SL	145	S86200XRSL	126	S880XR	159
S8392	177	S84814XR	128	S85710X	117	S85930SL	137	S86201SL	127	S880XRSL	159
S84200	126	S84816	129	S85710XC	200	S85931SL	133	S86240	127	S881	162
S84200SL	127	S84816XC	128	S85710XC	200	S85932SL	135	S86240SL	127	S881SL	163
S84200XC	126	S84816XE	128	S85710XESL	200	S85934SL	136	S86500	139	S881XC	158
S84200XCSL	126	S84816XJ	128	S85710XESL	200	S8600	200	S86500SL	139	S881XC	158
S84200XE	126	S84816XN	128	S85710XJ	117	S8600XC	193	S86520	192	S881XE	158
S84200XESL	126	S84816XR	128	S85710XJSL	200	S8600XE	193	S86533	189	S881XESL	158
S84200XJ	126	S84886SL	125	S85710XK	117	S8600XJ	193	S86536	176	S881XJ	158
S84200XJSL	126	S84886SL	129	S85710XKSL	200	S8600XN	193	S86550	139	S881XJSL	158
S84200XK	126	S84886XCSL	123	S85710XN	117	S8600XR	193	S86550SL	139	S881XK	158
S84200XKSL	126	S84886XCSL	128	S85710XNSL	200	S8601	193	S86560	175	S881XKSL	158
S84200XN	126	S84886XESL	123	S85710XR	117	S8601SL	150	S86560SL	176	S881XN	158
S84200XNSL	126	S84886XESL	128	S85710XRSL	200	S8601XCSL	144	S86565	175	S881XNSL	158
S84200XR	126	S84886XJSL	123	S85715	121	S8601XESL	144	S86570	196	S881XR	158
S84200XRSL	126	S84886XJSL	128	S85715XC	117	S8601XJSL	144	S86580	156	S881XRSL	158
S84305XC	179	S84886XKSL	123	S85715XE	117	S8601XKSL	144	S86580SL	156	S882	162
S84305XE	179	S84886XKSL	128	S85715XJ	117	S8601XNSL	144	S8675SL	183	S887	152
S84305XJ	179	S84886XNSL	123	S85715XK	117	S8601XRSL	144	S867SL	175	S887SL	152
S84305XK	179	S84886XNSL	128	S85715XN	117	S8602	191	S8682	159	S888	152
S84305XN	179	S84886XRSL	123	S85715XR	117	S86021	184	S8682SL	159	S888SL	152
S84305XR	179	S84886XRSL	128	S85720	121	S86021XC	179	S8685L	122	S891	153
S84308	180	S8489	178	S85720SL	200	S86021XE	179	S8685LXC	118	S891SL	153
S84309	182	S8498	177	S85720XC	117	S86021XJ	179	S8685LXE	118	S892	154
S84310	177	S8498SL	178	S85720XC	200	S86021XK	179	S8685LXN	118	S89200	126
S84311	176	S8508	192	S85720XE	117	S86021XN	179	S8685LXN	118	S89200XC	126
S84312	183	S85225SL	122	S85720XESL	200	S86021XR	179	S8685LXR	118	S89200XE	126
S84313	182	S85225XC	119	S85720XJ	117	S86022XC	178	S8685LXR	118	S89200XJ	126
S84314	167	S85225XCSL	119	S85720XJSL	200	S86022XC	178	S8685LXR	122	S89200XK	126
S84315	184	S85225XESL	119	S85720XK	117	S86022XK	178	S8685RXC	118	S89200XN	126
S84316	174	S85225XJSL	119	S85720XKSL	200	S86022XK	178	S8685RXC	118	S89200XR	126
S84318	182	S85225XNSL	119	S85720XNSL	200	S86022XN	178	S8685RXE	118	S89200XC	126
S84319	168	S85225XRSL	119	S85720XR	117	S86022XR	178	S8685RXJ	118	S89200XE	126
S84320	175	S85226SL	121	S85720XRSL	200	S86022XR	178	S8685RXK	118	S893	170
S84321	183	S85226XCSL	117	S85721	199	S86025	169	S8685RXN	118	S894	151
S84322	178	S85226XESL	117	S85725	121	S86026	174	S8685RXR	118	S894SL	151
S84323	175	S85226XJSL	117	S85725XC	117	S86027	168	S8691	121	S895	153
S84324	170	S85226XKSL	117	S85725XE	117	S86029	171	S8691XC	117	S895SL	153
S84325	169	S85226XNSL	117	S85725XJ	117	S8602SL	134	S8691XE	117	S896	197
S84326	173	S85226XRSL	117	S85725XK	117	S86030	172	S8691XJ	117	S896XC	197
S84327	171	S85227XC	118	S85725XKSL	117	S86031	169	S8691XK	117	S896XE	197
S84328	169	S85227XCSL	118	S85725XN	117	S86032	167	S8691XN	117	S896XJ	197
S84329	172	S85227XESL	118	S85725XR	117	S86035	180	S8691XR	117	S896XK	197
S84330	172	S85227XJSL	118	S85725XSL	117	S86036	175	S86975	192	S896XN	197
S84521	157	S85227XKSL	118	S8574	136	S8604	191	S8704	195	S896XR	197
S84521SL	157	S85227XNSL	118	S8573SL	137	S8605	193	S8707	194	S897	200
S84525	157	S85227XRSL	118	S8574	136	S8605SL	149	S8708	195	S89701	175
S84525SL	157	S85228SL	122	S8575	173	S8605XC	192	S8721	194	S8971	180
S84527	158	S85228XCSL	118	S8579	173	S8605XE	192	S8735	195	S8972	190
S84527SL	158	S85228XESL	118	S8581	173	S8605XJ	192	S8736	194	S898	163
				S8583SL	173	S8605XN	192	S8745	195	S898SL	163

Steel

S90	164	Steel	104XC	220	19720T	231	371HD	222	6186SL	215
S902	156	100.	104XE	220	19730T	231	371SLHD	218	6186SL	227
S902SL	156	104.	104XJ	220	19740T	231	374HD	218	6186XCSL	214
S90SL	126	105.	104XK	220	19750T	231	391HD	217	6186XCSL	226
S90XC	159	108.	104XN	220	198SL	215	391SLHD	217	6186XESL	214
S90XE	159	118.	104XR	220	198SL	227	395HD	220	6186XESL	226
S90XJ	159	128.	1089SLHD	217	203HD	225	395SLHD	220	6186XJSL	214
S90XK	159	130.	108XC	214	205HD	225	396HD	222	6186XJSL	226
S90XN	159	131.	108XE	214	206HD	221	397HD	220	6186XNSL	214
S90XR	159	137.	108XJ	214	206HDXC	220	416SL	214	6186XNSL	226
S91	152	139.	108XK	214	206HDXE	220	426HD	219	6186XRSL	214
S912	155	198.	108XN	214	206HDXJ	220	430HD	222	6186XRSL	226
S916	132	310.	108XR	214	206HDXX	220	430SLHD	219	620SL	213
S916SL	132	369.	1101HD	221	206HDXN	220	454HD	224	623HD	219
S91SL	152	571.	1101XCHD	220	206HDXR	220	4572SLHD	217	625HD	222
S92	162	610.	1101XEHD	220	2109HD	217	469HD	217	625SLHD	219
S9200	126	620.	1101XJHD	220	210HD	225	469SLHD	217	626SL	214
S9200XC	126	626.	1101XKHD	220	210SLHD	221	508HD	223	627HD	219
S9200XE	126	800.	1101XNHD	220	210SLHDXC	220	5425SL	217	628HD	222
S9200XJ	126	808.	1101XRHD	220	210SLHDXE	220	544HD	216	628SLHD	219
S9200XK	126	810.	1102HD	221	210SLHDXJ	220	546SLHD	216	630HD	218
S9200XN	126	818.	1111HD	219	210SLHDXK	220	576HD	219	631HD	219
S9200XR	126	828.	1112HD	219	210SLHDXN	220	578HD	219	632SL	215
S925	190	829.	1113HD	219	210SLHDXR	220	582HD	219	632SL	227
S92SL	125	896.	1114HD	218	2110HD	217	584SLHD	219	632XCSL	214
S92XC	158	916.	1115HD	218	2111HD	217	588HD	222	632XCSL	226
S92XE	158	1006.	1116HD	218	211HD	218	601HD	224	632XESL	214
S92XJ	158	1028.	1117HD	218	236HD	225	601XCHD	224	632XESL	226
S92XK	158	1029.	1118HD	219	237HD	225	601XEHD	224	632XJSL	214
S92XN	158	1200.	1120HD	219	2382HD	214	601XJHD	224	632XJSL	226
S92XR	158	1201.	1121HD	221	2382SL	214	601XNHD	224	632XKSL	214
S93	199	1202.	1123HD	221	2385HD	214	601XRHD	224	632XKSL	226
S9320	190	1203.	1123HDXC	220	2385SL	214	602HD	223	632XNSL	214
S93203	190	5425.	1123HDXE	220	2389HD	214	604HD	223	632XNSL	226
S93203XC	189	8132.	1123HDXJ	220	2389SL	214	605HD	224	632XRSL	214
S93203XE	189	8145.	1123HDXX	220	243HD	221	605HDXC	223	632XRSL	226
S93203XJ	189	8206.	1123HDXX	220	255HD	225	605HDXE	223	6500HD	214
S93203XK	189	8317.	1123HDXR	220	256HD	225	605HDXJ	223	6500SL	214
S93203XN	189	8321.	115HD	221	262HD	221	605HDXN	223	6520HD	223
S93203XR	189	8322.	118XC	215	262HDXC	220	605HDXR	223	6560HD	220
S9320XC	190	8323.	118XE	215	262HDXE	220	606HD	224	6565HD	220
S9320XE	190	8324.	118XJ	215	262HDXJ	220	606HDXC	223	6565SLHD	220
S9320XJ	190	8704.	118XK	215	262HDXX	220	606HDXE	223	6568HD	220
S9320XK	190	8708.	118XN	215	262HDXXN	220	606HDXJ	223	6570HD	225
S9320XN	190	8752.	118XR	215	262HDXR	220	606HDXN	223	6570SLHD	225
S9320XR	190	03142HD	1200SL	215	263HD	223	606HDXR	223	6572HD	222
S9342	189	1001HD	1200SL	226	263HDXC	222	607HD	224	6578HD	218
S9343	187	1002HD	1201SL	215	263HDXE	222	607HDXC	223	6580SLHD	216
S9347	188	1004HD	1201SL	226	263HDJ	222	607HDXE	223	6582HD	216
S9349	188	1005HD	1202SL	215	263HDXX	222	607HDXX	223	6720HDXCSL	217
S9352	187	1006SL	1202SL	226	263HDXN	222	607HDXN	223	6720HDXESL	217
S9353	187	1007HD	128XC	214	263HDXR	222	607HDXR	223	6720HDXJSL	217
S9354	188	1007SLHD	128XE	214	263SLHD	221	608HD	224	6720HDXKSL	217
S9355	188	1008HD	128XJ	214	263SLHDXC	220	608HDXC	223	6720HDXNSL	217
S95	152	1009HD	128XK	214	263SLHDXE	220	608HDXE	223	6720HDXRSL	217
S960	200	1009SLHD	128XN	214	263SLHDXJ	220	608HDXX	223	6720SLHD	217
S97	155	100SL	128XR	214	263SLHDXK	220	608HDXN	223	6975HD	223
S971	180	100SL	130SL	215	263SLHDXN	220	608HDXR	223	704HD	224
S972	167	100XCSL	130SL	226	263SLHDXR	220	609HD	223	707HD	224
S973	170	100XCSL	132HD	220	289HD	223	610SL	213	708HD	224
S975	151	100XESL	132SLHD	221	289HDXC	222	613HD	219	721HD	224
S975SL	151	100XESL	139SL	213	289HDXE	222	615HD	222	735HD	224
S977	152	100XJSL	1400SLHD	217	289HDJ	222	615SLHD	219	736HD	224
S979	151	100XJSL	1403HD	217	289HDXX	222	6184SL	215	745HD	224
S981	152	100XKSL	1405HD	221	289HDXN	222	6184SL	227	752HD	224
S982	153	100XKSL	1405SLHD	221	289HDXR	222	6184XCSL	214	818SL	227
S983	154	100XNSL	1406HD	221	294HD	222	6184XCSL	226	818XC	226
S992	166	100XNSL	1408HD	221	294SLHD	218	6184XESL	214	818XCSL	226
S997	165	100XRSL	1411HD	223	296HD	225	6184XESL	226	818XE	226
S999	165	100XRSL	1643HD	225	296HDXC	225	6184XJSL	214	818XESL	226
SART	201	1011HD	1643SLHD	225	296HDXE	225	6184XJSL	226	818XJ	226
		1020HD	1644HD	217	296HDJ	225	6184XNSL	214	818XJSL	226
		1022HD	1644SLHD	217	296HDXX	225	6184XNSL	226	818XK	226
		1024HD	1650HD	223	296HDXN	225	6184XRSL	214	818XKSL	226
		1025HD	1651HD	214	296HDXR	225	6184XRSL	226	818XN	226
		1029SL	1651SL	214	296SLHD	225	6185SL	215	818XNSL	226
		1032HD	1657HD	220	296SLHDXC	225	6185SL	227	818XR	226
		1035HD	1657SLHD	220	296SLHDXE	225	6185XCSL	214	818XRSL	226
		1037HD	1659HD	220	296SLHDXJ	225	6185XCSL	226	8206XC	227
		1037SLHD	1660HD	220	296SLHDXK	225	6185XESL	214	8206XE	227
		1039HD	1662HD	222	296SLHDXN	225	6185XESL	226	8206XJ	227
		1039SLHD	19020T	231	296SLHDXR	225	6185XJSL	214	8206XK	227
		1040HD	19055T	231	309HD	218	6185XJSL	226	8206XN	227
		1040SLHD	19200T	231	310SL	213	6185XNSL	214	8206XR	227
		1041HD	19210T	231	311HD	222	6185XNSL	226	828SL	227
		1041SLHD	19220T	231	311SLHD	218	6185XRSL	214	829SL	226
		1042HD	19520T	231	369SL	213	6185XRSL	226	8321XC	227

8321XE.....	227	TS104XR.....	227
8321XJ.....	227	TS105.....	228
8321XK.....	227	TS108.....	226
8321XN.....	227	TS108XC.....	226
8321XR.....	227	TS108XE.....	226
835HD.....	220	TS108KJ.....	226
86184SL.....	227	TS108KK.....	226
86185SL.....	227	TS108KN.....	226
86186SL.....	227	TS108XR.....	226
896XC.....	229	TS115.....	228
896XE.....	229	TS118.....	227
896XJ.....	229	TS118XC.....	226
896XK.....	229	TS118XE.....	226
896XN.....	229	TS118XJ.....	226
896XR.....	229	TS118XK.....	226
916SL.....	213	TS118XN.....	226
956SLHD.....	216	TS118XR.....	226
959HD.....	217	TS1200.....	226
959HDXC.....	217	TS1201.....	226
959HDXCSL.....	217	TS1202.....	226
959HDXE.....	217	TS1203.....	226
959HDXESL.....	217	TS128.....	226
959HDXJ.....	217	TS128XC.....	226
959HDXJSL.....	217	TS128XE.....	226
959HDXK.....	217	TS128XJ.....	226
959HDXKSL.....	217	TS128XK.....	226
959HDXN.....	217	TS128XN.....	226
959HDXNSL.....	217	TS128XR.....	226
959HDXR.....	217	TS130.....	226
959HDXRSL.....	217	TS131.....	228
959SLHD.....	217	TS132.....	228
961HD.....	217	TS132SL.....	228
961HDXC.....	217	TS137.....	228
961HDXE.....	217	TS1405SL.....	228
961HDXJ.....	217	TS1408.....	228
961HDXK.....	217	TS1411.....	229
961HDXN.....	217	TS198.....	228
961HDXR.....	217	TS206.....	227
965HD.....	216	TS206XC.....	227
965SLHD.....	216	TS206XE.....	227
966SLHD.....	216	TS206XJ.....	227
967HD.....	216	TS206XK.....	227
967SLHD.....	216	TS206XN.....	227
968HD.....	216	TS206XR.....	227
969HD.....	225	TS210.....	230
971SLHD.....	216	TS210SL.....	228
978HD.....	225	TS210XCSL.....	227
980HD.....	221	TS210XESL.....	227
980HDXC.....	220	TS210XJSL.....	227
980HDXE.....	220	TS210XKSL.....	227
980HDXJ.....	220	TS210XNSL.....	227
980HDXK.....	220	TS210XRSL.....	227
980HDXN.....	220	TS236.....	229
980HDXR.....	220	TS237.....	230
982HD.....	221	TS243.....	228
982HDXC.....	220	TS255.....	229
982HDXE.....	220	TS256.....	230
982HDXJ.....	220	TS262.....	228
982HDXK.....	220	TS262XC.....	227
982HDXN.....	220	TS262XE.....	227
982HDXR.....	220	TS262XJ.....	227
984HD.....	220	TS262XK.....	227
988HD.....	219	TS262XN.....	227
989HD.....	219	TS262XR.....	227
996HD.....	218	TS263.....	229
999HD.....	219	TS263SL.....	228
AXRT.....	231	TS263XC.....	229
BSRT.....	231	TS263XCSSL.....	229
CNRT.....	231	TS263XE.....	229
CX30T.....	231	TS263XESL.....	227
CXRT.....	231	TS263XJ.....	229
EC30T.....	231	TS263XJSL.....	227
ECRT.....	231	TS263XK.....	229
FWRT.....	231	TS263XKSL.....	227
KNRT.....	231	TS263XN.....	229
LT30T.....	231	TS263XNSL.....	227
LTRT.....	231	TS263XR.....	229
PBRT.....	231	TS263XRSL.....	227
RSRT.....	231	TS289.....	229
SART.....	231	TS289XC.....	229
TS100.....	230	TS289XE.....	229
TS104.....	228	TS289XJ.....	229
TS104XC.....	227	TS289XK.....	229
TS104XE.....	227	TS289XN.....	229
TS104XJ.....	227	TS289XR.....	229
TS104XK.....	227	TS296.....	230
TS104XN.....	227	TS296SL.....	230

TS296XC.....	229
TS296XCSSL.....	229
TS296XE.....	229
TS296XESL.....	229
TS296XJ.....	229
TS296XJSL.....	229
TS296XK.....	229
TS296XKSL.....	229
TS296XN.....	229
TS296XNSL.....	229
TS296XR.....	229
TS296XRSL.....	229
TS572SL.....	213
TS704.....	229
TS708.....	230
TS752.....	229

Fire

Fire.....	
100.....	235
1005HD.....	235
203HD.....	235
205HD.....	235
210HD.....	235
969HD.....	235
978HD.....	235
SSF100.....	234
SSF1100.....	234
SSF120.....	234
SSF160.....	234
SSF200.....	234
SSF205.....	234
SSF220.....	234
SSF31.....	234
SSF45.....	234
SSF4800.....	234
SSF600.....	234
SSF755.....	234
SSF8100.....	234
SSF81100.....	234
SSF8120.....	234
SSF8160.....	234
SSF8200.....	234
SSF8205.....	234
SSF8220.....	234
SSF831.....	234
SSF84800.....	234
SSF8600.....	234
SSF93.....	234
SSF960.....	234
TS100.....	235
TS210.....	235

Pulse.....		S4CL.....	245
DRS2131SL.....	247	S4CLSL.....	248
DRS82131SL.....	247	S4LAX.....	244
S10AXSL.....	248	S4LCL.....	245
S10CLSL.....	248	S4LPB.....	243
S10PBSL.....	247	S4LXC.....	245
S10XCSSL.....	248	S4LXE.....	245
S10XESL.....	248	S4LXJ.....	245
S10XJSL.....	248	S4LXK.....	245
S10XKSL.....	248	S4LXN.....	245
S10XNSL.....	248	S4LXR.....	245
S10XRSL.....	248	S4PB.....	243
S1651SL.....	247	S4PBSSL.....	247
S1AX.....	242	S4RAX.....	244
S1BL.....	240	S4RCL.....	245
S1BS.....	240	S4RPB.....	243
S1CL.....	242	S4RXC.....	245
S1CX.....	242	S4RXE.....	245
S1EC.....	242	S4RXJ.....	245
S1LAX.....	242	S4RXK.....	245
S1LBL.....	240	S4RXN.....	245
S1LBS.....	240	S4RXX.....	245
S1LCL.....	242	S4XC.....	245
S1LXC.....	242	S4XCSSL.....	248
S1LEC.....	242	S4XE.....	245
S1LLT.....	242	S4XESL.....	248
S1LPB.....	241	S4XJ.....	245
S1LRS.....	241	S4XJSL.....	248
S1LSA.....	241	S4XK.....	245
S1LSG.....	241	S4XKSL.....	248
S1LSN.....	241	S4XN.....	245
S1LT.....	242	S4XNSL.....	248
S1LXC.....	242	S4XR.....	245
S1LXE.....	242	S4XRSL.....	248
S1LXJ.....	242	S572SL.....	247
S1LXK.....	242	S5AX.....	244
S1LXN.....	242	S5AXSL.....	248
S1LXR.....	242	S5CL.....	246
S1PB.....	241	S5CLSL.....	248
S1RAX.....	242	S5LAX.....	244
S1RBL.....	241	S5LCL.....	245
S1RBS.....	240	S5LPB.....	243
S1RCL.....	242	S5LXC.....	245
S1RCX.....	242	S5LXE.....	245
S1REC.....	242	S5LXJ.....	245
S1RLT.....	242	S5LXK.....	245
S1RPB.....	241	S5LXN.....	245
S1RRS.....	241	S5LXR.....	245
S1RS.....	241	S5PB.....	243
S1RSA.....	241	S5PBSSL.....	247
S1RSG.....	241	S5RAX.....	244
S1RSN.....	241	S5RCL.....	246
S1RXC.....	242	S5RPB.....	243
S1RXE.....	242	S5RXC.....	246
S1RXJ.....	242	S5RXE.....	246
S1RXK.....	242	S5RXJ.....	246
S1RXN.....	242	S5RXK.....	246
S1RXR.....	242	S5RXN.....	246
S1SA.....	241	S5RXX.....	246
S1SG.....	241	S5RXR.....	246
S1SN.....	241	S5XC.....	246
S1XC.....	242	S5XCSSL.....	248
S1XE.....	242	S5XE.....	246
S1XJ.....	242	S5XESL.....	248
S1XK.....	242	S5XJ.....	246
S1XN.....	242	S5XJSL.....	248
S1XR.....	242	S5XK.....	246
S2382SL.....	247	S5XKSL.....	248
S2385SL.....	247	S5XN.....	246
S2389SL.....	247	S5XNSL.....	248
S2AX.....	240	S5XR.....	246
S2CL.....	240	S5XRSL.....	248
S2CX.....	240	S601SL.....	247
S2EC.....	240	S601XCSSL.....	247
S2PB.....	240	S601XESL.....	247
S2RS.....	240	S601XJSL.....	247
S2SG.....	240	S601XKSL.....	247
S2SN.....	240	S601XNSL.....	247
S2XC.....	240	S601XRSL.....	247
S2XE.....	240	S602SL.....	247
S2XJ.....	240	S604SL.....	247
S2XK.....	240	S6130SL.....	247
S2XN.....	240	S6134SL.....	247
S2XR.....	240	S6500SL.....	247
S4570SL.....	247	S81086SL.....	247
S4AX.....	244	S81086XCSL.....	247
S4AXSL.....	248	S81086XESL.....	247

S81086XKSL.....	247
S81086XNSL.....	247
S81086XRSL.....	247
S810AX.....	245
S810AXSL.....	248
S810CL.....	246
S810CLSL.....	248
S810LAX.....	245
S810LCL.....	246
S810LPB.....	244
S810LXC.....	246
S810LXE.....	246
S810LXJ.....	246
S810LXK.....	246
S810LXN.....	246
S810LXR.....	246
S810PB.....	244
S810PBSSL.....	247
S810RAX.....	245
S810RCL.....	246
S810RXC.....	246
S810RXX.....	246
S810RXN.....	246
S810RXR.....	246
S810XC.....	246
S810XCSSL.....	248
S810XE.....	246
S810XESL.....	248
S810XJ.....	246
S810XJSL.....	248
S810XK.....	246
S810XKSL.....	248
S810XN.....	246
S810XNSL.....	248
S810XR.....	246
S810XRSL.....	248
S811AX.....	245
S811AXSL.....	248
S811CL.....	246
S811CLSL.....	248
S811LAX.....	245
S811LCL.....	246
S811LPB.....	244
S811LXC.....	246
S811LXE.....	246
S811LXJ.....	246
S811LXK.....	246
S811LXN.....	246
S811LXR.....	246
S811PB.....	244
S811PBSSL.....	247
S811RAX.....	245
S811RCL.....	246
S811RPB.....	244
S811RXC.....	246
S811RXX.....	246
S811RXE.....	246
S811RXJ.....	246
S811RXK.....	246
S811RXN.....	246
S811RXL.....	246
S811X.....	246
S811XESL.....	248
S811XJ.....	246
S811XJSL.....	248
S811XK.....	246
S811XKSL.....	248
S811XN.....	246
S811XNSL.....	248
S811XR.....	246
S811XRSL.....	248
S81651SL.....	247
S81AX.....	242
S81BL.....	240
S81BS.....	240
S81CL.....	242
S81CX.....	242
S81EC.....	242
S81LAX.....	242
S81LBL.....	240
S81LBS.....	240
S81LCL.....	242
S81LCX.....	242

S81LEC.....	242	S84RXR.....	245	S8LCL.....	246
S81LLT.....	242	S84XCSL.....	248	S8LPB.....	243
S81LPB.....	241	S84XESL.....	248	S8LXC.....	246
S81LRS.....	241	S84XJSL.....	248	S8LXE.....	246
S81LSA.....	241	S84XKSL.....	248	S8LXJ.....	246
S81LSG.....	241	S84XNSL.....	248	S8LXK.....	246
S81LT.....	242	S84XRSL.....	248	S8LXN.....	246
S81LXC.....	242	S8572SL.....	247	S8LXR.....	246
S81LXE.....	242	S85927SL.....	247	S8PB.....	243
S81LXJ.....	242	S85931SL.....	247	S8RAX.....	245
S81LXK.....	242	S85932SL.....	247	S8RCL.....	246
S81LXN.....	242	S85AX.....	244	S8RPB.....	243
S81LXR.....	242	S85AXSL.....	248	S8RXC.....	246
S81PB.....	241	S85CL.....	246	S8RXE.....	246
S81RAX.....	242	S85CLSL.....	248	S8RXJ.....	246
S81RBL.....	241	S85LAX.....	244	S8RXK.....	246
S81RBS.....	240	S85LCL.....	245	S8RXN.....	246
S81RCL.....	242	S85LPB.....	243	S8RRR.....	246
S81RCX.....	242	S85LXC.....	245	S8XC.....	246
S81REC.....	242	S85LXE.....	245	S8XE.....	246
S81RLT.....	242	S85LXJ.....	245	S8XJ.....	246
S81RPB.....	241	S85LXK.....	245	S8XK.....	246
S81RRS.....	241	S85LXN.....	245	S8XN.....	246
S81RS.....	241	S85LXR.....	245	S8XR.....	246
S81RSA.....	241	S85PB.....	243	S9AX.....	245
S81RSG.....	241	S85PBSL.....	247	S9AXSL.....	248
S81RXC.....	242	S85RAX.....	244	S9CL.....	246
S81RXE.....	242	S85RCL.....	246	S9CLSL.....	248
S81RXJ.....	242	S85RPPB.....	243	S9LAX.....	245
S81RXK.....	242	S85RXC.....	246	S9LCL.....	246
S81RXN.....	242	S85RXE.....	246	S9LPB.....	243
S81RXR.....	242	S85RXJ.....	246	S9LXC.....	246
S81SA.....	241	S85RXK.....	246	S9LXE.....	246
S81SG.....	241	S85RXN.....	246	S9LXJ.....	246
S81XC.....	242	S85RXR.....	246	S9LXK.....	246
S81XE.....	242	S85XC.....	246	S9LXN.....	246
S81XJ.....	242	S85XCSL.....	248	S9LXR.....	246
S81XK.....	242	S85XE.....	246	S9PB.....	243
S81XN.....	242	S85XESL.....	248	S9PBSL.....	247
S81XR.....	242	S85XJ.....	246	S9RAX.....	245
S82382SL.....	247	S85XJSL.....	248	S9RCL.....	246
S82385SL.....	247	S85XK.....	246	S9RPB.....	243
S82389SL.....	247	S85XKSL.....	248	S9RXC.....	246
S83AX.....	240	S85XNSL.....	248	S9RXE.....	246
S83CL.....	240	S85XR.....	246	S9RXJ.....	246
S83CX.....	240	S85XRSL.....	248	S9RXK.....	246
S83EC.....	240	S86500SL.....	247	S9RXN.....	246
S83PB.....	240	S86AX.....	244	S9RXR.....	246
S83PS.....	240	S86AXSL.....	248	S9XC.....	246
S83SG.....	240	S86CL.....	246	S9XCSSL.....	248
S83SN.....	240	S86CLSL.....	248	S9XE.....	246
S83XC.....	240	S86LAX.....	244	S9XEESL.....	248
S83XE.....	240	S86LCL.....	246	S9XJ.....	246
S83XJ.....	240	S86LXC.....	246	S9XJSL.....	248
S83XK.....	240	S86LXE.....	246	S9XK.....	246
S83XN.....	240	S86LXJ.....	246	S9XKSL.....	248
S83XR.....	240	S86LXK.....	246	S9XN.....	246
S84586SL.....	247	S86LXN.....	246	S9XNSL.....	248
S84AX.....	244	S86LXR.....	246	S9XR.....	246
S48XC.....	245	S86PB.....	243	S9XRSL.....	248
S84AXSL.....	248	S86PBSL.....	247		
S48XE.....	245	S86RAX.....	244		
S48XJ.....	245	S86RCL.....	246		
S48XK.....	245	S86RPB.....	243		
S48XN.....	245	S86RXC.....	246		
S48XR.....	245	S86RXE.....	246		
S84CL.....	245	S86RXJ.....	246		
S84CLS.....	248	S86RXK.....	246		
S84LAX.....	244	S86RXN.....	246		
S84LCL.....	245	S86RXR.....	246		
S84LPB.....	243	S86XC.....	246		
S84LXC.....	245	S86XCSL.....	248		
S84LXE.....	245	S86XE.....	246		
S84LXJ.....	245	S86XESL.....	248		
S84LXK.....	245	S86XJ.....	246		
S84LXN.....	245	S86XJSL.....	248		
S84LXR.....	245	S86KK.....	246		
S84PB.....	243	S86KSL.....	248		
S84PBSL.....	247	S86KN.....	246		
S84RAX.....	244	S86XNSL.....	248		
S84RCL.....	245	S86XR.....	246		
S84RPB.....	243	S86XRSL.....	248		
S84RXC.....	245	S8AX.....	245		
S84RXE.....	245	S8CL.....	246		
S84RXJ.....	245	S8LAX.....	245		
S84RXK.....	245				
S84RXN.....	245				



Top: Fiber-Classic Mahogany Collection, Calix Glass, Door – FCM82223, Finish – Acorn
 Bottom: Impressions Storm & Entry Door System – IM8100, Finish – White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed



Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.



Advancement Center

Learn about Therma-Tru products and programs on our online training platform at brainshark.com/thermatru.




Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru — the expert in fiberglass door systems — and OSI® — the expert in construction sealants. Get started today at thermatru.com/installer.

Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.




Trade Professionals Online

Find everything from selling tools and training materials to technical information at thermatru.com/professionals.



Design Your Door

Homeowners can research and design a door with their own personal touch — all from the convenience of home. To get started, visit thermatru.com/design-your-door.





DOORS • DECORATIVE & SPECIALTY GLASS • FINISHING • SYSTEM COMPONENTS

THERMA-TRU® DOORS

thermatru.com

1-800-THERMA-TRU (843-7628)

1 Horizon Way
Deerfield, IL 60015



#thermatru



Cover / Back Cover: Classic Craft Mahogany Grain
Flush-Glazed ¾-Lite, Clear Glass with SDLs,
Door – CCM2806-SDLF6LE, Finish – Barley

©2026 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2026 SHERIDAN / JAN 2026 O25-39280